

HPD UNIQUE IDENTIFIER: 54922749952

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: A two-component traditional decorative coat, based on acrylic emulsion, provides a natural clay design with a beautiful and attractive appearance.

## Section 1: Summary

## Basic Method / Product Threshold

### CONTENT INVENTORY

<b>Inventory Reporting Format</b>	<b>Threshold Level</b>	<b>Residuals/Impurities Evaluation</b>	<i>For all contents above the threshold, the manufacturer has:</i>
<input type="radio"/> Nested Materials Method	<input checked="" type="radio"/> 100 ppm	<input type="radio"/> Completed	<b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Basic Method	<input type="radio"/> 1,000 ppm	<input checked="" type="radio"/> Partially Completed	<i>Provided weight and role.</i>
<b>Threshold Disclosed Per</b>	<input type="radio"/> Per GHS SDS	<input type="radio"/> Not Completed	<b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other	<b>Explanation(s) provided :</b>	<i>Provided screening results using HPDC-approved methods.</i>
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	<b>Identified</b> <input type="radio"/> Yes <input checked="" type="radio"/> No
			<i>Provided name and CAS RN or other identifier.</i>

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**PRODUCT** | **MATERIAL OR SUBSTANCE** | *RESIDUAL OR IMPURITY*

**GREENSCREEN SCORE** | HAZARD TYPE

JAZEERA MASHASHCO [ TALC BM-1 | CAN | MAM WATER BM-4  
UNDISCLOSED LT-P1 | RES TITANIUM DIOXIDE BM-1 | CAN | END |  
MAM PROPYLENE GLYCOL BM-2 | END | MAM ]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...  
BM-1, LT-P1

Nanomaterial ... No

### INVENTORY AND SCREENING NOTES:

Disclosed down to 100 ppm of the final coating system as applied

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 15 Regulatory (g/l): 20

Does the product contain exempt VOCs: Yes

Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

### CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

VOC content: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes  
 No

PREPARER: Self-Prepared

VERIFIER:  
VERIFICATION #:

SCREENING DATE: 2024-06-14

PUBLISHED DATE: 2024-06-14

EXPIRY DATE: 2027-06-14

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### JAZEERA MASHASHCO

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Partially

RESIDUALS AND IMPURITIES NOTES: Packing material and application tools

OTHER PRODUCT NOTES: No notes.

### TALC

ID: 8005-37-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2024-06-14 8:12:56

%: 20.0000 - 35.0000

GreenScreen: **BM-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Filler**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

CAN

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

CAN

IARC

Group 2b - Possibly carcinogenic to humans

MAM

GHS - Japan

H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

MAM

GHS - Japan

H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

### WATER

ID: 7732-18-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: 2024-06-14 8:12:56

%: 12.0000 - 20.0000

GreenScreen: **BM-4**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Solvent**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions  Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES:

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-06-14 8:12:56**

%: **10.0000 - 20.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
-----	-------------------	-------------------------------------

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List  Precautionary list of substances recommended for avoidance
-----------------	--------------------	--

SUBSTANCE NOTES: The resin is a main material in the formulation.

**TITANIUM DIOXIDE**

ID: **13463-67-7**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-06-14 8:12:57**

%: **10.0000 - 15.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)  Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES:

## PROPYLENE GLYCOL

ID: 57-55-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-06-14 8:12:57**

#: **5.0000 - 10.0000**

GreenScreen: **BM-2**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List  Antimicrobials
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List  Some Solvents
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)  Enzymes and Stabilizers - Green Circle (Verified Low Concern)

SUBSTANCE NOTES:

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2024-01-14 00:00:00	CERTIFIER OR LAB: <ETS
APPLICABLE FACILITIES: Recommended to use for exterior and interior applications on concrete, cement, brick and surfaces for old traditional houses.	EXPIRY DATE:	
CERTIFICATE URL: <a href="http://www.metslab.com">http://www.metslab.com</a>		
CERTIFICATION AND COMPLIANCE NOTES: The test has been tested in METS lab		

VOC CONTENT	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2024-01-04 00:00:00	CERTIFIER OR LAB: METS
APPLICABLE FACILITIES: Recommended to use for exterior and interior applications on concrete, cement, brick and surfaces for old traditional houses.	EXPIRY DATE:	
CERTIFICATE URL: <a href="http://www.metslab.com">http://www.metslab.com</a>		
CERTIFICATION AND COMPLIANCE NOTES: the test has been conducted in METS		

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

The product is based on pure acrylic resin, used for exterior application.

**MANUFACTURER INFORMATION**

MANUFACTURER: **Jazeera Factory for Paints Co**  
 ADDRESS: **Ammara**  
**Ammara**  
**Khamis Mushayt, Aseer 61961**  
 COUNTRY: **Saudi Arabia**

WEBSITE: **http://www.jazeerapaints.com**  
 CONTACT NAME: **Saeed Baomar**  
 TITLE: **Accreditation and Certification Manager**  
 PHONE: **+966558558921**  
 EMAIL: **sbaomar@jazeerapaints.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and*

