

HPD UNIQUE IDENTIFIER: 25934

CLASSIFICATION: 12 51 00 Office Furniture

PRODUCT DESCRIPTION: Personal storage lockers for front-of-house applications, available with a range of additional features such as postal slots and picture holders. Choose from a range of locks from barrel and key to more advanced electronic locks to suit all needs and use multi-colored doors to denote team spaces and promote your brand. You can see some examples here, use the buttons to see different sizes and styles. Talk to your Bisley Sales Support representative about options, material choices, and colours. This document is representative of all products within the Be, Lateral File, System File, Essentials and MySpace Lodge/ Locker ranges

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input checked="" type="radio"/> Nested Materials Method</p> <p><input type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p>Threshold level</p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p>Residuals/Impurities</p> <p>Residuals/Impurities</p> <p>Considered in 2 of 2 Materials</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p>Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p>Identified <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances disclosed by Name (Specific or Generic) and Identifier.</i></p>
--	---	--	--

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
STEEL [STEEL NoGS] POWDER PAINT [POLYESTER RESIN NoGS]
BARIUM SULFATE BM-2 | CAN MICA LT-UNK FERRIC OXIDE, YELLOW LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Materials and substances identified and reported to the 1000ppm threshold

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: ANSI/BIFMA M7.1 Standard Test Method for Determining VOC Emissions - X7.1-2011 FES Test method

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

LCA: Environmental Product Declaration (EPD) by NSF

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2021-08-23

PUBLISHED DATE: 2021-08-25

EXPIRY DATE: 2024-08-23

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

STEEL

#: 98.2000 - 98.2000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Considered through manufacturing process

OTHER MATERIAL NOTES: Exact material composition differs from coil to coil

STEEL

ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-08-24 0:28:11

#: 100.0000

GS: NoGS

RC: Both

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

POWDER PAINT

#: 0.1000 - 0.1000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Considered through manufacturing process

OTHER MATERIAL NOTES: Ingredients provided are generic others may be present depending on coating colour.

POLYESTER RESIN

ID: 2620689-07-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-08-23 23:58:40**%: **90.0000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Powder coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

BARIUM SULFATE

ID: 7727-43-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-08-23 23:58:40**%: **10.0000 - 30.0000** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES:

MICA

ID: 12001-26-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-08-23 23:58:41**%: **1.0000 - 3.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

FERRIC OXIDE, YELLOW

ID: 51274-00-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-08-24 0:30:53**%: **1.0000 - 3.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Adhesive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	ANSI/BIFMA M7.1 Standard Test Method for Determining VOC Emissions - X7.1-2011 FES Test method		
----------------------	---	--	--

CERTIFYING PARTY: Third Party	ISSUE DATE: 2019-03-27	EXPIRY DATE:	CERTIFIER OR LAB: TUV Rheinland LGA
APPLICABLE FACILITIES: Newport Manufacturing Site			
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES:			

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario		
----------------------	---	--	--

CERTIFYING PARTY: Third Party	ISSUE DATE: 2019-05-07	EXPIRY DATE:	CERTIFIER OR LAB: TUV Rheinland LGA
APPLICABLE FACILITIES: Newport Manufacturing Site			
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES:			

LCA	Environmental Product Declaration (EPD) by NSF		
------------	---	--	--

CERTIFYING PARTY: Third Party	ISSUE DATE: 2019-10-16	EXPIRY DATE:	CERTIFIER OR LAB: The International EPD System
APPLICABLE FACILITIES: Newport Manufacturing Site			
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES:			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This document is representative of only all-steel variants of this product.

For information on other variants please contact your representative.

MANUFACTURER INFORMATION

MANUFACTURER: Bisley Office Furniture
ADDRESS: Caswell Way
 Reevesland Industrial Estate
 Newport Newport NP19 4PW, United Kingdom
WEBSITE: www.bisley.com

CONTACT NAME: Daniel Walker
TITLE: Compliance & Sustainability Officer
PHONE: 01633637383
EMAIL: daniel.walker@bisley.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.