

HPD UNIQUE IDENTIFIER: 1598461952

CLASSIFICATION: 12 51 00 Office Furniture

PRODUCT DESCRIPTION: Bisley pedestals, static or mobile - all with lockable drawers provide secure storage of personal items in flexible working environments. They can help free up space, promote productivity and give everyone a sense of belonging. This document is representative of all products within the Note, Integrated, and Tower Pedestal ranges ranges

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities Evaluation, and Characterized/Screened/Identified. Includes options for reporting format (Nested Materials Method, Basic Method), threshold level (100 ppm, 1,000 ppm, Per GHS SDS, Other), and evaluation status (Completed in 4 of 4 Materials, Explanation(s) provided).

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

STEEL [ STEEL NoGS ] ACRYLONITRILE BUTADIENE STYRENE [ ABS RESIN LT-UNK ] POWDER PAINT [ POLYESTER RESIN NoGS BARIUM SULFATE BM-2 ] CAN | MAM MICA LT-UNK | MAM FERRIC OXIDE, YELLOW LT-UNK | ALUMINIUM [ ALUMINUM BM-1 ] END | MAM | PHY ]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Materials and substances identified and reported to the 1000ppm threshold

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: ANSI/BIFMA M7.1 Standard Test Method for Determining VOC Emissions - X7.1-2011 FES Test method
VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario
LCA: Environmental Product Declaration (EPD) by EPD Hub

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2024-12-05

PUBLISHED DATE: 2024-12-05
EXPIRY DATE: 2027-12-05

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### STEEL %: 98.2000 - 98.2000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Considered through manufacturing process

OTHER MATERIAL NOTES: Exact material composition differs from coil to coil

### STEEL ID: 12597-69-2

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-12-05 2:44:03**

%: **100.0000** GreenScreen: **NoGS** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Bisley uses cold rolled steel to produce its goods. 56% of the steel is recycled, with 32% pre-consumer and 24% post-consumer estimates.

### ACRYLONITRILE BUTADIENE STYRENE %: 1.6000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Considered throughout the manufacturing process

OTHER MATERIAL NOTES: Only applicable to mobile pedestal products

**ABS RESIN**

ID: 9003-56-9

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2024-12-05 2:44:04**%: **100.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

**POWDER PAINT**%: **0.1000 - 0.1000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Considered through manufacturing process

OTHER MATERIAL NOTES: Ingredients provided are generic others may be present depending on coating colour.

**POLYESTER RESIN**

ID: 2620689-07-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2024-12-05 2:44:04**%: **85.0000** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Powder coating**

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

**BARIUM SULFATE**

ID: 7727-43-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2024-12-05 2:44:04**%: **10.0000 - 30.0000** GreenScreen: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Cosmetics & Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024  Children's Toy Products

SUBSTANCE NOTES:

**MICA**

ID: **12001-26-2**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-12-05 2:44:05**

%: **1.0000 - 3.0000**

GreenScreen: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

**FERRIC OXIDE, YELLOW**

ID: **51274-00-1**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-12-05 2:44:04**

#: 1.0000 - 3.0000

GreenScreen: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Adhesive**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

**ALUMINIUM**

#: 0.1000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: **Yes**

MATERIAL TYPE: **Metal**

RESIDUALS AND IMPURITIES NOTES: Considered throughout the manufacturing process

OTHER MATERIAL NOTES: Using in the manufacture of internal components

**ALUMINUM**

ID: **7429-90-5**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-12-05 2:44:04**

#: **100.0000**

GreenScreen: **BM-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Structure component**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

END

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

MAM

GHS - Japan

H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]

MAM

GHS - Japan

H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]

PHY

GHS - Japan

H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]

PHY

GHS - Malaysia

H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]

PHY

GHS - Australia

H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]

PHY

GHS - New Zealand

Pyrophoric solids category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024
		Children's Toy Products

SUBSTANCE NOTES:

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

<b>VOC EMISSIONS</b>	<b>ANSI/BIFMA M7.1 Standard Test Method for Determining VOC Emissions - X7.1-2011 FES Test method</b>
----------------------	---

CERTIFYING PARTY: Third Party	ISSUE DATE: 2019-08-05 00:00:00	CERTIFIER OR LAB: TUV
APPLICABLE FACILITIES: Newport Manufacturing Site	EXPIRY DATE:	Rheinland LGA
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		

<b>VOC EMISSIONS</b>	<b>CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom &amp; Office scenario</b>
----------------------	---

CERTIFYING PARTY: Third Party	ISSUE DATE: 2019-08-06 00:00:00	CERTIFIER OR LAB: TUV
APPLICABLE FACILITIES: Newport Manufacturing Site	EXPIRY DATE:	Rheinland LGA
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		

<b>LCA</b>	<b>Environmental Product Declaration (EPD) by EPD Hub</b>
------------	---

CERTIFYING PARTY: Third Party	ISSUE DATE: 2024-11-22 00:00:00	CERTIFIER OR LAB: EPD Hub
APPLICABLE FACILITIES: Newport Manufacturing Site	EXPIRY DATE: 2029-11-22 00:00:00	
CERTIFICATE URL: <a href="https://www.epdhub.com">https://www.epdhub.com</a>		
CERTIFICATION AND COMPLIANCE NOTES: EPDs are from cradle to gate with options.		

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

## Section 5: General Notes

This document is representative of only all-steel variants of this product.

For information on other variants please contact your representative.

**MANUFACTURER INFORMATION**

MANUFACTURER: **Bisley Office Furniture**  
 ADDRESS: **Caswell Way**  
**Reevesland Industrial Estate**  
**Newport, Newport NP19 4PW**  
 COUNTRY: **United Kingdom**

WEBSITE: **www.bisley.com**  
 CONTACT NAME: **Alister Pearce**  
 TITLE: **Compliance & Sustainability Officer**  
 PHONE: **07970234148**  
 EMAIL: **alister.pearce@bisley.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and*



