

HPD UNIQUE IDENTIFIER: 26290

CLASSIFICATION: 09 65 00 Resilient Flooring

PRODUCT DESCRIPTION: THIS HPD COVERS THE FOLLOWING COREtec® SOUND CORE WPC COLLECTIONS WITH ATTACHED CORK UNDERLAYMENT: 8mm-15mm AUTHENTICS 1.2, 1.2+, 1.5, 1.5+, 1.8+, H+, THE ESSENTIALS 1200, 1800, H, MULTI, TILE AND XL-END. 100% WATERPROOF AND EASY TO INSTALL WITH ITS SECURE ANGLE TAP SYSTEM, PRODUCT CAN BE INSTALLED OVER EXISTING FLOORS WITHOUT AN ADDITIONAL UNDERLAYMENT.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold Level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes
- No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

CORETEC® SOUND CORE WPC (AUTHENTICS, ET AL.) [CALCIUM CARBONATE BM-3 POLYVINYL CHLORIDE LT-P1 | RES DI(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg 2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER, POLYMER WITH BUTYL 2-PROPENOATE LT-UNK 2-PROPENOIC ACID, 1,6-HEXANEDIYL ESTER LT-P1 | SKI | MUL | EYE HYDROTALCITE NoGS POLY(OXY-1,2-ETHANEDIYL), α-HYDRO-ω-HYDROXY- LT-UNK VINYL ACETATE/ETHYLENE COPOLYMER LT-UNK CARBONIC ACID MONOSODIUM SALT LT-P1 | END TITANIUM DIOXIDE LT-1 | CAN ALUMINUM TRIHYDRATE (ATH) BM-2 FATTY ACIDS, C16-18 LT-UNK BENZENE, 1,1'-METHYLENEBIS[ISOCYANATO- LT-UNK | MUL | RES | SKI | CAN | EYE CARBON BLACK BM-1 | CAN STYRENE-ACRYLONITRILE COPOLYMERS LT-UNK 1,3-PROPANEDIOL, 2,2-BIS(HYDROXYMETHYL)-, POLYMER WITH 2-METHYLOXIRANE AND OXIRANE NoGS DIAZENE-1,2-DICARBOXAMIDE (C,C'-AZODI(FORMAMIDE)) LT-UNK | RES C.I. PIGMENT YELLOW 42 LT-UNK OCTADECANOIC ACID, ZINC SALT LT-P1 OCTADECANOIC ACID, CALCIUM SALT LT-UNK TITANATE (TiO32#-), CALCIUM (1:1) LT-UNK CORK NoGS LLDPE LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

All ingredients have been screened against HPD authoritative lists but not all CAS #'s have been disclosed to protect proprietary formulations.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: GREENGUARD Gold
LCA: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-10-06

PUBLISHED DATE: 2021-10-20

EXPIRY DATE: 2024-10-06

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

CORETEC® SOUND CORE WPC (AUTHENTICS, ET AL.)

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: All ingredients at or above 1000 ppm are included in this HPD. Any residuals and impurities below 1000 ppm are below the reporting threshold and are not considered. This is based on information provided to us by our raw material suppliers.

OTHER PRODUCT NOTES: No other information to be provided.

CALCIUM CARBONATE

ID: 471-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-06 12:00:38

#: 40.0000 - 55.0000 GS: BM-3 RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

POLYVINYL CHLORIDE

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-06 12:00:38

#: 30.0000 - 45.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

DI(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-06 12:00:39

#: 2.0000 - 5.0000 GS: BM-3dg RC: None NANO: No SUBSTANCE ROLE: Plasticizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER, POLYMER WITH BUTYL 2-PROPENOATE

ID: 25852-37-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-06 12:00:39**

#: **2.0000 - 5.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Processing regulator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

2-PROPENOIC ACID, 1,6-HEXANEDIYL ESTER ID: **13048-33-4**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-06 12:00:39**

#: **0.0000 - 2.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]

SUBSTANCE NOTES:

HYDROTALCITE ID: **12304-65-3**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-06 12:00:03**

#: **0.0000 - 3.0000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

POLY(OXY-1,2-ETHANEDIYL), α -HYDRO- ω -HYDROXY- ID: **25322-68-3**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-06 11:59:55**

#: **0.0000 - 3.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Lubricant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

VINYL ACETATE/ETHYLENE COPOLYMER ID: **24937-78-8**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-10-06 12:00:40	
#: 0.0000 - 2.0000	GS: LT-UNK	RC: None	NANO: No SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES:			

CARBONIC ACID MONOSODIUM SALT ID: **144-55-8**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-10-06 12:00:40	
#: 0.0000 - 3.0000	GS: LT-P1	RC: None	NANO: No SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor	
SUBSTANCE NOTES:			

TITANIUM DIOXIDE ID: **1317-70-0**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-10-06 12:00:41	
#: 0.0000 - 2.0000	GS: LT-1	RC: None	NANO: No SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen	
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route	
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources	
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value	
SUBSTANCE NOTES: Hazard in respirable form only; not available for exposure in finished product form.			

ALUMINUM TRIHYDRATE (ATH) ID: **21645-51-2**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-10-06 12:00:41	
#: 0.0000 - 3.0000	GS: BM-2	RC: None	NANO: No SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Mineral-based Flame Retardant			

FATTY ACIDS, C16-18 ID: **67701-03-5**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-10-06 12:00:42	
#: 0.0000 - 3.0000	GS: LT-UNK	RC: None	NANO: No SUBSTANCE ROLE: Lubricant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:		

BENZENE, 1,1'-METHYLENEBIS[ISOCYANATO-

ID: 26447-40-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-10-06 12:00:42		
%: 0.0000 - 2.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published		
RES	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage		
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]		
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
RES	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1]		

SUBSTANCE NOTES: Not available for exposure in finished product form.

CARBON BLACK

ID: 1333-86-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-10-06 12:00:43		
%: 0.0000 - 3.0000	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		

SUBSTANCE NOTES: Hazard in respirable form only; not available for exposure in finished product form.

STYRENE-ACRYLONITRILE COPOLYMERS

ID: 9003-54-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-10-06 12:00:44		
%: 0.0000 - 3.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

1,3-PROPANEDIOL, 2,2-BIS(HYDROXYMETHYL)-, POLYMER WITH 2-METHYLOXIRANE AND OXIRANE ID: 30374-35-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-10-06 12:00:44			
#: 0.0000 - 3.0000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Adhesive

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

DIAZENE-1,2-DICARBOXAMIDE (C,C'-AZODI(FORMAMIDE)) ID: 123-77-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-10-06 12:00:45			
#: 0.0000 - 2.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Blowing agent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
RES	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1]

SUBSTANCE NOTES:

C.I. PIGMENT YELLOW 42 ID: 51274-00-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-10-06 12:00:45			
#: 0.0000 - 3.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

OCTADECANOIC ACID, ZINC SALT ID: 557-05-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-10-06 12:00:46			
#: 0.0000 - 3.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

OCTADECANOIC ACID, CALCIUM SALT

ID: 1592-23-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-06 12:00:46**%: **0.0000 - 3.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

TITANATE (TIO32#-), CALCIUM (1:1)

ID: 12049-50-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-06 12:00:48**%: **0.0000 - 3.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

CORK

ID: 61789-98-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-06 12:00:48**%: **0.0000 - 9.0000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Biological material**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

LLDPE

ID: 9002-88-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-06 12:00:49**%: **0.0000 - 10.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Lubricant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	GREENGUARD Gold		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/5e7ca7be55b0e85110677816?page_type=Products%20Catalog	ISSUE DATE: 2020-03-25	EXPIRY DATE: 2022-06-08	CERTIFIER OR LAB: UL Environment
CERTIFICATION AND COMPLIANCE NOTES: All products carry Greenguard Gold certification and can be located on the UL SPOT website. All products pass European standards for Indoor Air Quality.			

LCA	Environmental Product Declaration		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: https://pdmsview.shawinc.com/viewer/doc/5021	ISSUE DATE: 2019-01-01	EXPIRY DATE: 2024-01-01	CERTIFIER OR LAB: UL Environment
CERTIFICATION AND COMPLIANCE NOTES: This is an Industry-Wide Environmental Product Declaration.			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

SHAW 200	HPD URL: no hpd available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: WPC flooring is designed to be installed utilizing the floating method, but glue down installation is also an approved method.	

Section 5: General Notes

This HPD covers the following collections: Authentics, The Essentials and XL-End.

Additional Sustainability Information found at: <https://coretecfloors.com/en-gb/news-and-press/articles/les-sols-usages-retrouvent-une-seconde-vie-avec-se>

Additional Installation and Accessory Information found at: <https://coretecfloors.com/en-gb/resource-center>

Additional Technical Specifications found at: https://shawfloors.widen.net/s/86g7xq6tpj/soundcore-tf-2020_en

MANUFACTURER INFORMATION

MANUFACTURER: USFloors International
ADDRESS: Souverainestraat 27
 Kruisem Belgium 9770, Belgium
WEBSITE: <https://coretecfloors.com/en-gb>

CONTACT NAME: Melea Wade
TITLE: Product Sustainability Manager
PHONE: 706-532-2181
EMAIL: melea.wade@shawinc.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.