

HPD UNIQUE IDENTIFIER: 31234

CLASSIFICATION: 09 65 00 Resilient Flooring

PRODUCT DESCRIPTION: PURLINE by Windmoeller, is the first elastic organic flooring worldwide from Bio-polyurethane, made from natural and renewable materials. The PURLINE organic flooring made in various designs in sheet, tile and plank formats is easy to maintain, requiring no applied finish or harsh chemicals. PURLINE satisfies the highest environmental needs for healthy living spaces. PURLINE is odorless, free of chloride, plasticizers, solvents and has international certifications GreenGuard Gold, Cradle to Cradle c2c Silver, Floor Score, Declare, EPD

**Section 1: Summary**

**Basic Method / Product Threshold**

**CONTENT INVENTORY**

<b>Inventory Reporting Format</b>	<b>Threshold Level</b>	<b>Residuals/Impurities Evaluation</b>	<i>For all contents above the threshold, the manufacturer has:</i>
<input checked="" type="radio"/> Nested Materials Method	<input checked="" type="radio"/> 100 ppm	<input type="radio"/> Completed	<b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Basic Method	<input type="radio"/> 1,000 ppm	<input type="radio"/> Partially Completed	<i>Provided weight and role.</i>
<b>Threshold Disclosed Per</b>	<input type="radio"/> Per GHS SDS	<input checked="" type="radio"/> Not Completed	<b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other	<b>Explanation(s) provided :</b>	<i>Provided screening results using HPDC-approved methods.</i>
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	<b>Identified</b> <input type="radio"/> Yes <input checked="" type="radio"/> No
			<i>Provided name and CAS RN or other identifier.</i>

**CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**  
**PURLINE ORGANIC FLOORING [ LIMESTONE BM-3dg**  
**POLYURETHANE FOAMS LT-UNK ALUMINUM HYDROXIDE, DRIED**  
**BM-2 ZEOLITES LT-UNK CONTINUOUS FILAMENT GLASS FIBER,**  
**NON-RESPIRABLE LT-UNK POLYETHYLENE TEREPHTHALATE (PET)**  
**LT-UNK POLYPROPYLENE LT-UNK CELLULOSE,**  
**MICROCRYSTALLINE LT-UNK RES KAOLIN LT-UNK CAN**  
**UNDISCLOSED LT-UNK RES WHITE MINERAL OIL LT-UNK**  
**TITANIUM DIOXIDE LT-1 | CAN | END ]**

Number of Greenscreen BM-4/BM3 contents ... 1  
 Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1  
 Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

All ingredients have been screened against HPD authoritative lists, but not all CAS#'s have been disclosed to protect proprietary formulations.

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** *See Section 3 for additional listings.*

VOC emissions: GreenGuard - Gold (previously Children & Schools)  
 VOC emissions: Danish Indoor Climate Labelling - Wall & ceiling systems Criteria  
 VOC emissions: RFCI FloorScore  
 Multi-attribute: C2CPH Material Health Certificate - Silver (V3.1)

**CONSISTENCY WITH OTHER PROGRAMS**

No pre-checks completed or disclosed.

Third Party Verified? <input type="radio"/> Yes <input checked="" type="radio"/> No	PREPARER: Self-Prepared VERIFIER: VERIFICATION #:	SCREENING DATE: 2022-01-04 PUBLISHED DATE: 2023-01-30 EXPIRY DATE: 2025-01-04
---	---	---

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### PURLINE ORGANIC FLOORING

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: Ingredients are disclosed at 100ppm. All ingredients at or above 100 ppm are included in this HPD. Any residuals and impurities below 100 ppm are below the reporting threshold and are not considered. This is based on information provided to us by our raw material suppliers.

OTHER PRODUCT NOTES: PURLINE, Products are sold through multiple sales partners under private label agreements and installed with 3rd party adhesive systems.

### LIMESTONE

ID: 1317-65-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-04 11:18:25

%: 45.0000 - 59.0000 GreenScreen: BM-3dg RC: None NANO: No SUBSTANCE ROLE: Filler

#### HAZARD TYPE

#### LIST NAME AND SOURCE

#### WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

#### ADDITIONAL LISTINGS

#### LIST NAME AND SOURCE

#### NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

### POLYURETHANE FOAMS

ID: 9009-54-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-04 11:18:25

%: 30.0000 - 50.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Polymer species

#### HAZARD TYPE

#### LIST NAME AND SOURCE

#### WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

#### ADDITIONAL LISTINGS

#### LIST NAME AND SOURCE

#### NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

### ALUMINUM HYDROXIDE, DRIED

ID: 21645-51-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-01-04 11:18:26

%: 1.0000 - 5.0000 GreenScreen: BM-2 RC: None NANO: No SUBSTANCE ROLE: Flame retardant

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

### ZEOLITES

ID: 1318-02-1

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2022-01-04 11:18:28</b>		
%: <b>1.0000 - 5.0000</b>	GreenScreen: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Filler</b>
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

### CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2022-01-04 11:18:27</b>		
%: <b>1.0000 - 3.0000</b>	GreenScreen: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Structure component</b>
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

### POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2022-01-04 11:18:27</b>		
%: <b>1.0000 - 3.0000</b>	GreenScreen: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Structure component</b>
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: A component of fiberglass to enhance stability and indentation resistance in the finished product.				

**POLYPROPYLENE**

ID: 9003-07-0

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-01-04 11:18:28**%: **1.0000 - 3.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

**CELLULOSE, MICROCRYSTALLINE**

ID: 9004-34-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-01-04 11:18:26**%: **1.0000 - 2.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Film former**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: AS per our description we refer to this material as Decor Paper.  
With the material role being Decor Paper.**KAOLIN**

ID: 1332-58-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-01-04 11:18:29**%: **1.0000 - 2.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Used as a filler for the decor paper.

**UNDISCLOSED**ID: **Undisclosed**HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-01-04 11:18:29**%: **0.5000 - 1.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Additives and decor paper dyes		

### WHITE MINERAL OIL

ID: 8042-47-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-01-04 11:18:30		
%: 0.2000 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Foaming regulator for the printing process. No human exposure in the finished product.				

### TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-01-04 11:18:30		
%: 0.0000 - 0.1000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Not available for human exposure in the finished product.				



*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	GreenGuard - Gold (previously Children & Schools)	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2019-06-13	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: All	EXPIRY DATE: 2022-06-13	Environment
CERTIFICATE URL: <a href="https://www.ul.com/services/greenguard-certification">https://www.ul.com/services/greenguard-certification</a>		
CERTIFICATION AND COMPLIANCE NOTES: UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings. Certificate # 173477-420 Flooring products are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using an Office and Classroom Environment. Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818. Section 7.1 and 7.2.		

VOC EMISSIONS	Danish Indoor Climate Labelling - Wall & ceiling systems Criteria	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2020-12-07	CERTIFIER OR LAB: Danish
APPLICABLE FACILITIES: ALL	EXPIRY DATE: 2025-12-07	Technology Institute
CERTIFICATE URL: <a href="https://indeklimamaerket.dk/about-danish-indoor-climate-labelling/">https://indeklimamaerket.dk/about-danish-indoor-climate-labelling/</a>		<a href="https://indeklimamaerket.dk/">https://indeklimamaerket.dk/</a>
CERTIFICATION AND COMPLIANCE NOTES: Danish Indoor Climate Labelling Certificate no. 116 Danish Indoor Climate Labelling Gregersensvej   2630 Taastrup indeklimamaerket@teknologisk.dk <a href="https://indeklimamaerket.dk/">https://indeklimamaerket.dk/</a>		

VOC EMISSIONS	RFCI FloorScore	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2018-09-07	CERTIFIER OR LAB: SCS Global
APPLICABLE FACILITIES: All	EXPIRY DATE: 2022-09-30	Services
CERTIFICATE URL: <a href="https://www.scsglobalservices.com/certified-green-products-guide?q=purline">https://www.scsglobalservices.com/certified-green-products-guide?q=purline</a>		
CERTIFICATION AND COMPLIANCE NOTES: FloorScore® <a href="https://www.scscertified.com/docs/FS_infosheet_v1.pdf">https://www.scscertified.com/docs/FS_infosheet_v1.pdf</a> SCS-FS-05093 <a href="https://www.scsglobalservices.com/certified-green-products-guide?pd_pid=45794">https://www.scsglobalservices.com/certified-green-products-guide?pd_pid=45794</a> SCS Global Services		

MULTI-ATTRIBUTE	C2CPII Material Health Certificate - Silver (V3.1)	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2018-03-22	CERTIFIER OR LAB: EPEA
APPLICABLE FACILITIES: All	EXPIRY DATE: 2022-03-22	Switzerland
CERTIFICATE URL: <a href="https://www.c2ccertified.org/products/scorecard/flooring-made-from-polyurethane-wpt-gmbh-windmoeller-polymer-techno">https://www.c2ccertified.org/products/scorecard/flooring-made-from-polyurethane-wpt-gmbh-windmoeller-polymer-techno</a>		

MULTI-ATTRIBUTE	ILFI Declare - LBC Compliant - Third Party Verified	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2018-11-01	CERTIFIER OR LAB: International
APPLICABLE FACILITIES: All	EXPIRY DATE: 2022-11-01	Living Future Institute
CERTIFICATE URL: <a href="https://declare.living-future.org/products/purline-resilient-polyurethane-floor-covering">https://declare.living-future.org/products/purline-resilient-polyurethane-floor-covering</a>		
CERTIFICATION AND COMPLIANCE NOTES: WAP Sustainability consulting DECLARE IDWDM-0001 International Living Future Institute <a href="https://declare.living-future.org/">living-future.org/declare</a> <a href="https://declare.living-future.org/">https://declare.living-future.org/</a>		

LCA	Environmental Product Declaration	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2018-09-18	CERTIFIER OR LAB: Institute
APPLICABLE FACILITIES: all	EXPIRY DATE: 2023-09-17	Bauen Und Umwelt e.v (IBU) lab
CERTIFICATE URL: <a href="http://ibu-epd.com/en/published-epds/">http://ibu-epd.com/en/published-epds/</a>		
CERTIFICATION AND COMPLIANCE NOTES: Environmental product attribute as per/ ISO 14025 and /EN 15804/ Declaration Number EPD-WIN-		

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

Always use Windmoeller recommended adhesives or taping system.

PURLINE Organic flooring products are sold through multiple selling partners be sure to use Windmoeller approved adhesives.

The basic adhesive requirements are a water based zero to low VOC liquid adhesive or applicable taping system.

These adhesives can be manufactured at multiple facilities in North American and Europe.



**MANUFACTURER INFORMATION**

**MANUFACTURER:** Windmoeller  
**ADDRESS:** 1395 South Marrietta parkway S.E. Bldg.200  
 suite #208  
 Marietta GA 30067, United States  
**WEBSITE:** [www.windmoeller.de/en](http://www.windmoeller.de/en)

**CONTACT NAME:** Tim Armstrong  
**TITLE:** Technical Support  
**PHONE:** +1 678 381 1001  
**EMAIL:** [tim.armstrong@windmoellerinc.com](mailto:tim.armstrong@windmoellerinc.com)

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this*

