

HPD UNIQUE IDENTIFIER: 152625041408

CLASSIFICATION: 08 13 00 Metal Doors

PRODUCT DESCRIPTION: STC Manufacturer polystyrene core steel doors are made with galvanized steel (18 Ga, 16 Ga, or 14 Ga). These doors are suitable for use in transition areas, such as from a garage to an interior room.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities Evaluation, and Characterized/Screened/Identified. Includes options for reporting methods, thresholds, and screening results.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®.

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, LT-1
Nanomaterial ... No

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

GALVANNEALED STEEL (DOOR SKIN) [IRON, ELEMENTAL LT-P1]
END UNS Z35531 ZINC ALLOY [LT-P1] END | MUL | AQU | PHY
MANGANESE [LT-P1] END | MUL | REP | MAM | AQU CHROMIUM [LT-P1] END | SKI | MAM | REP | RES NICKEL [LT-1] CAN | MUL | RES | MAM | SKI | AQU] EXPANDED POLYSTYRENE [POLYSTYRENE [LT-UNK] GRAPHITE [LT-UNK] ADHESIVE [POLYMETHYLENE POLYPHENYL ISOCYANATE [LT-UNK] CAN | RES | EYE | SKI | MAM 4,4'-DIPHENYLMETHANE DIISOCYANATE [LT-UNK] CAN | RES | SKI | EYE | MAM] GALVANNEALED STEEL (REINFORCEMENTS) [IRON, ELEMENTAL [LT-P1] END UNS Z35531 ZINC ALLOY [LT-P1] END | MUL | AQU | PHY]

INVENTORY AND SCREENING NOTES:

Special conditions materials are present in the product: metal alloy material. Guidelines for reporting Metals (SCMetalAlloy/2023-07-20) were followed, and the full metal composition has been reported.

PFAS DETAILS:

PFAS Attestation states "Unknown if product contains PFAS"

Attestation:

DJB

2025-04-10

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

- Yes
No

PREPARER: Vertima
VERIFIER:
VERIFICATION #:

SCREENING DATE: 2025-05-05
PUBLISHED DATE: 2025-05-05
EXPIRY DATE: 2028-05-05

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

GALVANNEALED STEEL (DOOR SKIN) %: 93.9600

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: According to the supplier's information, the passivation surface treatment is carried out using a trivalent chromium phosphate/nitrate solution. This process leaves a protective coating with a total chromium residual of 20 to 45 mg/m² per side.

OTHER MATERIAL NOTES: Galvanized steel sheets with a passivation surface treatment.

IRON, ELEMENTAL

ID: 7439-89-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2025-05-05 5:45:45

%: **86.6000 - 91.1000** GreenScreen: **LT-P1** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
-----	---------------------------------------	-------------------------------

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

None found		No listings found on Additional Hazard Lists
------------	--	--

SUBSTANCE NOTES: According to the information provided by the supplier, this galvanized steel contains 24.4% pre-consumer recycled content and 33% post-consumer recycled content. Since iron is the primary component of steel, the recycled content is attributed to iron. The percentage weight range is used to account for product variability and/or to protect the confidentiality of the material composition in the manufacturing process.

UNS Z35531 ZINC ALLOY

ID: 7440-66-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2025-05-05 5:45:46

%: **0.0000 - 8.8000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Galvanizing**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - Australia	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials

SUBSTANCE NOTES: According to the manufacturer, the annealed Zn-Fe coating may represent up to 10% of the total steel weight, with zinc accounting for 88% of the coating. The weight percentage range is used to account for product variability and/or to maintain the confidentiality of the material composition in the manufacturing process.

MANGANESE

ID: 7439-96-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-05-05 5:45:46**

#: **0.0000 - 2.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Children's Toy Products

SUBSTANCE NOTES: The weight percentage range is used to account for product variability and/or to maintain the confidentiality of the amount of manganese used in the manufacturing process.

CHROMIUM

ID: 7440-47-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2025-05-05 5:45:47**

%: **0.0000 - 0.5900**

GreenScreen: **LT-P1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
REP	GHS - New Zealand	Reproductive toxicity category 2
RES	GHS - Japan	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1A]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Cosmetics and Personal Care Products

SUBSTANCE NOTES: The weight percentage range is used to account for product variability and/or to maintain the confidentiality of the amount of manganese used in the manufacturing process.

NICKEL

ID: 7440-02-0

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-05-05 5:45:47**

%: **0.0000 - 0.2300** GreenScreen: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Footwear, Apparel & Jewelry Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Children's Toy Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Cosmetics and Personal Care Products

SUBSTANCE NOTES: The weight percentage range is used to account for product variability and/or to maintain the confidentiality of the amount of manganese used in the manufacturing process.

EXPANDED POLYSTYRENE %: 4.0900

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: According to the supplier's information, this material contains residuals or impurities, including n-pentane (<1.5%) and isopentane (<0.5%).

OTHER MATERIAL NOTES: Expanded Polystyrene is a rigid, lightweight insulation material with a closed-cell structure, offering low thermal conductivity, high compressive strength, and minimal water absorption.

POLYSTYRENE

ID: 9003-53-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2025-05-05 5:45:47**%: **95.0000 - 98.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

RESTRICTED LIST Perkins+Will (P+W) P&W - Precautionary List
Precautionary list of substances recommended for avoidance

SUBSTANCE NOTES: The weight percentage range is used to account for product variability and/or to maintain the confidentiality of the amount of manganese used in the manufacturing process.

GRAPHITE

ID: 7782-42-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2025-05-05 5:45:48**%: **0.0000 - 7.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE LIST NAME AND SOURCE WARNINGS

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The weight percentage range is used to account for product variability and/or to maintain the confidentiality of the amount of manganese used in the manufacturing process.

ADHESIVE%: **1.5400**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: According to the supplier's information, no evaluation of residuals or impurities has been conducted for this material.

OTHER MATERIAL NOTES: This adhesive is based on modified polymers or cyanoacrylates, designed for fast and reliable bonding of various materials such as plastic, metal, wood, glass, and more.

POLYMETHYLENE POLYPHENYL ISOCYANATE

ID: 9016-87-9

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2025-05-05 5:45:48**%: **50.0000 - 100.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
MAM	GHS - New Zealand	Acute inhalation toxicity category 2
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 All Products

SUBSTANCE NOTES: The weight percentage range is used to account for product variability and/or to maintain the confidentiality of the amount of manganese used in the manufacturing process.

4,4'-DIPHENYLMETHANE DIISOCYANATE

ID: 101-68-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2025-05-05 5:45:49**

#: **10.0000 - 30.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	GHS - New Zealand	Carcinogenicity category 2
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
MAM	GHS - New Zealand	Acute inhalation toxicity category 2

EYE	GHS - Korea	H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]
SKI	GHS - Korea	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Korea	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 All Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 Cosmetics and Personal Care Products

SUBSTANCE NOTES: The weight percentage range is used to account for product variability and/or to maintain the confidentiality of the amount of manganese used in the manufacturing process.

GALVANNEALED STEEL (REINFORCEMENTS) %: 0.4100

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: According to the supplier's information, the passivation surface treatment is carried out using a trivalent chromium phosphate/nitrate solution. This process leaves a protective coating with a total chromium residual of 20 to 45 mg/m² per side.

OTHER MATERIAL NOTES: Galvannealed steel sheets with a passivation surface treatment.

IRON, ELEMENTAL

ID: 7439-89-6

%: **86.6000 - 91.1000** GreenScreen: **LT-P1** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: According to the information provided by the supplier, this galvanized steel contains 22% pre-consumer recycled content and 34% post-consumer recycled content. Since iron is the primary component of steel, the recycled content is attributed to iron. The percentage weight range is used to account for product variability and/or to protect the confidentiality of the material composition in the manufacturing process.

UNS Z35531 ZINC ALLOYID: **7440-66-6**

%: **0.0000 - 8.8000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Galvanizing**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - Australia	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials

SUBSTANCE NOTES: According to the manufacturer, the annealed Zn-Fe coating can account for up to 10% of the total steel weight, with zinc representing 88% of the coating. The weight percentage range is used to account for product variability and/or to protect the confidentiality of the material composition in the manufacturing process.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method - Not tested	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2025-04-10 00:00:00	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Refer to the Inventory and Screening Notes section for details.

MANUFACTURER INFORMATION

MANUFACTURER: **STC Manufacturier**
 ADDRESS: **2542, Dubose Street**
Jonquière, Quebec G7S 1B4
 COUNTRY: **Canada**
 LATITUDE: **-71.1608000**
 LONGITUDE: **48.4035000**

WEBSITE: **www.stcmanufacturier.ca/en**
 CONTACT NAME: **Martin Ouellet**
 TITLE: **President and Chief Executive**
 PHONE: **418 699 0073**
 EMAIL: **martinouellet@stcmanufacturier.ca**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.