

HPD UNIQUE IDENTIFIER: 24737

CLASSIFICATION: 07 52 16 Styrene-Butadiene-Styrene Modified Bituminous Membrane Roofing

PRODUCT DESCRIPTION: SOPRALENE S FLAM 180-40 is a SBS-modified bitumen membrane to be used as a first, secondary layer or single layer under protection for elastomeric bitumen waterproofing systems and can be used in tanking works. It has a mineral top surface and is reinforced with a non-woven polyester mat.

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i>
<input checked="" type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	Residuals/Impurities	Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	Considered in 0 of 6 Materials	% weight and role provided for all substances.
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	Explanation(s) provided for Residuals/Impurities?	Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Material	<input type="radio"/> Other	<input checked="" type="radio"/> Yes <input type="radio"/> No	<i>All substances screened using Priority Hazard Lists with results disclosed.</i>
<input type="radio"/> Product			Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No
			<i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

SBS-MODIFIED BITUMEN MIXTURE [ASPHALT (ASPHALT) LT-1 | CAN LIMESTONE; CALCIUM CARBONATE (LIMESTONE; CALCIUM CARBONATE) LT-UNK UNDISCLOSED LT-UNK STYRENE BUTADIENE RUBBER (SBR) (STYRENE BUTADIENE RUBBER (SBR)) LT-UNK] SATURANT FOR POLYESTER REINFORCEMENT [ASPHALT, OXIDIZED (ASPHALT, OXIDIZED) LT-1 | CAN] MINERAL AGGREGATE SURFACING [FELDSPAR (FELDSPAR) LT-UNK | RES ALUMINUM SILICATE, NATURAL (ALUMINUM SILICATE, NATURAL - FELDSPATH) LT-UNK QUARTZ (QUARTZ) LT-1 | CAN] POLYESTER REINFORCING MAT [POLYESTER (POLYESTER) NoGS] POLYPROPYLENE FILM [POLYPROPYLENE (POLYPROPYLENE) LT-UNK] COLORED SAND [QUARTZ LT-1 | CAN 2-(2-BUTOXYETHOXY)ETHANOL LT-P1 | END | EYE TRIETHOXY(ETHYL)SILANE LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

No substance other than those listed in this HPD have been added to the finished product during its manufacturing. Residuals or impurities could not be considered because information was not provided to the manufacturer by the raw materials vendors. The precise composition of the bitumen mixture was not disclosed to protect proprietary information; ranges were given.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions
Management: ISO 9001:2015 Quality management systems
Management: ISO 14001:2015 Environmental management systems
Management: OHSAS-18001 Occupational Health and Safety Assessment Standard

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

PREPARER: Self-Prepared
VERIFIER:

SCREENING DATE: 2021-05-11
PUBLISHED DATE: 2021-05-11

Yes
 No

VERIFICATION #:

EXPIRY DATE: 2024-05-11

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpdc-collaborative.org/hpd-2-2-standard

SBS-MODIFIED BITUMEN MIXTURE %: 77.0000 - 80.0000

MATERIAL THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: No MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: The modified bitumen is composed of different substances blended to a homogeneous mixture.

ASPHALT (ASPHALT)

ID: 8052-42-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-11 4:43:44

%: 35.0000 - 50.0000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Water resistance

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

LIMESTONE; CALCIUM CARBONATE (LIMESTONE; CALCIUM CARBONATE)

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-11 4:43:44

%: 35.0000 - 50.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-11 5:32:36

%: 5.0000 - 10.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Substance not identified and exact percentage not disclosed to protect proprietary information.

STYRENE BUTADIENE RUBBER (SBR) (STYRENE BUTADIENE RUBBER (SBR))

ID: 9003-55-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-05-11 4:43:46			
#: 4.0000 - 9.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Exact percentage not disclosed to protect proprietary information.

SATURANT FOR POLYESTER REINFORCEMENT

#: **9.0000 - 12.0000**

MATERIAL THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDERED: No	MATERIAL TYPE: Other: Asphalt derived from crude oil
------------------------------	---	--

RESIDUALS AND IMPURITIES NOTES: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: Saturant used to fill all voids within reinforcing mat.

ASPHALT, OXIDIZED (ASPHALT, OXIDIZED)

ID: 64742-93-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-05-11 4:43:43			
#: 100.0000	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Water resistance

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2a - Agent is probably Carcinogenic to humans

SUBSTANCE NOTES: Oxidized asphalt is one option for reinforcement saturation.

MINERAL AGGREGATE SURFACING

#: **5.0000 - 8.0000**

MATERIAL THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CONSIDERED: No	MATERIAL TYPE: Geologically Derived Material
------------------------------	---	--

RESIDUALS AND IMPURITIES NOTES: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: Top surfacing material used to improve adhesion of subsequent materials.

FELDSPAR (FELDSPAR)

ID: 68476-25-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-11 4:43:45**%: **28.0000 - 32.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Heat or UV stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Mineral aggregate surfacing is composed of natural sand, which is composed of different minerals. Feldspar is one of these minerals.

ALUMINUM SILICATE, NATURAL (ALUMINUM SILICATE, NATURAL - FELDSPATH)

ID: 12141-46-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-11 4:43:45**%: **27.0000 - 31.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Heat or UV stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Mineral aggregate surfacing is composed of natural sand, which is composed of different minerals. Feldspath is one of these minerals.

QUARTZ (QUARTZ)

ID: 14808-60-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-11 4:43:46**%: **26.0000 - 35.0000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Heat or UV stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - Australia	H350i - May cause cancer by inhalation
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: Mineral aggregate surfacing is composed of natural sand, which is composed of different minerals. Quartz is one of these minerals.

POLYESTER REINFORCING MAT%: **3.0000 - 4.0000**

MATERIAL THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: Polyester reinforcing mat is responsible for the product's mechanical properties.

POLYESTER (POLYESTER)

ID: 113669-95-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-11 4:43:43**

#: **100.0000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Polyester fibres in a non-woven configuration.

POLYPROPYLENE FILM

#: **0.1000 - 0.2000**

MATERIAL THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: Polypropylene film is used as the bottom surfacing material.

POLYPROPYLENE (POLYPROPYLENE)

ID: 9003-07-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-11 4:43:43**

#: **100.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Anti-adhesive agent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: BOPP film.

COLORED SAND

#: **0.0000 - 0.1000**

MATERIAL THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

OTHER MATERIAL NOTES: Colored sand is used to generate lay lines on top surface of this product.

QUARTZ

ID: 14808-60-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-11 4:54:35**

#: **98.0000 - 99.0000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Dye**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - Australia	H350i - May cause cancer by inhalation
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

2-(2-BUTOXYETHOXY)ETHANOL

ID: 112-34-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-11 4:54:35**

%: **0.2000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Dye**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation

SUBSTANCE NOTES: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

TRIETHOXY(ETHYL)SILANE

ID: 78-07-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-11 4:54:36**

%: **0.1000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Dye**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Residuals were not considered because information could not be disclosed to the manufacturer by the materials suppliers.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.1 (Section 01350/CHPS) - Zero VOC emissions		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2019-03-	EXPIRY DATE:	CERTIFIER OR LAB: N/A
APPLICABLE FACILITIES: N/A	01		
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: N/A - This product is an exterior product therefore is not to be tested for VOC emissions.			

MANAGEMENT	ISO 9001:2015 Quality management systems		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2018-05-	EXPIRY DATE: 2021-	CERTIFIER OR LAB: SGS ICS
APPLICABLE FACILITIES: Facilities covered by this certification: St Julien du Sault, France; Strasbourg, France; Val de Reuil, France; Sorgues, France; Luynes, France; Ambert, France; Cestas, France; La Chapelle Saint Luc, France; Saint Rambert, France; Golbey, France; Drummondville, Québec, Canada; Chilliwack, British Columbia, Canada; Wadsworth, Ohio, USA; Richmond, Québec, Canada; Gulfport, Mississippi, USA; Beauport, Québec, Canada; Oberrosbach, Germany; Grobbendonk, Belgium; Andenne, Belgium; Ijlst, Netherlands; Chignolo d'Isola Bergamo, Italy; Frosinone, Italy; San Vito al Tagliamento, Italy; Verolanuova, Italy; Salgareda, Italy; Blonie, Poland; Spreitenbach, Switzerland; Cham, Switzerland.	28	05-13	
CERTIFICATE URL: https://www.soprema.ca/wp-content/uploads/2015/05/SOPREMA-certificat-iso-9001-v2-ENG.pdf			
CERTIFICATION AND COMPLIANCE NOTES: Certificate number FR18/81842815. Although all the plants cited above are covered by the certification, the only plant that manufactures the product covered by this HPD is the plant in Strasbourg.			

MANAGEMENT	ISO 14001:2015 Environmental management systems		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2018-05-	EXPIRY DATE: 2021-	CERTIFIER OR LAB: SGS ICS
APPLICABLE FACILITIES: Facilities covered by this certification: St Julien du Sault, France; Strasbourg, France; Val de Reuil, France; Sorgues, France; La Chapelle Saint Luc, France; Saint Rambert, France; Golbey, France; Drummondville, Québec, Canada; Chilliwack, British Columbia, Canada; Wadsworth, Ohio, USA; Richmond, Québec, Canada; Beauport, Québec, Canada; Grobbendonk, Belgium; Andenne, Belgium; Ijlst, Netherlands; Chignolo d'Isola Bergamo, Italy; Frosinone, Italy; Salgareda, Italy; San Vito al Tagliamento, Italy; Verolanuova, Italy; Blonie, Poland; Spreitenbach, Switzerland; Cham, Switzerland.	28	05-13	
CERTIFICATE URL: https://www.soprema.ca/wp-content/uploads/2015/05/SOPREMA-certificat-iso-14001-v2-ENG.pdf			
CERTIFICATION AND COMPLIANCE NOTES: Certificate number FR18/81842816. Although all the plants cited above are covered by the certification, the only plant that manufactures the product covered by this HPD is the plant in Strasbourg.			

MANAGEMENT	OHSAS-18001 Occupational Health and Safety Assessment Standard		
------------	--	--	--

CERTIFYING PARTY: Third Party

ISSUE DATE: 2018-05-28

EXPIRY DATE: 2021-05-13

CERTIFIER OR LAB: SGS ICS

APPLICABLE FACILITIES: Facilities covered by this certification: St Julien du Sault, France; Strasbourg, France; La Chapelle Saint Luc, France; Saint Rambert, France; Drummondville, Québec, Canada; Chilliwack, British Columbia, Canada; Beauport, Québec, Canada; Wadsworth, Ohio, USA; Gulfport, Mississippi, USA; Andenne, Belgium; Chignolo d'Isola Bergamo, Italy; Frosinone, Italy; San Vito al Tagliamento, Italy; Verolanuova, Italy; Salgareda, Italy.

CERTIFICATE URL: <https://www.soprema.ca/wp-content/uploads/2015/05/SOPREMA-certificat-ohsas-18001-v2-ENG.pdf>

CERTIFICATION AND COMPLIANCE NOTES: Certificate number FR18/81842817. Although all the plants cited above are covered by the certification, the only plant that manufactures the product covered by this HPD is the plant in Strasbourg.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

BITUMINOUS-BASED ROOFING PRIMER

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

The use of a primer may be required or recommended depending on the type of substrate on which is installed SOPRALENE S FLAM 180-40. Acceptable primers include SOPRADERE (solvent based) and AQUADERE (water-based).

Section 5: General Notes

Residuals could not be considered for all materials as information was not provided to the manufacturer by raw materials suppliers.

MANUFACTURER INFORMATION

MANUFACTURER: Soprema
ADDRESS: 1688 Jean-Berchmans-Michaud
 Drummondville Quebec J2C 8E9, Canada
WEBSITE: www.soprema.ca

CONTACT NAME: Jean-François Côté
TITLE: Director, Standards and Scientific Affairs
PHONE: 819-478-8166 x.3290
EMAIL: jfcote@soprema.ca

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.