

HPD UNIQUE IDENTIFIER: 25545

CLASSIFICATION: 09 91 23 Interior Painting

PRODUCT DESCRIPTION: AcryPlex is a family of premium quality interior paints and enamels designed to provide a luxurious, self-priming finish in a durable 100% acrylic, low VOC formulation. Excellent for use on walls, trim and ceiling surfaces in residential and commercial applications. AcryPlex can be used on drywall, plaster, masonry, metal, wood and hardboard. Ideal for living rooms, bedrooms, offices, classrooms, standard doors/trim and much more.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i>
<input type="radio"/> Nested Materials Method	<input checked="" type="radio"/> 100 ppm	<input checked="" type="radio"/> Considered	Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Basic Method	<input type="radio"/> 1,000 ppm	<input type="radio"/> Partially Considered	<i>% weight and role provided for all substances.</i>
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	<input type="radio"/> Not Considered	Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other	Explanation(s) provided for Residuals/Impurities?	<i>All substances screened using Priority Hazard Lists with results disclosed.</i>
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	Identified <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
			<i>All substances disclosed by Name (Specific or Generic) and Identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

1610 ACRYPLEX INTERIOR PAINTS & ENAMELS [WATER BM-4
METHYLMETHACRYLATE-METHACRYLIC ACID COPOLYMER LT-
UNK DODECYL ALCOHOL, ETHOXYLATED LT-P1 | MUL
TRIETHYLENE GLYCOL DI(2-ETHYLHEXOATE) LT-UNK KAOLIN LT-
UNK | CAN SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM
DISTILLATES LT-1 | CAN | MUL SILOXANES AND SILICONES, DI-ME,
3-HYDROXYPROPYL ME, ETHERS WITH POLYETHYLENE-
POLYPROPYLENE GLYCOL MONO-ME ETHER LT-UNK CARBOMER
934 LT-UNK | CAN C9-11 PARETH-3 LT-P1 | MUL 1,3-PROPANEDIOL,
2-ETHYL-2-(HYDROXYMETHYL)-, POLYMER WITH 1,3-
DIISOCYANATOMETHYLBENZENE LT-P1 CARBENDAZIM LT-1 | END |
DEV | REP | MUL | GEN | AQU AMMONIUM HYDROXIDE LT-P1 | RES |
MUL | AQU | SKI 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE LT-
P1 | MUL METHYLISOTHIAZOLINONE BM-2 | END | SKI | MUL | AQU |
MAM | EYE 1,2-BENZISOTHIAZOLINE-3-ONE LT-P1 | SKI | MUL | AQU |
EYE ATTAPULGITE, ACTIVATED LT-1 | CAN HYDROXYETHYL
CELLULOSE LT-P1 | END 2,2-DIBROMO-3-NITRILOPROPIONAMIDE
LT-P1 | END | SKI | MUL DIATOMACEOUS EARTH [WHICH CONTAINS
LESS THAN 0.1% OF CRYSTALLINE SILICA] LT-UNK LIMESTONE LT-
UNK TITANIUM DIOXIDE LT-1 | CAN | END POLY(OXY-1,2-
ETHANEDIYL), ALPHA-TRIDECYL-OMEGA-HYDROXY-, PHOSPHATE,
POTASSIUM SALT LT-UNK POLY(OXY-1,2-ETHANEDIYL), ALPHA-
TRIDECYL-OMEGA-HYDROXY-, ISOCTYL PHOSPHATE,
POTASSIUM SALT LT-UNK NEPHELINE SYENITE LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen
Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

N/A

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 1.049 Regulatory (g/l): 2.815

Does the product contain exempt VOCs: No

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: SCS Indoor Advantage Gold - Classroom & Office

Are ultra-low VOC tints available: Yes

scenario

VOC content: CARB 2007, Suggested Control Measure (SCM) for Architectural Coatings

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-07-30

PUBLISHED DATE: 2021-07-30

EXPIRY DATE: 2024-07-30

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

1610 ACRYPLEX INTERIOR PAINTS & ENAMELS

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: All raw materials were considered prior to formulation.

OTHER PRODUCT NOTES: N/A

WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-30 11:52:41

#: 53.3900 - 55.1500 GS: BM-4 RC: None NANO: No SUBSTANCE ROLE: Carrier

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

METHYLMETHACRYLATE-METHACRYLIC ACID COPOLYMER

ID: 25086-15-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-30 11:52:42

#: 22.1200 - 26.4200 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

DODECYL ALCOHOL, ETHOXYLATED

ID: 9002-92-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-30 11:52:42

#: 3.1200 - 3.8100 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Viscosity modifier

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

MUL

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: N/A

TRIETHYLENE GLYCOL DI(2-ETHYLHEXOATE)

ID: 94-28-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-30 11:52:43

%: 2.8500 - 3.2300

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Coalescent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

KAOLIN

ID: 1332-58-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-30 11:52:43**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: N/A

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES

ID: 64742-65-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-30 11:52:43**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CAN	EU - GHS (H-Statements)	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]

SUBSTANCE NOTES: N/A

SILOXANES AND SILICONES, DI-ME, 3-HYDROXYPROPYL ME, ETHERS WITH POLYETHYLENE-POLYPROPYLENE GLYCOL MONO-ME ETHER

ID: 67762-85-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-30 11:52:44**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

CARBOMER 934

ID: 9003-01-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-30 11:52:44**

#: **0.5500 - 1.4200** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Dispersant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: N/A

C9-11 PARETH-3 ID: **68439-46-3**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-30 11:52:45**

#: **0.4800 - 0.5000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: N/A

1,3-PROPANEDIOL, 2-ETHYL-2-(HYDROXYMETHYL)-, POLYMER WITH 1,3-DIISOCYANATOMETHYLBENZENE ID: **9017-09-8**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-30 11:52:45**

#: **0.4400 - 0.5500** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

CARBENDAZIM ID: **10605-21-7**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-30 11:52:46**

#: **0.4100 - 0.4100** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Biocide**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
DEV	MAK	Pregnancy Risk Group B
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
REP	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
GEN	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
GEN	EU - Annex VI CMRs	Mutagen - Category 1B
END	EU - Priority Endocrine Disruptors	Category 2 - In vitro evidence of biological activity related to Endocrine Disruption
GEN	GHS - New Zealand	6.6A - Known or presumed human mutagens
REP	GHS - New Zealand	6.8A - Known or presumed human reproductive or developmental toxicants
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
GEN	EU - GHS (H-Statements)	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1A or 1B]
REP	EU - GHS (H-Statements)	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
GEN	GHS - Japan	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1B]
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
GEN	GHS - Australia	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1A or 1B]
REP	GHS - Australia	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
REP	GHS - Korea	H360 - May damage fertility or the unborn child [Category 1(1B)]

SUBSTANCE NOTES: N/A

AMMONIUM HYDROXIDE

ID: 1336-21-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-30 11:52:46**

#: **0.3900 - 0.4900**

GS: **LT-P1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Buffer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
RES	AOEC - Asthmagens	Asthmagen (Rr&Rs) - irritant-induced & sensitizer-induced
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]

SUBSTANCE NOTES: N/A

5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE

ID: 26172-55-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-07-30 11:52:47		
%: 0.2100 - 0.2100	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Biocide

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: N/A

METHYLISOTHIAZOLINONE

ID: 2682-20-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-07-30 11:52:47		
%: 0.1200 - 0.1200	GS: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Biocide

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	EU - GHS (H-Statements)	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
MAM	EU - GHS (H-Statements)	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	EU - GHS (H-Statements)	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]

SUBSTANCE NOTES: N/A

1,2-BENZISOTHIAZOLINE-3-ONE

ID: 2634-33-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-30 11:52:48**

#: **0.1100 - 0.1100**

GS: **LT-P1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Biocide**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]

SUBSTANCE NOTES: N/A

ATTAPULGITE, ACTIVATED

ID: 12174-11-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2021-07-30 11:52:48

%: 0.1000 - 0.3000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Dispersant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man

SUBSTANCE NOTES: N/A

HYDROXYETHYL CELLULOSE

ID: 9004-62-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2021-07-30 11:52:48

%: 0.0900 - 0.1500 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Viscosity modifier

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: N/A

2,2-DIBROMO-3-NITRILOPROPIONAMIDE

ID: 10222-01-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2021-07-30 11:52:49

%: 0.0500 - 0.0500 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Biocide

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: N/A

DIATOMACEOUS EARTH [WHICH CONTAINS LESS THAN 0.1% OF CRYSTALLINE SILICA]

ID: 61790-53-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2021-07-22 14:44:52

%: 0.0000 - 1.2000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

LIMESTONE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-07-30 11:52:49		
%: 0.0000 - 3.1000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: N/A				

TITANIUM DIOXIDE

ID: **13463-67-7**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-07-30 11:52:50		
%: 0.0000 - 6.7900	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		
SUBSTANCE NOTES: N/A				

POLY(OXY-1,2-ETHANEDIYL), ALPHA-TRIDECYL-OMEGA-HYDROXY-, PHOSPHATE, POTASSIUM SALT

ID: **68186-36-7**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-07-30 11:52:51		
%: 0.0000 - 0.2300	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Dispersant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: N/A				

POLY(OXY-1,2-ETHANEDIYL), ALPHA-TRIDECYL-OMEGA-HYDROXY-, ISOCTYL PHOSPHATE, POTASSIUM SALT

ID: **68186-41-4**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-07-30 11:52:51		
%: 0.0000 - 0.3900	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: N/A

NEPHELINE SYENITE

ID: 37244-96-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-30 11:52:52**

%: **0.0000 - 1.2500** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: N/A

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

SCS Indoor Advantage Gold - Classroom & Office scenario

CERTIFYING PARTY: Third Party

ISSUE DATE: 2021-06-

EXPIRY DATE: 2022-

CERTIFIER OR LAB: SCS Global

APPLICABLE FACILITIES: Kelly-Moore Paints 301 West

01

05-31

Services

Hurst Blvd. Hurst, TX 76053-7705

CERTIFICATE URL:

[https://www.scs-certified.com/products/cert_pdfs/Kelly-](https://www.scs-certified.com/products/cert_pdfs/Kelly-Moore_2021_SCS-IAQ-03443_s.pdf)

[Moore_2021_SCS-IAQ-03443_s.pdf](https://www.scs-certified.com/products/cert_pdfs/Kelly-Moore_2021_SCS-IAQ-03443_s.pdf)

CERTIFICATION AND COMPLIANCE NOTES: Indoor Advantage™ Gold Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0 Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January, 2017) for the school classroom, private office, and single-family residence parameters when modeled as Wall Paint/Wallcoverings and Walls/Wallcoverings. Also, conforms to the SCAQMD Rule 1113 - Architectural Coatings (September 2013).

VOC CONTENT

CARB 2007, Suggested Control Measure (SCM) for Architectural Coatings

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2021-07-

EXPIRY DATE:

CERTIFIER OR LAB: Kelly-Moore

APPLICABLE FACILITIES: Kelly-Moore Paints 301 West

22

Paints

Hurst Blvd. Hurst, TX 76053-7705

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Calculated VOC content per section 4.66.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

971 ACRYPLEX INTERIOR PVA PRIMER

HPD URL: [https://hpdrepository.hpd-](https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_220_971_ACRYPLEX_Interior_PVA_Primer_Sealer.pdf)

[collaborative.org/repository/HPDs/publish_220_971_ACRYPLEX_Interior_PVA_Primer_Sealer.pdf](https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_220_971_ACRYPLEX_Interior_PVA_Primer_Sealer.pdf)

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

GENERAL PREPARATION: All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces. (See WARNING!)

NEW & BARE SURFACES: Prime surfaces following recommendations on page 1 & 2. PREVIOUSLY PAINTED SURFACES: Remove any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Glossy surfaces should be completely dulled prior to painting. (See WARNING!) Spot prime bare and patched areas or prime entire surface with a suitable Kelly-Moore product. When making a significant color or sheen change, a primer is recommended to aid hide and appearance of the topcoat.

973 ACRYPLEX INTERIOR ENAMEL UNDERCOATER

HPD URL: [https://hpdrepository.hpd-](https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_220_973_ACRYPLEX_Interior_Enamel_Undercoater.pdf)

[collaborative.org/repository/HPDs/publish_220_973_ACRYPLEX_Interior_Enamel_Undercoater.pdf](https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_220_973_ACRYPLEX_Interior_Enamel_Undercoater.pdf)

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

GENERAL PREPARATION: All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces. (See WARNING!)

TANNIN RICH WOOD: Allow to weather until tannins naturally come out of the substrate. Clean tannins from surface prior to priming and painting. NEW & BARE SURFACES: Prime surfaces following recommendations on page 1 & 2. PREVIOUSLY PAINTED SURFACES: Remove any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Glossy surfaces should be completely dulled prior to painting. (See WARNING!) Spot prime bare and patched areas or prime entire surface with a suitable Kelly-Moore product. When making a significant color or sheen change, a primer is recommended to aid hide and appearance of the topcoat.

5725 DTM PRIMER/FINISH

HPD URL: [https://hpdrepository.hpd-](https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_220_5725_DTM_Acrylic_Primer_Finish.pdf)

[collaborative.org/repository/HPDs/publish_220_5725_DTM_Acrylic_Primer_Finish.pdf](https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_220_5725_DTM_Acrylic_Primer_Finish.pdf)

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

GENERAL PREPARATION: All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces. (See WARNING!)
NEW FERROUS METAL: Remove all loose rust, mill scale, or deteriorated previous coatings by Hand Tooling (SSPC-SP-2) or Power Tool Cleaning (SSPC-SP-3).
NEW ALUMINUM & GALVANIZED METAL: Wash surface with TSP or other suitable cleaner, degreaser, or etching solution to remove oil and contaminants. Rinse thoroughly.
TANNIN RICH WOOD: Allow to weather until tannins naturally come out of the substrate. Clean tannins from surface prior to priming and painting.
NEW & BARE SURFACES: Prime surfaces following recommendations on page 1 & 2.
PREVIOUSLY PAINTED SURFACES: Remove any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Glossy surfaces should be completely dulled prior to painting. (See WARNING!) Spot prime bare and patched areas or prime entire surface with a suitable Kelly-Moore product. When making a significant color or sheen change, a primer is recommended to aid hide and appearance of the topcoat.

295 KEL-BOND UNIVERSAL INTERIOR/EXTERIOR PRIMER

HPD URL: https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_220_295_KEL_BOND_Interior_Exterior_Universal_Primer.pdf

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

GENERAL PREPARATION: All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces. (See WARNING!)
NEW ALUMINUM & GALVANIZED METAL: Wash surface with TSP or other suitable cleaner, degreaser, or etching solution to remove oil and contaminants. Rinse thoroughly.
TANNIN RICH WOOD: Allow to weather until tannins naturally come out of the substrate. Clean tannins from surface prior to priming and painting.
NEW & BARE SURFACES: Prime surfaces following recommendations on page 1 & 2.
PREVIOUSLY PAINTED SURFACES: Remove any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Glossy surfaces should be completely dulled prior to painting. (See WARNING!) Spot prime bare and patched areas or prime entire surface with a suitable Kelly-Moore product. When making a significant color or sheen change, a primer is recommended to aid hide and appearance of the topcoat.

265 KEL-BOND HYBRID INTERIOR/EXTERIOR PRIMER

HPD URL: https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_220_265_HYBRID_Interior_Exterior_Primer.pdf

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

GENERAL PREPARATION: All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces. (See WARNING!)
NEW FERROUS METAL: Remove all loose rust, mill scale, or deteriorated previous coatings by Hand Tooling (SSPCSP- 2) or Power Tool Cleaning (SSPC-SP-3).
TANNIN RICH WOOD: Allow to weather until tannins naturally come out of the substrate. Clean tannins from surface prior to priming and painting.
NEW & BARE SURFACES: Prime surfaces following recommendations on page 1 & 2.
PREVIOUSLY PAINTED SURFACES: Remove any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Glossy surfaces should be completely dulled prior to painting. (See WARNING!) Spot prime bare and patched areas or prime entire surface with a suitable Kelly-Moore product. When making a significant color or sheen change, a primer is recommended to aid hide and appearance of the topcoat.

988 LEVEL 5 INTERIOR PVA PRIMER

HPD URL: https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_220_988_LEVEL_5_High_Build_PVA_Primer.pdf

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

GENERAL PREPARATION: All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces. (See WARNING!)
NEW & BARE SURFACES: Prime surfaces following recommendations on page 1 & 2.
PREVIOUSLY PAINTED SURFACES: Remove any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Glossy surfaces should be completely dulled prior to painting. (See WARNING!) Spot prime bare and patched areas or prime entire surface with a suitable Kelly-Moore product. When making a significant color or sheen change, a primer is recommended to aid hide and appearance of the topcoat.

950 DRYWALL INTERIOR PVA PRIMER

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

GENERAL PREPARATION: All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces. (See WARNING!)
NEW & BARE SURFACES: Prime surfaces following recommendations on page 1 & 2.
PREVIOUSLY PAINTED SURFACES: Remove any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Glossy surfaces should be completely dulled prior to painting. (See WARNING!) Spot prime bare and patched areas or prime entire surface with a suitable Kelly-Moore product. When making a significant color or sheen change, a primer is recommended to aid hide and appearance of the topcoat.

521 BLOCK FILLER INTERIOR/EXTERIOR PRIMER

HPD URL: https://hpdrepository.hpd-collaborative.org/repository/HPDs/publish_220_521_Prime_Fill_Interior_Exterior_Block_Filler.pdf

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

GENERAL PREPARATION: All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces. (See WARNING!)
NEW & BARE SURFACES: Prime surfaces following recommendations on page 1 & 2. **PREVIOUSLY PAINTED SURFACES:** Remove any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Glossy surfaces should be completely dulled prior to painting. (See WARNING!) Spot prime bare and patched areas or prime entire surface with a suitable Kelly-Moore product. When making a significant color or sheen change, a primer is recommended to aid hide and appearance of the topcoat

287 KEL-BOND PLUS INTERIOR/EXTERIOR HIGH ADHESION PRIMER

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

GENERAL All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces.* **NEW SURFACES** All surfaces should be sound, free of contamination and dry. Wood surfaces should be sanded free of wood fibers. Wood should have a moisture content of less than 15% as measured by a moisture meter. Masonry and plaster should be thoroughly cured before priming. Masonry should have a moisture content of less than 12% as measured by a moisture meter. **NEW ALUMINUM & GALVANIZED METAL** Wash thoroughly with TSP or other suitable cleaner/degreaser to remove oil and other contaminants. Rinse thoroughly. **PREVIOUSLY PAINTED SURFACES** Remove any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Sand glossy finishes.*

Section 5: General Notes

Tintable bases differ primarily in the amount of pigments and extenders. Bases may also differ in the following: surfactants, rheology modifiers, preservatives, or coalescents.

MANUFACTURER INFORMATION

MANUFACTURER: Kelly-Moore Paints
ADDRESS: 1390 El Camino Real, 3rd Floor
 San Carlos CA 94070, USA
WEBSITE: www.kellymoore.com

CONTACT NAME: Tiffany Alvarez Gonda
TITLE: Director, Product Stewardship
PHONE: (650)592-8337
EMAIL: talvarez@kellymoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.