

HPD UNIQUE IDENTIFIER: 29727

CLASSIFICATION: 09 91 23 Interior Painting

PRODUCT DESCRIPTION: 550 AcryPlex is a premium quality interior latex flat paint designed to provide a high-end finish with easy application and touch up. This product is intended for use on walls.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
<input checked="" type="radio"/> Nested Materials Method	<input checked="" type="radio"/> 100 ppm	<input checked="" type="radio"/> Completed	Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Basic Method	<input type="radio"/> 1,000 ppm	<input type="radio"/> Partially Completed	<i>Provided weight and role.</i>
	<input type="radio"/> Per GHS SDS	<input type="radio"/> Not Completed	Screened <input checked="" type="radio"/> Yes <input type="radio"/> No
	<input type="radio"/> Other	Explanation(s) provided :	<i>Provided screening results using HPDC-approved methods.</i>
Threshold Disclosed Per		<input checked="" type="radio"/> Yes <input type="radio"/> No	Identified <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material			<i>Provided name and CAS RN or other identifier.</i>
<input checked="" type="radio"/> Product			

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

550 ACRYPLEX INTERIOR PAINT [WATER BM-4
METHYLMETHACRYLATE-METHACRYLIC ACID COPOLYMER LT-UNK | POLYVINYL ACETATE LT-UNK | NEPHELINE SYENITE LT-UNK | TITANIUM DIOXIDE LT-1 | CAN | END | | MAM LIMESTONE BM-3dg
KAOLIN LT-UNK | CAN | DIATOMACEOUS EARTH [WHICH CONTAINS LESS THAN 0.1% OF CRYSTALLINE SILICA] LT-P1 | CAN | MAM
POLYSTYRENE LT-UNK | TALC BM-1 | CAN | | MAM
POLYCARBOXYLIC ACID, SODIUM SALT NoGS | TEXANOL LT-UNK | CAN | AQU
POLYETHYLENE LT-UNK | SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES LT-1 | CAN | MUL | SKI | | DEV
TRIETHYLENE GLYCOL DI(2-ETHYLHEXOATE) LT-UNK | 1,3-PROPANEDIOL, 2-ETHYL-2-(HYDROXYMETHYL)-, POLYMER WITH 1,3-DIISOCYANATOMETHYLBENZENE LT-P1 | SKI | | MAM
PROPYLENE GLYCOL BM-2 | END | KAOLIN, CALCINED LT-UNK | HYDROXYETHYL CELLULOSE LT-P1 | END | DODECYL ALCOHOL, ETHOXYLATED LT-P1 | MUL | SKI | EYE | POLYACRYLIC ACID, SODIUM SALT LT-UNK | EYE | | MAM 2-METHYL-4-ISOTHIAZOLIN-3-ONE BM-2 | END | SKI | MUL | AQU | MAM | EYE | C9-11 PARETH-3 LT-P1 | MUL | SKI | EYE | BRONOPOL LT-P1 | END | SKI | MUL | AQU | EYE | MAM 2-AMINO-2-METHYLPROPANOL LT-UNK | SKI | EYE | AQU
POLY(OXY-1,2-ETHANEDIYL), ALPHA-TRIDECYL-OMEGA-HYDROXY-, PHOSPHATE, POTASSIUM SALT LT-UNK | 1,2-BENZISOTHIAZOLINE-3-ONE LT-P1 | SKI | MUL | AQU | EYE | MAM | SILOXANES AND SILICONES, DI-ME, 3-HYDROXYPROPYL ME, ETHERS WITH POLYETHYLENE-POLYPROPYLENE GLYCOL MONO-ME ETHER LT-UNK | ATTAPULGITE, ACTIVATED LT-1 | CAN | MAM | EYE | 2,2-DIBROMO-3-NITRILOPROPIONAMIDE LT-P1 | END | SKI | MUL | EYE | AQU | MAM]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, LT-P1, BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

N/A

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 18.908

Regulatory (g/l): 45.267

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

Does the product contain exempt VOCs: Yes
Are colorants available that do not increase the VOC content of the base paint when tinted: Yes

VOC emissions: SCS Indoor Advantage Gold - Classroom & Office scenario
VOC content: CARB 2007, Suggested Control Measure (SCM) for Architectural Coatings

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Third Party Verified?	PREPARER: Self-Prepared	SCREENING DATE: 2022-08-25
<input type="radio"/> Yes	VERIFIER:	PUBLISHED DATE: 2022-08-25
<input checked="" type="radio"/> No	VERIFICATION #:	EXPIRY DATE: 2025-08-25

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

550 ACRYPLEX INTERIOR PAINT

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: All raw materials were considered prior to formulation.

OTHER PRODUCT NOTES: N/A

WATER

ID: 7732-18-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-08-25 13:31:42

#: 53.5700 - 70.9300 GreenScreen: BM-4 RC: None NANO: No SUBSTANCE ROLE: Carrier

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety

POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Circle - Verified Low Concern
---------------	---	--

SUBSTANCE NOTES:

METHYLMETHACRYLATE-METHACRYLIC ACID COPOLYMER

ID: 25086-15-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-08-25 13:31:42

#: 0.0000 - 14.9900 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	EC - CEPA DSL	Persistent

ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Circle - Verified Low Concern

SUBSTANCE NOTES:

POLYVINYL ACETATE

ID: 9003-20-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-08-25 13:31:43**%: **0.0000 - 14.2100** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

EC - CEPA DSL Persistent

ADDITIONAL LISTINGS AGENCY NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

NEPHELINE SYENITE

ID: 37244-96-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-08-25 13:31:44**%: **1.8500 - 7.9100** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

EC - CEPA DSL Persistent

ADDITIONAL LISTINGS AGENCY NOTIFICATION

POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL
		Green Circle - Verified Low Concern

SUBSTANCE NOTES:

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-08-25 13:31:45**%: **0.0000 - 6.6700** GreenScreen: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
	EC - CEPA DSL	Persistent
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Circle - Verified Low Concern
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products

SUBSTANCE NOTES:

LIMESTONE

ID: 1317-65-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-08-25 13:31:45**

#: **0.0000 - 6.5000** GreenScreen: **BM-3dg** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Circle - Verified Low Concern

SUBSTANCE NOTES:

KAOLIN

ID: 1332-58-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-08-25 13:31:46**

%: **0.0000 - 5.5700** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
	EC - CEPA DSL	Persistent
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Circle - Verified Low Concern

SUBSTANCE NOTES:

DIATOMACEOUS EARTH [WHICH CONTAINS LESS THAN 0.1% OF CRYSTALLINE SILICA]

ID: 61790-53-2

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-08-25 13:31:47**

%: **0.0000 - 3.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A-1B]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

POLYSTYRENE

ID: 9003-53-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-08-25 13:31:47**

%: **0.0000 - 2.7500** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	EC - CEPA DSL	Persistent
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance

SUBSTANCE NOTES:

TALC

ID: 14807-96-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-08-25 13:31:48**

%: **0.0000 - 2.1400** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	IARC	Group 2b - Possibly carcinogenic to humans
	EC - CEPA DSL	Persistent
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

POLYCARBOXYLIC ACID, SODIUM SALT

ID: 62601-60-9

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-08-25 13:31:49**

%: **0.0000 - 1.5000** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Dispersant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

TEXANOL

ID: 25265-77-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-08-25 13:31:49**

%: **0.6300 - 1.4900** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coalescent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3

ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
RESTRICTED LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Yellow Triangle - best available in class but some hazard profile issues

SUBSTANCE NOTES:

POLYETHYLENE

ID: 9002-88-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-08-25 13:31:50		
%: 0.0000 - 1.4800	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	EC - CEPA DSL	Persistent		
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES:

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES

ID: 64742-65-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-08-25 13:31:51		
%: 0.8800 - 1.2600	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man		
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence		
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant		
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]		
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]		
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
	EC - CEPA DSL	Persistent		
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]		
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES:

TRIETHYLENE GLYCOL DI(2-ETHYLHEXOATE)

ID: 94-28-0

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-08-25 13:31:52**%: **0.0000 - 1.2200** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coalescent**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

AGENCY

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

1,3-PROPANEDIOL, 2-ETHYL-2-(HYDROXYMETHYL)-, POLYMER WITH 1,3-DIISOCYANATOMETHYLBENZENE

ID: 9017-09-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-08-25 13:31:52**%: **0.0000 - 0.9200** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

SKI

GHS - Australia

H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]

EC - CEPA DSL

Persistent

MAM

GHS - Australia

H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]

ADDITIONAL LISTINGS

AGENCY

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

PROPYLENE GLYCOL

ID: 57-55-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-08-25 13:31:53**%: **0.4600 - 0.9000** GreenScreen: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Processing regulator**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

END

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

ADDITIONAL LISTINGS

AGENCY

NOTIFICATION

POSITIVE LIST

US Environmental Protection Agency (US EPA)

US EPA - DfE SCIL

Green Circle - Verified Low Concern

SUBSTANCE NOTES:

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-08-25 13:31:54**%: **0.0000 - 0.8900** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	EC - CEPA DSL	Persistent
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Half-Circle - Expected Low Concern

SUBSTANCE NOTES:

HYDROXYETHYL CELLULOSE

ID: 9004-62-0

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-08-25 13:31:54**%: **0.2500 - 0.8600** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Circle - Verified Low Concern

SUBSTANCE NOTES:

DODECYL ALCOHOL, ETHOXYLATED

ID: 9002-92-0

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-08-25 13:31:55**%: **0.0000 - 0.5600** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - New Zealand	Serious eye damage category 1
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Circle - Verified Low Concern
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products

SUBSTANCE NOTES:

POLYACRYLIC ACID, SODIUM SALT

ID: 9003-04-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-08-25 13:31:56

%: 0.0000 - 0.5000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Surfactant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
EYE	GHS - New Zealand	Eye irritation category 2
	EC - CEPA DSL	Persistent
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Watch List
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Circle - Verified Low Concern

SUBSTANCE NOTES:

2-METHYL-4-ISOTHIAZOLIN-3-ONE

ID: 2682-20-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-08-25 13:31:57

%: 0.0000 - 0.4100 GreenScreen: BM-2 RC: None NANO: No SUBSTANCE ROLE: Antimicrobial Pesticide

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]

MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	GHS - Australia	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Korea	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
MAM	GHS - Korea	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Australia	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Australia	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Korea	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 2]
SKI	GHS - Korea	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]
MAM	GHS - Korea	H310 - Fatal in contact with skin [Acute toxicity (dermal) - Category 1]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Yellow Triangle - best available in class but some hazard profile issues
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals Priority for Inclusion in the Living Building Challenge Red List

SUBSTANCE NOTES:

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-08-25 13:31:57**%: **0.0000 - 0.3500** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	GHS - New Zealand	Skin irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - New Zealand	Serious eye damage category 1
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Circle - Verified Low Concern

SUBSTANCE NOTES:

BRONOPOL

ID: 52-51-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-08-25 13:31:58**%: **0.0000 - 0.2100** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Antimicrobial Pesticide**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
SKI	GHS - New Zealand	Skin irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1

AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Korea	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
SKI	GHS - Korea	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
MAM	GHS - Korea	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - New Zealand	Acute oral toxicity category 3
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
AQU	GHS - Australia	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]
EYE	GHS - Korea	H318 - Causes serious eye damage [Serious eye damage/irritation - Category 1]
MAM	GHS - Korea	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Australia	H310 - Fatal in contact with skin [Acute toxicity (dermal) - Category 1 or 2]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Core Restrictions
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products

SUBSTANCE NOTES:

2-AMINO-2-METHYLPROPANOL

ID: 124-68-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-08-25 13:31:59**

%: **0.0000 - 0.1900**

GreenScreen: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Buffer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

POLY(OXY-1,2-ETHANEDIYL), ALPHA-TRIDECYL-OMEGA-HYDROXY-, PHOSPHATE, POTASSIUM SALT

ID: 68186-36-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-08-25 13:32:00		
%: 0.0600 - 0.1700	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Surfactant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES:

1,2-BENZISOTHIAZOLINE-3-ONE

ID: 2634-33-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-08-25 13:32:01		
%: 0.0000 - 0.1700	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Antimicrobial Pesticide

SUBSTANCE NOTES:

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
SKI	GHS - New Zealand	Skin irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
SKI	GHS - Japan	H317 - May cause an allergic skin reaction [Skin Sensitization - Category 1A]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
MAM	GHS - Japan	H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
AQU	GHS - Australia	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]

ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Yellow Triangle - best available in class but some hazard profile issues
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals Priority for Inclusion in the Living Building Challenge Red List

SUBSTANCE NOTES:

SILOXANES AND SILICONES, DI-ME, 3-HYDROXYPROPYL ME, ETHERS WITH POLYETHYLENE-POLYPROPYLENE GLYCOL MONO-ME ETHER

ID: 67762-85-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-08-25 13:32:02		
%: 0.0000 - 0.1200	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	EC - CEPA DSL	Persistent		
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES:

ATTAPULGITE, ACTIVATED

ID: 12174-11-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-08-25 13:32:02		
%: 0.0000 - 0.1000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Dispersant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

2,2-DIBROMO-3-NITRILOPROPIONAMIDE

ID: 10222-01-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-08-25 13:32:03			
%: 0.0500 - 0.0500	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Antimicrobial Pesticide

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
MAM	GHS - Australia	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Australia	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2]
MAM	GHS - Japan	H301 - Toxic if swallowed [Acute Toxicity (oral) - Category 3]
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Core Restrictions

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	SCS Indoor Advantage Gold - Classroom & Office scenario	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Kelly-Moore Paints 301 W Hurst Blvd. Hurst TX. 76053 CERTIFICATE URL: https://cdn.scs-certified.com/products/cert_pdfs/Kelly-Moore_2022_SCS-IAQ-03621_s_v1.pdf	ISSUE DATE: 2022-06-01 EXPIRY DATE: 2023-05-31	CERTIFIER OR LAB: SCS Global Services
CERTIFICATION AND COMPLIANCE NOTES: Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0 Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January, 2017) for the school classroom, private office, and single family residence parameters when modeled as Wall Paint/ Wallcoverings and Walls/Wallcoverings. Also, conforms to the SCAQMD Rule 1113 -Architectural Coatings (September 2013).		
VOC CONTENT	CARB 2007, Suggested Control Measure (SCM) for Architectural Coatings	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Kelly-Moore Paints 301 W Hurst Blvd. Hurst, TX. 76053 CERTIFICATE URL:	ISSUE DATE: 2022-08-25 EXPIRY DATE:	CERTIFIER OR LAB: None
CERTIFICATION AND COMPLIANCE NOTES: Calculated VOC content per section 4.66		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

971 ACRYPLEX PVA PRIMER

MANUFACTURER (OR GENERIC): Kelly Moore Paints

HPD URL: https://hpdrepository.hpd-collaborative.org/repository/HPDs/220_971_ACRYPLEX_Interior_PVA_Primer_Sealer.pdf

ACCESSORY TYPE:

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: GENERAL PREPARATION: All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces. (See WARNING!) NEW & BARE SURFACES: Prime surfaces following recommendations on page 1 & 2. PREVIOUSLY PAINTED SURFACES: Remove any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Glossy surfaces should be completely dulled prior to painting. (See WARNING!) Spot prime bare and patched areas or prime entire surface with a suitable Kelly-Moore product. When making a significant color or sheen change, a primer is recommended to aid hide and appearance of the topcoat.

295 KEL-BOND UNIVERSAL PRIMER

MANUFACTURER (OR GENERIC): Kelly Moore Paints

HPD URL: https://hpdrepository.hpd-collaborative.org/repository/HPDs/220_295_KEL_BOND_Interior_Exterior_Universal_Primer.pdf

ACCESSORY TYPE:

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: GENERAL PREPARATION: All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces. (See WARNING!) NEW ALUMINUM & GALVANIZED METAL: Wash surface with TSP or other suitable cleaner, degreaser, or etching solution to remove oil and contaminants. Rinse thoroughly. TANNIN RICH WOOD: Allow to weather until tannins naturally come out of the substrate. Clean tannins from surface prior to priming and painting. NEW & BARE SURFACES: Prime surfaces following recommendations on page 1 & 2. PREVIOUSLY PAINTED SURFACES: Remove any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Glossy surfaces should be completely dulled prior to painting. (See WARNING!) Spot prime bare and patched areas or prime entire surface with a suitable Kelly-Moore product. When making a significant color or sheen change, a primer is recommended to aid hide and appearance of the topcoat.

265 KEL-BOND PRIMERMANUFACTURER (OR GENERIC): **Kelly Moore Paints**

HPD URL: https://hpdrepository.hpd-collaborative.org/repository/HPDs/220_265_KEL_BOND_HYBRID_Interior_Exterior_Primer.pdf

ACCESSORY TYPE:

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: **GENERAL PREPARATION:** All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces. (See WARNING!) **NEW FERROUS METAL:** Remove all loose rust, mill scale, or deteriorated previous coatings by Hand Tooling (SSPCSP- 2) or Power Tool Cleaning (SSPC-SP-3). **TANNIN RICH WOOD:** Allow to weather until tannins naturally come out of the substrate. Clean tannins from surface prior to priming and painting. **NEW & BARE SURFACES:** Prime surfaces following recommendations on page 1 & 2. **PREVIOUSLY PAINTED SURFACES:** Remove any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Glossy surfaces should be completely dulled prior to painting. (See WARNING!) Spot prime bare and patched areas or prime entire surface with a suitable Kelly-Moore product. When making a significant color or sheen change, a primer is recommended to aid hide and appearance of the topcoat.

988 LEVEL 5 PVA PRIMERMANUFACTURER (OR GENERIC): **Kelly Moore Paints**

HPD URL: https://hpdrepository.hpd-collaborative.org/repository/HPDs/220_988_LEVEL_5_Interior_PVA_Primer.pdf

ACCESSORY TYPE:

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: **GENERAL PREPARATION:** All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces. (See WARNING!) **NEW & BARE SURFACES:** Prime surfaces following recommendations on page 1 & 2. **PREVIOUSLY PAINTED SURFACES:** Remove any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Glossy surfaces should be completely dulled prior to painting. (See WARNING!) Spot prime bare and patched areas or prime entire surface with a suitable Kelly-Moore product. When making a significant color or sheen change, a primer is recommended to aid hide and appearance of the topcoat.

950 DRYWALL PRIMERMANUFACTURER (OR GENERIC): **Kelly Moore Paints**

HPD URL: https://hpdrepository.hpd-collaborative.org/repository/HPDs/220_950_102_Drywall_Primer.pdf

ACCESSORY TYPE:

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: **GENERAL PREPARATION:** All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces. (See WARNING!) **NEW & BARE SURFACES:** Prime surfaces following recommendations on page 1 & 2. **PREVIOUSLY PAINTED SURFACES:** Remove any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Glossy surfaces should be completely dulled prior to painting. (See WARNING!) Spot prime bare and patched areas or prime entire surface with a suitable Kelly-Moore product. When making a significant color or sheen change, a primer is recommended to aid hide and appearance of the topcoat.

521 BLOCK FILLERMANUFACTURER (OR GENERIC): **Kelly Moore Paints**

HPD URL: https://hpdrepository.hpd-collaborative.org/repository/HPDs/220_521_Block_Filler_Interior_Exterior_Primer.pdf

ACCESSORY TYPE:

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: **GENERAL PREPARATION:** All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces. (See WARNING!) **NEW & BARE SURFACES:** Prime surfaces following recommendations on page 1 & 2. **PREVIOUSLY PAINTED SURFACES:** Remove any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Glossy surfaces should be completely dulled prior to painting. (See WARNING!) Spot prime bare and patched areas or prime entire surface with a suitable Kelly-Moore product. When making a significant color or sheen change, a primer is recommended to aid hide and appearance of the topcoat.

973 ACRYPLEX ENAMEL UNDERCOATERMANUFACTURER (OR GENERIC): **Kelly Moore Paints**

HPD URL: https://hpdrepository.hpd-collaborative.org/repository/HPDs/220_973_ACRYPLEX_Interior_Enamel_Undercoater.pdf

ACCESSORY TYPE:

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: **GENERAL PREPARATION:** All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, rust, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces. (See WARNING!) **TANNIN RICH WOOD:** Allow to weather until tannins naturally come out of the substrate. Clean tannins from surface prior to priming and painting. **NEW & BARE SURFACES:** Prime surfaces following recommendations on page 1 & 2. **PREVIOUSLY PAINTED SURFACES:** Remove any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Glossy surfaces should be completely dulled prior to painting. (See WARNING!) Spot prime bare and patched areas or prime entire surface with a suitable Kelly-Moore product. When making a significant color or sheen change, a primer is recommended to aid hide and appearance of the topcoat.

6646 DTM PRIMER/FINISH

MANUFACTURER (OR GENERIC): **Kelly Moore Paints**

HPD URL: https://hpdrepository.hpd-collaborative.org/repository/HPDs/220_6646_DTM_Interior_Exterior_Enamels.pdf

ACCESSORY TYPE:

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: **GENERAL PREPARATION:** All surfaces must be cured, firm, dry and cleaned free of dust, dirt, oil, grease, wax, chalk, mildew or any other contamination or condition that would adversely affect the performance of the coating. Sand glossy, dense or glazed surfaces. (See WARNING!) **NEW FERROUS METAL:** Remove all loose rust, mill scale, or deteriorated previous coatings by Hand Tooling (SSPCSP-2) or Power Tool Cleaning (SSPC-SP-3). **NEW ALUMINUM & GALVANIZED METAL:** Wash surface with TSP or other suitable cleaner, degreaser, or etching solution to remove oil and contaminants. Rinse thoroughly. **TANNIN RICH WOOD:** Allow to weather until tannins naturally come out of the substrate. Clean tannins from surface prior to priming and painting. **NEW & BARE SURFACES:** Prime surfaces following recommendations on page 1 & 2. **PREVIOUSLY PAINTED SURFACES:** Remove any peeling, chalky or loosely adhering paint, sand to feather edges, dust clean (do not use tack rags). Glossy surfaces should be completely dulled prior to painting. (See WARNING!) Spot prime bare and patched areas or prime entire surface with a suitable Kelly-Moore product. When making a significant color or sheen change, a primer is recommended to aid hide and appearance of the topcoat.

CCA COLORANTS - NOVOCOLOR HP II

MANUFACTURER (OR GENERIC): **Color Corporation of America**

HPD URL: No HPD Available

ACCESSORY TYPE: Maintenance Product

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: NovoColor® HP II is the new generation of waterborne pigment dispersions manufactured by Color Corporation of America. NovoColor® HP II is specifically engineered for use in architectural and waterborne industrial coatings systems and will help meet the newest, more stringent VOC restrictions. CCA colorants are available at KM Stores.

Section 5: General Notes

Tintable bases differ primarily in the amount of pigments and extenders. Bases may also differ in the following: surfactants, rheology modifiers, preservatives, or coalescents.

MANUFACTURER INFORMATION

MANUFACTURER: Kelly-Moore Paints
ADDRESS: 1390 El Camino Real, 3rd Floor
 San Carlos California 94070, United States
WEBSITE: www.kellymoore.com

CONTACT NAME: Tiffany Alvarez Gonda
TITLE: Director, Product Stewardship
PHONE: 6505928337
EMAIL: talvarez@kellymoore.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

- PreC** Pre-consumer recycled content
- PostC** Post-consumer recycled content
- UNK** Inclusion of recycled content is unknown
- None** Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

- Nano** Composed of nano scale particles or nanotechnology
- Third Party Verified** Verification by independent certifier approved by HPDC
- Preparer** Third party preparer, if not self-prepared by manufacturer
- Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.