

HPD UNIQUE IDENTIFIER: 25421

CLASSIFICATION: 12 51 00 Office Furniture

PRODUCT DESCRIPTION: Filing efficiency systems. KI offers many different styles - Bobbr, 700 Series, All Terrain, Connection Zone, and U-Series are included in this record.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i> Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No % weight and role provided for all substances. Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No All substances screened using Priority Hazard Lists with results disclosed. Identified <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No All substances disclosed by Name (Specific or Generic) and Identifier.
<input checked="" type="radio"/> Nested Materials Method	<input checked="" type="radio"/> 100 ppm	Residuals/Impurities	
<input type="radio"/> Basic Method	<input type="radio"/> 1,000 ppm	Considered in 2 of 2 Materials	
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	Explanation(s) provided for Residuals/Impurities?	
<input type="radio"/> Material	<input type="radio"/> Other	<input checked="" type="radio"/> Yes <input type="radio"/> No	
<input checked="" type="radio"/> Product			

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**  
**STEEL [ STEEL NoGS ] POWDER PAINT [ POLYESTER NoGS BARIUM SULFATE BM-2 | CAN 2-PROPENOIC ACID, BUTYL ESTER, HOMOPOLYMER LT-UNK FERRIC OXIDE YELLOW LT-UNK PARAFFIN LT-UNK ]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK  
 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

As reported by supplier.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: Desking and Storage Indoor Advantage Gold  
 Multi-attribute: Files and Storage BIFMA e3 level 3 Certificate

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:  
 VERIFICATION #:

SCREENING DATE: 2021-07-14

PUBLISHED DATE: 2021-07-14  
 EXPIRY DATE: 2024-07-14

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### STEEL %: 95.0800 - 95.0800

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Purchased material - considered during the manufacturing process

HPD URL: <https://www.ki.com/products/name/700-series-storage/>

OTHER MATERIAL NOTES: Frame, shelf and hardware

All substances in this material are below the reportable threshold.

### STEEL ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-14 10:29:35

%: 100.0000 - 100.0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Frame and hardware

### POWDER PAINT %: 4.1400 - 4.1400

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Purchased Part - considered during the manufacturing process.

HPD URL: <https://www.ki.com/products/name/700-series-storage/>

OTHER MATERIAL NOTES: PowderpaintAll substances in this material are below the reportable threshold.

### POLYESTER ID: 113669-95-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-14 10:29:35

%: 36.0000 - 36.0000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Surface modifier

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Mail Ingredient of Powder Paint

### BARIUM SULFATE ID: 7727-43-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-14 10:29:36

#: 35.0000 - 35.0000

GS: BM-2

RC: None

NANO: No

SUBSTANCE ROLE: Surface modifier

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Powder Paint ingredient

**2-PROPENOIC ACID, BUTYL ESTER, HOMOPOLYMER**

ID: 9003-49-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-14 10:29:36

#: 0.5000 - 0.5000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Surface modifier

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Powder Paint ingredient

**FERRIC OXIDE YELLOW**

ID: 51274-00-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-14 10:29:37

#: 0.2500 - 0.2500

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Surface modifier

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Powder Paint ingredient

**PARAFFIN**

ID: 8002-74-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-14 10:29:37

#: 0.2000 - 0.2000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Surface modifier

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Powder Paint ingredient

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	Desking and Storage Indoor Advantage Gold		
CERTIFYING PARTY: Third Party	ISSUE DATE:	EXPIRY DATE:	CERTIFIER OR LAB: SCS
APPLICABLE FACILITIES: Pembroke, Canada	2015-07-08	2016-07-07	Global Services
CERTIFICATE URL: <a href="https://www.scs-certified.com/products/cert_pdfs/KI_2015_NOC_SCS-IAQ-03109_s2.pdf?r=1">https://www.scs-certified.com/products/cert_pdfs/KI_2015_NOC_SCS-IAQ-03109_s2.pdf?r=1</a>			
CERTIFICATION AND COMPLIANCE NOTES: 700 Series, All Terrain, Connection Zone and U-Series Files and Storage			

  

MULTI-ATTRIBUTE	Files and Storage BIFMA e3 level 3 Certificate		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2015-	EXPIRY DATE: 2018-	CERTIFIER OR LAB: SCS Global
APPLICABLE FACILITIES: Pembroke, Canada	12-16	12-15	Services
CERTIFICATE URL: <a href="https://www.scs-certified.com/products/cert_pdfs/KI_2015_SCS-SCF-03754_s2.pdf?r=1">https://www.scs-certified.com/products/cert_pdfs/KI_2015_SCS-SCF-03754_s2.pdf?r=1</a>			
CERTIFICATION AND COMPLIANCE NOTES: 700 Series, All Terrain, Connection Zone, and U-Series			

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

MAINTENANCE CLEANING	HPD URL: No HPD link provided
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Files and storage units are finished with a durable baked-on polyester paint. Clean with a damp cloth and mild cleaner. Do not use harsh solvents and abrasive powders as they may damage the finish.	

## Section 5: General Notes

Note - Powder paint colors may vary substances slightly. All Terrain stationary (metal) product.

**MANUFACTURER INFORMATION**

**MANUFACTURER: KI**  
**ADDRESS: 1330 Bellevue Street**  
**Green Bay WI 54302, USA**  
**WEBSITE: www.ki.com**

**CONTACT NAME: Robin Kunstmann**  
**TITLE: Sustainability Manager**  
**PHONE: 920-468-2335**  
**EMAIL: robin.kunstmann@ki.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	<b>NoGS</b> No GreenScreen.

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*