

HPD UNIQUE IDENTIFIER: 25230

CLASSIFICATION: 27 10 00 Structured Cabling

PRODUCT DESCRIPTION: This HPD covers the Superior Essex 4-Pair Plenum Category 6A STP (U/FTP) copper cable. Superior Essex offers Shielded Twisted Pair Category 6A cables with a plenum FEP jacket. The cable has guaranteed performance to 600 MHz and meets or exceeds ANSI/TIA-568-C.2 for CAT 6A cables required for 10GBASE-T applications. The cable consists of four (4) balanced 23 AWG copper pairs. Each pair is wrapped with an aluminum foil with the drain wire in the center of all 4 copper pairs. The wrapped pairs are then jacketed with a flexible FEP jacket for plenum applications.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i> Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No % weight and role provided for all substances. Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No All substances screened using Priority Hazard Lists with results disclosed. Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.
<input checked="" type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	Residuals/Impurities	
<input type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	Considered in 7 of 7 Materials	
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	Explanation(s) provided for Residuals/Impurities?	
<input type="radio"/> Material	<input type="radio"/> Other	<input checked="" type="radio"/> Yes <input type="radio"/> No	
<input checked="" type="radio"/> Product			

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

PVC JACKET [UNDISCLOSED LT-P1 | RES | CAN UNDISCLOSED BM-2 | RES UNDISCLOSED LT-UNK UNDISCLOSED BM-2 | PBT UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK | SKI UNDISCLOSED BM-1 | CAN | MUL UNDISCLOSED NoGS UNDISCLOSED BM-2 | END UNDISCLOSED LT-P1 UNDISCLOSED LT-P1 UNDISCLOSED BM-1 | RES | AQU | END UNDISCLOSED LT-UNK UNDISCLOSED BM-3 UNDISCLOSED LT-P1 | REP UNDISCLOSED LT-P1 | END UNDISCLOSED BM-1 | REP UNDISCLOSED NoGS UNDISCLOSED LT-UNK] FEP [FLUORINATED ETHYLENE PROPYLENE LT-UNK] COPPER [COPPER LT-P1 | AQU] ALUMINUM SHIELD [ALUMINUM BM-1 | END | RES | PHY IRON LT-P1 | END COPPER LT-P1 | AQU NICKEL LT-1 | CAN | RES | MAM | MUL | SKI MANGANESE LT-P1 | END | MUL | REP MAGNESIUM LT-UNK | PHY SILICON LT-UNK] TINNED COPPER [COPPER LT-P1 | AQU] PVC COLOR CHIP [POLYVINYL CHLORIDE LT-P1 | RES DI(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg DIIRON TRIOXIDE BM-1 | CAN CARBON BLACK BM-1 | CAN CALCIUM CARBONATE BM-3 TITANIUM DIOXIDE LT-1 | CAN | END] FEP COLOR CHIPS [FLUORINATED ETHYLENE PROPYLENE LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This product is not considered identified due to the proprietary nature of some chemicals within the product's formulation.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Not Applicable

LCA: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-07-02

PUBLISHED DATE: 2021-07-02

EXPIRY DATE: 2024-07-02

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

PVC JACKET

#: 30.0000 - 35.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered based on provided supplier documentation.

OTHER MATERIAL NOTES: This HPD covers all Superior Essex cables within the product family. These cables are similar in content and differ in the percentages of some materials. As such, the percent by weight of each material is disclosed as a range to account for these differences in weight across these various cables.

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2021-07-02 6:56:24

#: 30.0000 - 45.0000

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RES

AOEC - Asthmagens

Respiratory Sensitization

CAN

MAK

Carcinogenicity

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation. This chemical is considered proprietary by the supplier.

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2021-07-02 6:56:24

#: 25.0000 - 50.0000

GS: BM-2

RC: None

NANO: No

SUBSTANCE ROLE: Flame retardant

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RES

AOEC - Asthmagens

Respiratory Sensitization

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation. This chemical is considered proprietary by the supplier.

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2021-07-02 6:56:25

#: 0.0000 - 15.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Plasticizer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation. This chemical is considered proprietary by the supplier.

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-07-02 6:56:25**%: **0.0000 - 15.0000** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Flame retardant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PBT	ChemSec - SIN List	Mult*
PBT	EHP - San Antonio Statement on BFRs & CFRs	PBT
PBT	OSPAR - Priority PBTs & EDs & equivalent concern	Mult*

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation. This chemical is considered proprietary by the supplier.

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-07-02 6:56:25**%: **0.0000 - 10.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Intumescent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation. This chemical is considered proprietary by the supplier.

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-07-02 6:56:25**%: **0.0000 - 15.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Heat or UV stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	EU - GHS (H-Statements)	Skin Irritation/Corrosivity

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation. This chemical is considered proprietary by the supplier.

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-07-02 6:56:25**%: **0.0000 - 10.0000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Flame retardant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - Annex VI CMRs	Carcinogenicity
CAN	EU - GHS (H-Statements)	Carcinogenicity
MUL	ChemSec - SIN List	Mult*
CAN	CA EPA - Prop 65	Carcinogenicity
CAN	IARC	Carcinogenicity
CAN	MAK	Carcinogenicity

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation. This chemical is considered proprietary by the supplier.

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-07-02 6:56:27**

#: **0.0000 - 2.0000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Heat or UV stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation. This chemical is considered proprietary by the supplier.

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-07-02 6:56:27**

#: **0.0000 - 2.0000** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Heat or UV stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptor	Endocrine Activity
END	ChemSec - SIN List	Endocrine Activity

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation. This chemical is considered proprietary by the supplier.

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-07-02 6:56:27**

#: **0.0000 - 2.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Heat or UV stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation. This chemical is considered proprietary by the supplier.

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-07-02 6:56:27**

#: **0.0000 - 2.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Heat or UV stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation. This chemical is considered proprietary by the supplier.

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-07-02 6:56:27**

#: 0.0000 - 2.0000

GS: BM-1

RC: None

NANO: No

SUBSTANCE ROLE: Flame retardant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Respiratory Sensitization
AQU	EU - GHS (H-Statements)	Mult*
AQU	EU - GHS (H-Statements)	Acute Aquatic Toxicity
END	TEDX - Potential Endocrine Disruptor	Endocrine Activity

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation. This chemical is considered proprietary by the supplier.

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2021-07-02 6:56:26

#: 0.0000 - 5.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Flame retardant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation. This chemical is considered proprietary by the supplier.

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2021-07-02 6:56:26

#: 0.0000 - 5.0000

GS: BM-3

RC: None

NANO: No

SUBSTANCE ROLE: Flame retardant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation. This chemical is considered proprietary by the supplier.

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2021-07-02 6:56:26

#: 0.0000 - 5.0000

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Flame retardant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
REP	Australia - GHS	Developmental Toxicity

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation. This chemical is considered proprietary by the supplier.

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2021-07-02 6:56:26

#: 0.0000 - 5.0000

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Lubricant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptor	Endocrine Activity

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation. This chemical is considered proprietary by the supplier.

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-07-02 6:56:26**

#: **0.0000 - 5.0000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Flame retardant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
REP	Australia - GHS	Developmental Toxicity

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation. This chemical is considered proprietary by the supplier.

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-07-02 6:56:26**

#: **0.0000 - 5.0000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Heat or UV stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation. This chemical is considered proprietary by the supplier.

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Toxnot Chemical Hazard Screening Library** HAZARD SCREENING DATE: **2021-07-02 6:56:25**

#: **0.0000 - 5.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Flame retardant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation. This chemical is considered proprietary by the supplier.

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered based on provided supplier documentation.

OTHER MATERIAL NOTES: This HPD covers all Superior Essex cables within the product family. These cables are similar in content and differ in the percentages of some materials. As such, the percent by weight of each material is disclosed as a range to account for these differences in weight across these various cables.

FLUORINATED ETHYLENE PROPYLENE

ID: 25067-11-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-02 14:57:22**

%: **100.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Insulator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

COPPER

%: 20.0000 - 25.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered based on provided supplier documentation.

OTHER MATERIAL NOTES: This HPD covers all Superior Essex cables within the product family. These cables are similar in content and differ in the percentages of some materials. As such, the percent by weight of each material is disclosed as a range to account for these differences in weight across these various cables.

COPPER

ID: 7440-50-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-02 14:57:21**

%: **100.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Conductor**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects

SUBSTANCE NOTES:

ALUMINUM SHIELD

%: 10.0000 - 15.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered based on provided supplier documentation.

OTHER MATERIAL NOTES: This HPD covers all Superior Essex cables within the product family. These cables are similar in content and differ in the percentages of some materials. As such, the percent by weight of each material is disclosed as a range to account for these differences in weight across these various cables.

ALUMINUM

ID: 7429-90-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-02 14:57:23**

%: **65.0000 - 100.0000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
PHY	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases
PHY	EU - GHS (H-Statements)	H228 - Flammable solid

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation.

IRON

ID: 7439-89-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-02 7:01:27**

#: **0.0000 - 5.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation.

COPPER

ID: 7440-50-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-02 7:01:24**

#: **0.0000 - 5.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation.

NICKEL

ID: 7440-02-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-02 7:01:09**

#: **0.0000 - 5.0000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
MAM	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation.

MANGANESE

ID: 7439-96-5

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-02 7:01:06		
%: 0.0000 - 5.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Alloy element		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation.

MAGNESIUM

ID: 7439-95-4

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-02 7:01:03		
%: 0.0000 - 5.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Alloy element		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PHY	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHY	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation.

SILICON

ID: 7440-21-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-02 14:57:25**%: **0.0000 - 15.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation.

TINNED COPPER

%: 0.0000 - 5.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered based on provided supplier documentation.

OTHER MATERIAL NOTES: This HPD covers all Superior Essex cables within the product family. These cables are similar in content and differ in the percentages of some materials. As such, the percent by weight of each material is disclosed as a range to account for these differences in weight across these various cables.

COPPER

ID: 7440-50-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-02 14:57:22**%: **95.0000 - 100.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Conductor**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation.

PVC COLOR CHIP

%: 0.0000 - 1.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered based on provided supplier documentation.

OTHER MATERIAL NOTES: This HPD covers all Superior Essex cables within the product family. These cables are similar in content and differ in the percentages of some materials. As such, the percent by weight of each material is disclosed as a range to account for these differences in weight across these various cables.

POLYVINYL CHLORIDE

ID: 9002-86-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-02 14:57:24**%: **25.0000 - 55.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Carrier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation.

DI(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-02 14:57:24**

%: 10.0000 - 30.0000 GS: BM-3dg RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation.

DIIRON TRIOXIDE

ID: 1309-37-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-02 7:01:39

%: 0.0000 - 30.0000 GS: BM-1 RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation.

CARBON BLACK

ID: 1333-86-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-02 7:01:16

%: 0.0000 - 30.0000 GS: BM-1 RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation.

CALCIUM CARBONATE

ID: 471-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-02 7:01:30

%: 0.0000 - 55.0000 GS: BM-3 RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation.

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-02 7:01:12

%: 0.0000 - 80.0000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation.

FEP COLOR CHIPS

#: 0.0000 - 1.0000

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered based on provided supplier documentation.

OTHER MATERIAL NOTES: This HPD covers all Superior Essex cables within the product family. These cables are similar in content and differ in the percentages of some materials. As such, the percent by weight of each material is disclosed as a range to account for these differences in weight across these various cables.

FLUORINATED ETHYLENE PROPYLENE

ID: 25067-11-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-02 14:57:23

#: 45.0000 - 95.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Carrier

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The percent by weight of the substance is disclosed as a range based on provided supplier documentation.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Not Applicable

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2021-06-

EXPIRY DATE:

CERTIFIER OR LAB: Not Applicable

APPLICABLE FACILITIES: Hoisington, Kansas, USA

15

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: There is no emissions scenario under the current version of CDPH Standard Method V1.2 (Section 01350/CHPS) for this product.

LCA

Environmental Product Declaration

CERTIFYING PARTY: Third Party

ISSUE DATE: 2019-10-

EXPIRY DATE: 2024-

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: Hoisington, Kansas, USA

01

10-01

Environment

CERTIFICATE URL:

<https://superioressexcommunications.com/sustainable-product-certifications/>

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

POLYESTER PULL STRING

HPD URL: no hpd available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Installers use wire pulling string as a safe means of pulling wire and cable in the installation. When using proper pulling string, it is possible to install cable without harming the installer or the product.

Section 5: General Notes

This HPD covers all Superior Essex cables within the Category 6A STP (U/FTP) (4-Pair Plenum Copper Cable) product family. These cables are similar in content and differ in the percentages of some materials. The content differences between these cables accounts for 10% or less of the total mass of each cable.

MANUFACTURER INFORMATION

MANUFACTURER: **Superior Essex**
 ADDRESS: **5770 Powers Ferry Road**
Suite 400
Atlanta GA 30327, USA
 WEBSITE: <https://superioressexcommunications.com/>

CONTACT NAME: **Annie Bevan**
 TITLE: **Global Head of sustainability**
 PHONE: **770-657-6000**
 EMAIL: annie.bevan@spsx.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.