

HPD UNIQUE IDENTIFIER: 25461

CLASSIFICATION: 10 51 00 Lockers

PRODUCT DESCRIPTION: No longer relegated to gyms and high schools, lockers are the new mainstay in open and shared workspaces. We've designed our modern cubbies to provide secure and stylish personal storage to hot-deskers and handymen alike. Made (Well) in the USA from commercial-grade 18/20 gauge steel, and available in ten appealing colors exclusive to Heartwork. This HPD covers Building Block Digital Lockers (2H, 3H, 5H) and Base Camp Lockers (2-, 3-, 4-, 5-, or Z-Door).

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i>
<input checked="" type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	Residuals/Impurities	Characterized <input checked="" type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	Considered in 5 of 4 Materials	<i>% weight and role provided for all substances except SC substances characterized according to SC guidance.</i>
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	Explanation(s) provided	Screened <input checked="" type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other	for Residuals/Impurities?	<i>All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.</i>
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No
			<i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**  
**STEEL BODY [ STEEL NoGS ] LOCKER POWDER COATING [ UNDISCLOSED NoGS UNDISCLOSED LT-P1 | END TITANIUM DIOXIDE LT-1 | CAN | END BARIUM SULFATE BM-2 | CAN ALUMINUM HYDROXIDE, DRIED BM-2 UNDISCLOSED LT-1 | RES | CAN | AQU | GEN | REP UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK ] SC:ELECTRONICS:DIGITALLOCK [ SC:DIGITAL LOCK Not Screened ] LOCKER HARDWARE [ STEEL NoGS POLYURETHANE FOAMS LT-UNK ]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1  
 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: Electronics

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.2, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Substances not "Identified" are those considered proprietary to suppliers.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: GREENGUARD Gold Certified  
 VOC emissions: GREENGUARD Certified

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:  
 VERIFICATION #:

SCREENING DATE: 2021-07-20

PUBLISHED DATE: 2021-07-20

EXPIRY DATE: 2024-07-20

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### STEEL BODY

#: 95.0000 - 96.5000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier SDS and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of material reported as range due to the various configurations available. Treatments used to prepare the steel for powder coating fall below the inventory threshold indicated, and are therefore not reported here.

### STEEL

ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-20 10:19:17

#: 100.0000 - 100.0000

GS: NoGS

RC: Both

NANO: No

SUBSTANCE ROLE: Alloy element

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Body; Doors. Supplier statement declares an average of 53.4% total Recycled Content (44.3% Post-Consumer Recycled Content; 9.1% Pre-Consumer/Post-Industrial Recycled Content) for Sheet Steel obtained from relevant facility.

### LOCKER POWDER COATING

#: 3.1000 - 3.5000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were "Considered", as outlined in Emerging Best Practices. No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of material reported as range due to the various configurations available. Percent by weight of substances reported as ranges to account for the various colors available.

### UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-20 10:19:18

#: 33.0000 - 48.0000

GS: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Supplier has shared substance identity under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-20 10:19:18**%: **16.0000 - 24.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity

SUBSTANCE NOTES: Supplier has shared substance identity under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0

**TITANIUM DIOXIDE**ID: **13463-67-7**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-20 10:19:19**%: **0.0000 - 32.0000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). Form-specific hazards: airborne particles of respirable size – occupational setting. Specific guidelines have been created to address known issues related to transparency and disclosure for several materials (“Special Conditions”), including those with Form-Specific Hazards such as Titanium Dioxide; however, this function is not yet available in the HPD Builder.

**BARIUM SULFATE**ID: **7727-43-7**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-20 10:19:20**%: **0.0000 - 15.0000** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-2 was provided by the HPD Builder Tool.

**ALUMINUM HYDROXIDE, DRIED**ID: **21645-51-2**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-20 10:19:21**

GS: **BM-2**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Filler**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-2 was provided by the HPD Builder Tool.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2021-07-20 10:19:21**

GS: **LT-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Pigment**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RES

AOEC - Asthmagens

Asthmagen (G) - generally accepted

CAN

MAK

Carcinogen Group 2 - Considered to be carcinogenic for man

RES

MAK

Sensitizing Substance Sah - Danger of airway & skin sensitization

AQU

EU - GHS (H-Statements)

H411 - Toxic to aquatic life with long lasting effects

GEN

MAK

Germ Cell Mutagen 3a

REP

GHS - Australia

H360F - May damage fertility

SUBSTANCE NOTES: Supplier has shared substance identity under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2021-07-20 10:19:22**

GS: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Filler**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Supplier has shared substance identity under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2021-07-20 10:19:22**

GS: **LT-UNK**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Pigment**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Supplier has shared substance identity under the terms of a non-disclosure agreement with third-party preparer; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-20 10:19:23**

#: **0.0000 - 4.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Supplier has shared substance identity under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.

**SC:ELECTRONICS:DIGITALLOCK** #: **0.5000 - 1.0000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: **Partially** MATERIAL TYPE: **Electronic Component**

RESIDUALS AND IMPURITIES NOTES: Incomplete material ingredient information from supplier precludes full consideration of residuals/impurities as outlined in Emerging Best Practices. However, supplier confirms that digital locks do not contain any of the following intentionally added substances above 1000 ppm (0.1%): Lead, Mercury, Cadmium, Hexavalent Chromium, PBDE, PBB, DEHP, BBP, DBP, DIBP. Supplier additionally confirms that digital locks do not contain intentionally added Substances of Very High Concern (SVHC) in excess of 1000 ppm (0.1%).

OTHER MATERIAL NOTES: SpecialConditionApplied:Electronics --- Digital lock for multi or dedicated single-user.

**SC:DIGITAL LOCK**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **Not Screened**

#: **100.0000 - 100.0000** GS: **Not Screened** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Electronic component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening not performed		

SUBSTANCE NOTES:  
 Version: SCElec/2018-02-23  
 Brief Description: Digital lock for multi or dedicated single-user.  
 Compliance: EU RoHS compliant (See Substance Notes for additional information)  
 Takeback Program: Lock manufacturer does not currently offer a takeback program focused on recycling or repurposing locks; however, a trade-in program is available that incentivizes customers to upgrade, in which locks can be returned to the manufacturer. Supplier confirms that digital locks do not contain intentionally added heavy metals above the maximum concentrations and with exceptions are embodied in the Annex of the RoHS EU Directive 2011/65/EU + RoHS EU Directive 2015/863. Supplier additionally confirms that digital locks do not contain intentionally added Substances of Very High Concern (SVHC) in excess of 0.1% by weight as listed by the European Chemicals Agency (ECHA) under the provisions of Regulation (EC) No. 1907/2006 of the European Parliament and of the council concerning the Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) per the ECHA 20/12/2010.

**LOCKER HARDWARE** #: **0.3000 - 0.5000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: **Yes** MATERIAL TYPE: **Metal**

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were "Considered", as outlined in Emerging Best Practices. No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS, as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of material and substances reported as ranges due to the various configurations available. Substances listed are for standard hardware for this product line; optional hardware is listed in Section 4: Accessories.

**STEEL**

ID: 12597-69-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-20 10:19:17**%: **96.0000 - 99.0000** GS: **NoGS** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Hinges; Hinge Baseplates; Hasp; Screws; Nuts.

**POLYURETHANE FOAMS**

ID: 9009-54-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-20 10:19:19**%: **1.0000 - 4.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Bumper; Soft Closure Mechanism.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	GREENGUARD Gold Certified		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: New York, NY CERTIFICATE URL: <a href="http://certificates.ulenvironment.com/default.aspx?id=83810&amp;t=cs">http://certificates.ulenvironment.com/default.aspx?id=83810&amp;t=cs</a>	ISSUE DATE: 2016-09-23	EXPIRY DATE: 2021-09-23	CERTIFIER OR LAB: UL Environment
CERTIFICATION AND COMPLIANCE NOTES: Certificate Number: 83810-420. UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings. Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818, Section 7.1 and 7.2.			

VOC EMISSIONS	GREENGUARD Certified		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: New York, NY CERTIFICATE URL: <a href="http://certificates.ulenvironment.com/default.aspx?id=83810&amp;t=gg">http://certificates.ulenvironment.com/default.aspx?id=83810&amp;t=gg</a>	ISSUE DATE: 2016-09-23	EXPIRY DATE: 2021-09-23	CERTIFIER OR LAB: UL Environment
CERTIFICATION AND COMPLIANCE NOTES: Certificate Number: 83810-410. UL 2818 - 2013 Standard for Chemical Emissions for Building Materials, Finishes and Furnishings. Interior finishes and furnishings are determined compliant in accordance with a Classroom environment with an air change of 0.82 hr-1 and a loading of 11.90 m2; and Interior finishes and furnishings are determined compliant in accordance with an Office environment with an air change of 0.68 hr-1 and a loading of 3.00 m2. Products tested in accordance with UL 2821 test method to show compliance to emission limits in UL 2818, Section 7.1.			

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

LEVELING FEET	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Leveling Feet are optional on Building Block 36W Lockers. Constructed of nickel-plated steel. Please contact manufacturer if more information is required.	
CASTERS	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Casters are optional on Building Block 36W Lockers. Constructed of thermoplastic rubber and zinc-plated steel. Please contact manufacturer if more information is required.	

## Section 5: General Notes

Base Camp 15W Modular Lockers allow maximum flexibility for how teams want to work today and tomorrow. Choose from 2-Door, 3-Door, 4-Door, 5-Door, or Z-Door configurations to create a custom locker wall just right for your project. Building Block 36W Lockers come in 2H, 3H and 5H to serve as seamless storage walls, as endcaps to a row of desks, or as a custom configuration when mixed with other Building Block designs. All Heartwork products are Made (Well) in the USA.



**MANUFACTURER INFORMATION**

**MANUFACTURER:** Heartwork Inc.  
**ADDRESS:** 29 W. 30th Street  
 Suite 301  
 New York NY 10001, USA  
**WEBSITE:** www.heartwork.com

**CONTACT NAME:** Dominique Mazloom  
**TITLE:** Sr Director, Supply Chain Operations  
**PHONE:** 888.749.7003  
**EMAIL:** dominique@heartwork.com

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>NoGS</b> No GreenScreen.
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*