

HPD UNIQUE IDENTIFIER: 24707

CLASSIFICATION: 09 91 23 Interior Painting

PRODUCT DESCRIPTION: Manor Hall Interior Paint & Primer in One is a super premium latex that was developed to resist household stains through the combination of resin and proprietary formulation. The 100% acrylic latex has outstanding adhesion and coverage and offers a burnish and mildew resistant coating, providing the durability for use in high humidity and high traffic areas. Outstanding hiding is aided by excellent flow and leveling which provides a rich, smooth film for a beautiful finish. *Colorants added to base paints may increase the VOC significantly depending on color choice. However PPG offers a low VOC line of colorants which, if used even at maximum tint load in any color, contributes less than 8 g/L of VOC to the final tinted product.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i> Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No % weight and role provided for all substances. Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No All substances screened using Priority Hazard Lists with results disclosed. Identified <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No All substances disclosed by Name (Specific or Generic) and Identifier.
<input type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	<input checked="" type="radio"/> Considered	
<input checked="" type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	<input type="radio"/> Partially Considered	
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	<input type="radio"/> Not Considered	
<input type="radio"/> Material	<input type="radio"/> Other	Explanation(s) provided for Residuals/Impurities? <input checked="" type="radio"/> Yes <input type="radio"/> No	

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

MANOR HALL INTERIOR EGGSHELL LATEX 82-3340 [WATER BM-4
 2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH BUTYL 2-
 PROPENOATE, ETHENYLBENZENE, 2-HYDROXYETHYL 2-METHYL-
 2-PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE LT-UNK
 NEPHELINE SYENITE LT-UNK LIMESTONE LT-UNK KAOLIN LT-UNK |
 CAN HEXANEDIOIC ACID, POLYMER WITH 2,2-DIMETHYL-1,3-
 PROPANEDIOL, 1,2-ETHANEDIAMINE, _-HYDRO-_-HYDROXYPOLY(
 OXY-1,4-BUTANEDIYL), 3-HYDROXY-2-(HYDROXYMETHYL)-2-
 METHYLPROPANOIC ACID AND 1,1'-METHYLENEBIS[4-
 ISOCYANATOCYCLOHEXANE], COMPD. WITH 2-
 (DIMETHYLAMINO)ETH LT-UNK SOLVENT-DEWAXED HEAVY
 PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS
 THAN 3 % DMSO AS MEASURED BY IP 346 LT-P1 | CAN 2-
 PROPENOIC ACID, 2-METHYL-, METHYL ESTER, POLYMER WITH
 BUTYL 2-PROPENOATE AND ETHENYLBENZENE LT-UNK SEPIOLITE
 LT-UNK | CAN FATTY ACIDS, C16-18 AND C18-UNSATD., ESTERS
 WITH PROPYLENE GLYCOL LT-UNK
 CETYLHYDROXYETHYLCELLULOSE LT-UNK C12-14 SEC-PARETH-7
 LT-P1 PYRITHIONE ZINC BM-1tp | AQU | MUL | MAM | DEV | EYE 2,5-
 FURANDIONE, POLYMER WITH 2,4,4-TRIMETHYLPENTENE, SODIUM
 SALT LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1tp

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Substances representing 99.4% of the product weight meet the 1000 ppm threshold and are screened. For LEED v4 MR Credit - Screened may be marked "No" when the Inventory and Screening Notes indicate that the only contents not Screened are regarded as Special Condition(s) by the HPD Collaborative and the inventory guidelines have been followed accordingly. The unscreened content reported in this HPD meets the HPD Collaborative Emerging Best Practices for the Special Conditions of "Plastics and polymer" and "Biological material".

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.0 Regulatory (g/l): 0.0
 Does the product contain exempt VOCs: No
 Are ultra-low VOC tints available: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Certified
 VOC emissions: UL/GreenGuard Gold Certified

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-05-08

PUBLISHED DATE: 2021-05-08

EXPIRY DATE: 2024-05-08

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

MANOR HALL INTERIOR EGGSHELL LATEX 82-3340

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: PPG's Product Stewardship and Hazard Communication program requires disclosure by our raw material suppliers of all components both intentional and residual, considered to be hazardous. PPG relies on the measurements of the raw material suppliers and the details of their disclosure in an extensive raw materials introduction process. Always refer to the Product label, Technical Data sheet (DS), and Safety Data Sheet (SDS) for all safety and detailed application instructions.

OTHER PRODUCT NOTES: NA

WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-08 17:31:45

#: 50.0000 - 65.0000 GS: BM-4 RC: None NANO: No SUBSTANCE ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH BUTYL 2-PROPENOATE, ETHENYLBENZENE, 2-HYDROXYETHYL 2-METHYL-2-PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE

ID: 36179-96-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-08 17:31:46

#: 15.0000 - 20.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screen, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

NEPHELINE SYENITE

ID: 37244-96-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-08 17:31:46

#: 5.0000 - 10.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

LIMESTONE

ID: 1317-65-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2021-05-08 17:31:46

%: 5.0000 - 10.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

KAOLIN

ID: 1332-58-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2021-05-08 17:31:47

%: 1.0000 - 5.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

HEXANEDIOIC ACID, POLYMER WITH 2,2-DIMETHYL-1,3-PROPANEDIOL, 1,2-ETHANEDIAMINE, _-HYDRO_-HYDROXYPOLY(OXY-1,4-BUTANEDIYL), 3-HYDROXY-2-(HYDROXYMETHYL)-2-METHYLPROPANOIC ACID AND 1,1'-METHYLENEBIS[4-ISOCYANATOCYCLOHEXANE], COMPD. WITH 2-(DIMETHYLAMINO)ETH

ID: 71195-81-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2021-05-08 17:31:47

%: 0.1000 - 0.5000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Viscosity modifier

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screen, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346

ID: 64742-65-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2021-05-08 17:31:48

%: 0.1000 - 1.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Defoamer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	GHS - Australia	H350 - May cause cancer

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screen, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

2-PROPENOIC ACID, 2-METHYL-, METHYL ESTER, POLYMER WITH BUTYL 2-PROPENOATE AND ETHENYLBENZENE

ID: 27136-15-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-08 17:31:48**

#: **0.1000 - 0.3000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Opacifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screen, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

SEPIOLITE

ID: 63800-37-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-08 17:31:49**

#: **0.1000 - 0.5000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

FATTY ACIDS, C16-18 AND C18-UNSATD., ESTERS WITH PROPYLENE GLYCOL

ID: 85049-34-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-08 17:31:49**

#: **0.1000 - 1.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coalescent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screen, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

CETYLHYDROXYETHYLCELLULOSE

ID: 80455-45-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-08 17:31:49**

#: **0.1000 - 0.5000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Surfactant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

C12-14 SEC-PARETH-7

ID: 84133-50-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-08 17:31:50**

#: 0.1000 - 0.5000

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Surfactant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

PYRITHIONE ZINC

ID: 13463-41-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-08 17:31:50

#: 0.1000 - 0.3000

GS: BM-1tp

RC: None

NANO: No

SUBSTANCE ROLE: Biocide

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
MAM	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAM	EU - GHS (H-Statements)	H372 - Causes damage to organs through prolonged or repeated exposure
MAM	EU - GHS (H-Statements)	H330 - Fatal if inhaled
DEV	EU - GHS (H-Statements)	H360D - May damage the unborn child
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage

SUBSTANCE NOTES: Range listed represents standard manufacturing variability.

2,5-FURANDIONE, POLYMER WITH 2,4,4-TRIMETHYLPENTENE, SODIUM SALT

ID: 37199-81-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-08 17:31:51

#: 0.0500 - 0.3000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Dispersant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Range listed represents standard manufacturing variability. Identification of this substance is not being disclosed due to raw material supplier holding chemical substance as proprietary. For the purpose of this screen, PPG relies on extensive internal, external, and raw material supplier resources to assign CAS numbers that represent the chemical family and associated hazards.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	UL/GreenGuard Certified		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2018-10-	EXPIRY DATE: 2022-	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: n/a	15	02-07	
CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/5bc891f055b0e82fcce169fb?page_type=Products%20Catalog			
CERTIFICATION AND COMPLIANCE NOTES: Certificate 130820-410			

VOC EMISSIONS	UL/GreenGuard Gold Certified		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2018-10-	EXPIRY DATE: 2022-	CERTIFIER OR LAB: UL
APPLICABLE FACILITIES: n/a	15	02-07	
CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/5bc891f055b0e82fcce169fb?page_type=Products%20Catalog			
CERTIFICATION AND COMPLIANCE NOTES: Certificate 130820-420			

VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2021-04-	EXPIRY DATE:	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: All	22		
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: VOC content is a calculated value based on EPA Method 24.			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PPG NEXT GENERATION COLORANT SYSTEM	HPD URL: no HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:	
PPG Next Generation Colorant System is a low VOC line of colorants composed of 12 tints which can be combined to create over 6000 colors. When added to MANOR HALL base paints at maximum tint load for any color, the Next Generation tints contribute less than 8 g/L of VOC to the final tinted product.	

Section 5: General Notes

Some of the information contained in this Health Product Declaration form has been provided by the Health Product Declaration tool(s) and may not be the same as the information contained in PPG's Safety Data Sheet ("SDS") for this product. Users of this product should review PPG's SDS before using this product and follow all instructions and directions provided by PPG.

MANUFACTURER INFORMATION

MANUFACTURER: PPG Architectural Finishes
ADDRESS: One PPG Place
 Pittsburgh PA 15272, USA
WEBSITE: www.ppgac.com

CONTACT NAME: Arcitectural Coaings Technical Advice Center
TITLE: Technical Advisor
PHONE: 18004419695
EMAIL: techservicerequests@ppg.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.