

HPD UNIQUE IDENTIFIER: 24594

CLASSIFICATION: 12 24 13 Roller Window Shades

PRODUCT DESCRIPTION: Gonzen is a roller blind textile used for interior and design.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

| | | | |
|---|--|---|---|
| Inventory Reporting Format | Threshold level | Residuals/Impurities | <i>All Substances Above the Threshold Indicated Are:</i> |
| <input type="radio"/> Nested Materials Method | <input checked="" type="radio"/> 100 ppm | <input type="radio"/> Considered | Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No |
| <input checked="" type="radio"/> Basic Method | <input type="radio"/> 1,000 ppm | <input type="radio"/> Partially Considered | <i>% weight and role provided for all substances.</i> |
| Threshold Disclosed Per | <input type="radio"/> Per GHS SDS | <input checked="" type="radio"/> Not Considered | Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No |
| <input type="radio"/> Material | <input type="radio"/> Other | Explanation(s) provided for Residuals/Impurities? | <i>All substances screened using Priority Hazard Lists with results disclosed.</i> |
| <input checked="" type="radio"/> Product | | <input checked="" type="radio"/> Yes <input type="radio"/> No | Identified <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No |
| | | | <i>All substances disclosed by Name (Specific or Generic) and Identifier.</i> |

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
GONZEN [POLYETHYLENE TEREPHTHALATE (PET) LT-UNK
POLYURETHANE LT-P1]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: UL/GreenGuard Gold Certified
Multi-attribute: OEKO-TEX Standard 100
Management: ISO 14001:2015 Environmental management system
Management: ISO 9001:2015 Quality management systems

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1 and Option 2

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2021-05-03

PUBLISHED DATE: 2021-05-03

EXPIRY DATE: 2024-05-03

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

GONZEN

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: The residuals/impurities have not been considered as there by our requirements have not been used substances of concern and the textile is produced with a high focus on sustainability in all its processes. Complies with REACH regulation.

OTHER PRODUCT NOTES: Website link to see further technical specifications and certifications:

<https://kvadratshop.com/en/shade/products/textiles/1331-gonzen>

POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2021-05-03 5:07:15

#: 95.0000 - 99.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Textile component

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: The composition is 100% Trevira CS polyester yarns. The yarn is inherently flame retardant as a phosphor-organic compound is integrated in the yarn.

POLYURETHANE

ID: 64440-88-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2021-05-03 5:07:15

#: 1.0000 - 5.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Coating

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------|--|
| None found | | No warnings found on HPD Priority Hazard Lists |

SUBSTANCE NOTES: Polyurethane is added as a finish to give the fabric the stiffness that is a characteristic for roller blinds.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS | UL/GreenGuard Gold Certified | | |
|--|--|--------------|--|
| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Building materials, finishes and furnishings. CERTIFICATE URL: https://episerverazureblobs.blob.core.windows.net/catalog/4942b4_GGG_1331_SGreenguard-certificate.pdf | ISSUE DATE: 2020-02-03 | EXPIRY DATE: | CERTIFIER OR LAB: UL Environment |
| CERTIFICATION AND COMPLIANCE NOTES: As the Greenguard certification is renewed annually there has not been set an expiry date. | | | |
| MULTI-ATTRIBUTE | OEKO-TEX Standard 100 | | |
| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: | ISSUE DATE: 2019-09-10 | EXPIRY DATE: | CERTIFIER OR LAB: Hohenstein |
| CERTIFICATION AND COMPLIANCE NOTES: Certificate is renewed every year. | | | |
| MANAGEMENT | ISO 14001:2015 Environmental management system | | |
| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: | ISSUE DATE: 2018-08-14 | EXPIRY DATE: | CERTIFIER OR LAB: Henning Von Knobelsdorff |
| CERTIFICATION AND COMPLIANCE NOTES: Certificate is renewed every third year. | | | |
| MANAGEMENT | ISO 9001:2015 Quality management systems | | |
| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: | ISSUE DATE: 2018-08-14 | EXPIRY DATE: | CERTIFIER OR LAB: Henning Von Knobelsdorff |
| CERTIFICATION AND COMPLIANCE NOTES: Certificate is renewed every third year. | | | |
| MULTI-ATTRIBUTE | REACH European Union Regulation (EC) 1907/2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals | | |
| CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All CERTIFICATE URL: https://echa.europa.eu/ | ISSUE DATE: 2007-06-01 | EXPIRY DATE: | CERTIFIER OR LAB: none |
| CERTIFICATION AND COMPLIANCE NOTES: | | | |

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

| HARDWARE FOR ROLLER BLIND | HPD URL: No HPD available |
|---|---------------------------|
| CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: The hardware is required for all installations. The hardware consist of different parts and the composition is as described: Cassette profile is 100% aluminum alloy, anodized or powder-coated. End caps are 100% zamak, anodized or powder-coated. Thin plastic line (aka coloured trim) is 100% ABS. Bottom bar is 100% aluminum alloy, anodized or powder-coated. Chain is stainless steel. | |



Test results for Gonzen: light fastness note 7. FR standards: BS 5867 part 2 type B, DIN 4102 B1, EN 13 773 class 1, IMO FTP Code 2010 Part 7, NF P 92 507 M1, NFPA 701.

MANUFACTURER INFORMATION

MANUFACTURER: Kvadrat Shade
ADDRESS: Lundbergsvej 10
 Ebeltoft Syddjurs 8400, Denmark
WEBSITE: <https://kvadrat.dk/>

CONTACT NAME: Johanne Villumsen
TITLE: Project Manager test & sourcing
PHONE: +45 26703007
EMAIL: jovi@kvadrat.org

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

| | | |
|---------------------------------------|---|--|
| AQU Aquatic toxicity | LAN Land toxicity | PHY Physical hazard (flammable or reactive) |
| CAN Cancer | MAM Mammalian/systemic/organ toxicity | REP Reproductive |
| DEV Developmental toxicity | MUL Multiple | RES Respiratory sensitization |
| END Endocrine activity | NEU Neurotoxicity | SKI Skin sensitization/irritation/corrosivity |
| EYE Eye irritation/corrosivity | NF Not found on Priority Hazard Lists | UNK Unknown |
| GEN Gene mutation | OZO Ozone depletion | |
| GLO Global warming | PBT Persistent, bioaccumulative, and toxic | |

GreenScreen (GS)

| | |
|---|--|
| BM-4 Benchmark 4 (prefer-safer chemical) | LT-1 List Translator 1 (Likely Benchmark-1) |
| BM-3 Benchmark 3 (use but still opportunity for improvement) | LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) |
| BM-2 Benchmark 2 (use but search for safer substitutes) | |
| BM-1 Benchmark 1 (avoid - chemical of high concern) | |
| BM-U Benchmark Unspecified (due to insufficient data) | |
| LT-P1 List Translator Possible 1 (Possible Benchmark-1) | NoGS No GreenScreen. |

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.