

HPD UNIQUE IDENTIFIER: 26083

CLASSIFICATION: 07 72 33 Roof Hatches

PRODUCT DESCRIPTION: Babcock-Davis Security Roof Hatch is designed for applications with heightened security. This scuttle is constructed of heavy-duty materials and has an option for security grade locks. Ideal applications include prisons, banks, water treatment facilities and other high security buildings. This HPD covers Security Roof Hatch model RHSB with Steel Curb and Aluminum Cover.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	
<input type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	<input checked="" type="radio"/> Considered	<i>All Substances Above the Threshold Indicated Are:</i> Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>% weight and role provided for all substances.</i> Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>All substances screened using Priority Hazard Lists with results disclosed.</i> Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No <i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i>
<input checked="" type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	<input type="radio"/> Partially Considered	
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	<input type="radio"/> Not Considered	
<input type="radio"/> Material	<input type="radio"/> Other	Explanation(s) provided for Residuals/Impurities?	
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

STEEL NoGS **ALUMINUM** BM-1 | END | RES | PHY
POLYISOCYANURATE FOAM LT-P1 **PULP, CELLULOSE** NoGS
UNDISCLOSED NoGS **LIMESTONE** BM-3dg **BICYCLO(2.2.1)HEPT-2-ENE, 5-ETHYLIDENE-, POLYMER WITH ETHENE AND 1-PROPENE** LT-UNK **CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE** LT-UNK **ZINC (POWDER)** LT-P1 | END | MUL | AQU | PHY **ALUMINUM HYDROXIDE, DRIED** BM-2 **FERRIC OXIDE** BM-1 | CAN **TITANIUM DIOXIDE** LT-1 | CAN | END **PENTANE** LT-P1 | MUL | PHY | MAM | AQU]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.2, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Substances not "Identified" are those considered proprietary to suppliers.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
 No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2021-09-15

PUBLISHED DATE: 2021-09-16

EXPIRY DATE: 2024-09-15

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpdc-collaborative.org/hpd-2-2-standard

SECURITY ROOF HATCH (STEEL CURB AND ALUMINUM COVER)

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were "Considered", as outlined in Emerging Best Practices. No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).

OTHER PRODUCT NOTES: Percent by weight of substances reported as ranges to account for possible variations in manufacturing.

STEEL

ID: 12597-69-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-15 11:01:33

#: 58.1000 - 58.7000 GS: NoGS RC: Both NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Curb, Hold-open Arm, Hinges, Mixed Hardware. Recycled content for majority of steel used in product estimated to be 36.9% total (14.4% pre-consumer and 19.8% post-consumer recycled scrap). Documentation from suppliers provide the following composition for alloying elements that may individually exceed the declared threshold: max 3.1% Silicon [7440-21-3; LT-UNK]; max 2.5% Manganese [7439-96-5; LT-P1]; max 1.6% Aluminum [7429-90-5; LT-P1]; max 0.5% Nickel [7440-02-0; LT-1]; max 1.0% Chromium [7440-47-3; LT-P1]; max 0.2% Vanadium [7440-62-2; LT-1].

ALUMINUM

ID: 7429-90-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-09-15 11:01:33

#: 33.9000 - 34.0000 GS: BM-1 RC: Both NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
PHY	EU - GHS (H-Statements)	H228 - Flammable solid [Flammable solids - Category 1 or 2]
PHY	EU - GHS (H-Statements)	H261 - In contact with water releases flammable gases [Substances and mixtures which, in contact with water, emit flammable gases - Category 2 or 3]

SUBSTANCE NOTES: Cover. Recycled content estimated by supplier to be approximately 35%, with a range between 5% and 60%. max 6.6% Magnesium [7439-95-4; LT-UNK]; max 1.5% Silicon [7440-21-3; LT-UNK]; max 1.8% Iron [7439-89-6; LT-P1]; max 1.1% Chromium [7440-47-3; LT-P1]; max 4.0% Zinc [7440-66-6; LT-P1]; max 1.9% Manganese [7439-96-5; LT-P1]. GreenScreen Benchmark® assessment score of BM-1 was provided by the HPD Builder Tool. Also available in 3/16 inch hot rolled Steel.

POLYISOCYANURATE FOAM

ID: 9063-78-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-15 11:01:33		
#: 2.4000 - 2.5000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Insulator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Insulation.				

PULP, CELLULOSE ID: **65996-61-4**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-15 11:01:34		
#: 0.5000 - 0.6000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Insulator facer.				

UNDISCLOSED ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-15 11:02:45		
#: 0.5000 - 1.0000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Powder coat. Supplier has shared substance identity under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.				

LIMESTONE ID: **1317-65-3**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-15 11:01:34		
#: 0.4000 - 1.0000	GS: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Powder coat. Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern).				

BICYCLO(2.2.1)HEPT-2-ENE, 5-ETHYLIDENE-, POLYMER WITH ETHENE AND 1-PROPENE ID: **25038-36-2**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-15 11:01:35		
#: 0.3000 - 0.5000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Gasket.

CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE

ID: 65997-17-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-09-15 11:01:35**

#: **0.3000 - 0.4000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Insulator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Insulation.

ZINC (POWDER)

ID: 7440-66-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-09-15 11:01:36**

#: **0.1000 - 0.2000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
PHY	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]

SUBSTANCE NOTES: Galvannealed Steel.

ALUMINUM HYDROXIDE, DRIED

ID: 21645-51-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-09-15 11:01:36**

#: **0.1000 - 1.0000** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Powder coat. GreenScreen Benchmark® assessment score of BM-2 was provided by the HPD Builder Tool.

FERRIC OXIDE

ID: 1309-37-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-09-15 11:01:37**

#: **0.1000 - 0.5000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Powder coat. GreenScreen Benchmark® assessment score of BM-1 was provided by the HPD Builder Tool.

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-15 11:01:37		
#: 0.1000 - 1.0000	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

SUBSTANCE NOTES: Powder coat.

PENTANE

ID: 109-66-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-09-15 11:01:38		
#: Impurity/Residual	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
PHY	EU - GHS (H-Statements)	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
MAM	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]

SUBSTANCE NOTES: Insulation blowing agent.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Self-declared
APPLICABLE FACILITIES: All facilities
CERTIFICATE URL:

ISSUE DATE: 2021-09-15 EXPIRY DATE:
CERTIFIER OR LAB: N/A

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

SAFETY RAILING

HPD URL: <https://www.babcockdavis.com/products/fall-protection/roof-hatch-safety-railing>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

OSHA compliant Safety Railing for Roof Hatch, Smoke Vents and Floor Doors. The safety railing mounts to the existing roof hatch curb counterflash without penetrating the membrane.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Babcock-Davis
ADDRESS: 9300 73rd Avenue North
 Minneapolis MN 55428, United States
WEBSITE: www.babcockdavis.com

CONTACT NAME: Sandy McWilliams
TITLE: Director, Specification
PHONE: 888.412.3726
EMAIL: smcwilliams@babcockdavis.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

- PreC** Pre-consumer recycled content
- PostC** Post-consumer recycled content
- UNK** Inclusion of recycled content is unknown
- None** Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

- Nano** Composed of nano scale particles or nanotechnology
- Third Party Verified** Verification by independent certifier approved by HPDC
- Preparer** Third party preparer, if not self-prepared by manufacturer
- Applicable facilities** Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.