

HPD UNIQUE IDENTIFIER: 26218

CLASSIFICATION: 09 65 19 Resilient Tile Flooring

PRODUCT DESCRIPTION: Marmoleum Modular is a homogeneous floor covering made from natural ingredients including linseed oil, rosin binders, wood flour, limestone and dry pigments. They are mixed and then calendared onto a polyester backing to ensure optimum dimensional stability. Marmoleum features Topshield2, which is a high performance, double UV cured factory applied finish that makes the product "occupancy ready" after installation. The double UV cured layer technology delivers color clarity and vibrancy, along with extraordinary wear performance by providing a surface that can be repaired after accidents or restored after years of intensive use. The thickness of Marmoleum Modular varies by collection. The standard thickness of MCT is 2.0mm (0.08"), is available in 13.11" x 13.11" (33.3 cm x 33.3 cm) tiles. The standard thickness of Marmoleum Modular is 2.5mm (1/10") and is available in three different tile sizes: 9.8" x 9.8" (25 cm x 25 cm), 9.8" x 19.69" (25 cm x 50 cm), and 19.69" x 19.69" (50 cm x 50 cm). The standard The standard thickness of Marmoleum Modular Striato is 2.5mm (1/10") and is available in 9.8" x 19.69" (25 cm x 50 cm), 9.8" x 39.37" (25 cm x 100 cm), and 19.69" x 19.69" (50 cm x 50 cm) tiles.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities	
<input type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	<input type="radio"/> Considered	<i>All Substances Above the Threshold Indicated Are:</i> <b>Characterized</b> <input type="radio"/> Yes <input checked="" type="radio"/> Ex/SC <input type="radio"/> Yes <input type="radio"/> No <i>% weight and role provided for all substances.</i>
<input checked="" type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	<input type="radio"/> Partially Considered	
	<input type="radio"/> Per GHS SDS	<input checked="" type="radio"/> Not Considered	
Threshold Disclosed Per		Explanation(s) provided for Residuals/Impurities?	
<input type="radio"/> Material	<input type="radio"/> Other	<input type="radio"/> Yes <input type="radio"/> No	<i>All substances screened using Priority Hazard Lists with results disclosed.</i>
<input checked="" type="radio"/> Product	<input type="radio"/> Other		<b>Identified</b> <input type="radio"/> Yes <input checked="" type="radio"/> Ex/SC <input type="radio"/> Yes <input type="radio"/> No <i>All substances disclosed by Name (Specific or Generic) and Identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

[MATERIAL](#) | [SUBSTANCE](#) | [RESIDUAL OR IMPURITY](#)

[GREENSCREEN SCORE](#) | [HAZARD TYPE](#)

MARMOLEUM MODULAR [ LIMESTONE BM-3dg CELLULOSE PULP (CELLULOSE PULP (SC: WOOD FLOUR)) NoGS LINSEED OIL NoGS TALL OIL LT-P1 | SKI | RES | MUL POLYETHYLENE TEREPHTHALATE (PET) LT-UNK GUM ROSIN LT-P1 | SKI FERRIC OXIDE YELLOW LT-UNK IRON OXIDE BM-1 | CAN FERRIC OXIDE BM-1 | CAN POLYURETHANE FOAMS LT-UNK 2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH ETHYL 2-PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Percentage (%) ranges for ingredients are used as a means of keeping the exact formulations proprietary.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario  
LCA: Environmental Product Declaration (EPD) by UL - Industry Generic

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-10-08

PUBLISHED DATE: 2021-10-08

EXPIRY DATE: 2024-10-08

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

**MARMOLEUM MODULAR**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: No  
 RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present in the product at or above the reporting threshold.  
 OTHER PRODUCT NOTES: N/A

**LIMESTONE** ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-08 8:20:43  
 %: 24.7800 - 25.7800 GS: BM-3dg RC: None NANO: No SUBSTANCE ROLE: Filler  
 HAZARD TYPE AGENCY AND LIST TITLES WARNINGS  
 None found No warnings found on HPD Priority Hazard Lists  
 SUBSTANCE NOTES:

**CELLULOSE PULP (CELLULOSE PULP (SC: WOOD FLOUR))** ID: 65996-61-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-08 8:20:43  
 %: 24.2800 - 25.2800 GS: NoGS RC: PreC NANO: No SUBSTANCE ROLE: Filler  
 HAZARD TYPE AGENCY AND LIST TITLES WARNINGS  
 None found No warnings found on HPD Priority Hazard Lists  
 SUBSTANCE NOTES: Category = Tree-based materials – wood planks/strips/pieces, bark, wood chips, and other wood products. This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials. Cellulose is mix of different species of wood. The specific brand name that Forbo Flooring Systems uses in Marmoleum is Lignocel C 120. LIGNOCEL® C 120 is not classified as dangerous according to directive 67/548/EEC, directive 1999/45/EC and regulation 1272/2008 (CLP). Information pertaining to special dangers for human and environment: Adverse physiochemical effects: Capable of causing dust explosions. Adverse human health effects and symptoms: N/A Adverse environmental effects: N/A Other adverse hazards: Substance is combustible. Substance related information: EC-No: N/A INDEX-NO: N/A REACH Registration No: N/A Purity: 100 % Synonyms: N/A Stabilizers: N/A Hazardous Impurities: N/A

**LINSEED OIL** ID: 8001-26-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-08 8:20:44  
 %: 23.1000 - 24.1000 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Binder  
 HAZARD TYPE AGENCY AND LIST TITLES WARNINGS  
 None found No warnings found on HPD Priority Hazard Lists  
 SUBSTANCE NOTES:

**TALL OIL** ID: 8002-26-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-10-08 8:20:44  
 %: 7.7600 - 8.7600 GS: LT-P1 RC: PreC NANO: No SUBSTANCE ROLE: Binder  
 HAZARD TYPE AGENCY AND LIST TITLES WARNINGS  
 SKI MAK Sensitizing Substance Sh - Danger of skin sensitization  
 RES AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced  
 MUL German FEA - Substances Hazardous to Waters Class 2 - Hazard to Waters  
 SUBSTANCE NOTES:

**POLYETHYLENE TEREPHTHALATE (PET)** ID: 25038-59-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-08 8:20:45**

#: **7.0000 - 8.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

**GUM ROSIN** ID: **8050-09-7**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-08 8:20:45**

#: **4.0400** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

SKI MAK Sensitizing Substance Sh - Danger of skin sensitization

SKI EU - GHS (H-Statements) H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]

SUBSTANCE NOTES:

**FERRIC OXIDE YELLOW** ID: **51274-00-1**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-08 8:20:46**

#: **0.1000 - 4.0400** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

**IRON OXIDE** ID: **1317-61-9**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-08 8:20:46**

#: **0.1000 - 4.0400** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

CAN MAK Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES:

**FERRIC OXIDE** ID: **1309-37-1**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-08 8:20:47**

#: **0.1000 - 4.0400** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

CAN MAK Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES:

**POLYURETHANE FOAMS** ID: **9009-54-5**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-08 8:20:47**

#: **0.1000 - 0.3000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Finish contains no Isocyanates.

**2-PROPENOIC ACID, 2-METHYL-, POLYMER WITH ETHYL 2-PROPENOATE AND METHYL 2-METHYL-2-PROPENOATE** ID: **25133-97-5**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-10-08 8:20:48**

%: 0.1000 - 0.3000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Coating

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Finish contains no Isocyanates.

**TITANIUM DIOXIDE**

ID: 13463-67-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**      HAZARD SCREENING DATE: 2021-10-08 8:20:48

%: 0.1000 - 4.0400

GS: LT-1

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
-----	-----------------------------------	-------------------------

CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
-----	------------------	--

CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
-----	------	--

CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
-----	-----	--

END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
-----	---------------------------------------	-------------------------------

CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
-----	-----	--

CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
-----	-------------------------	---

SUBSTANCE NOTES: The titanium dioxide (TiO2) is bound within the product, requiring no further labeling. Identified on the US EPA Safer Chemical Ingredient List. Form-specific hazards: airborne particles of respirable size – occupational setting. Specific guidelines are being created to address known issues related to transparency and disclosure for several materials (“Special Conditions”), including those with Form-Specific Hazards such as Titanium Dioxide. This HPD will be updated as appropriate when these guidelines become available. The Material Health Harmonization Task Group convened by the USGBC states that pigmentary titanium dioxide was "determined to be Benchmark 2 using the full GS (GreenScreen) method" hpdrepository.hpd-collaborative.org HPD v2.1 created via HPDC Builder Page 2 of 12 (<http://ow.ly/Z5ken>).

### Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: CERTIFICATION AND COMPLIANCE NOTES:	ISSUE DATE: 2014-11-14	EXPIRY DATE:	CERTIFIER OR LAB: Berkeley Analytical
LCA			Environmental Product Declaration (EPD) by UL - Industry Generic
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL: chrome-extension://oemmndcblbdoiebfnladdacbdmfmadm/https://forbo.blob.core.windows.net/forbodocuments/124851/EPD%20Marmoleum%20Modular%202018.01.05.pdf CERTIFICATION AND COMPLIANCE NOTES:	ISSUE DATE: 2018-01-05	EXPIRY DATE: 2023-01-05	CERTIFIER OR LAB: UL Environment, Inc.

### Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

<b>FORBO T 940 ADHESIVE (VOC 0.00 G/L)</b>	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Standard recommended adhesive for installation.	
<b>FORBO EZ-ON 100 ADHESIVE (VOC 0.00 G/L)</b>	HPD URL: No HPD Available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Alternative adhesive that can be used for installation.	
<b>FORBO SUSTAIN 1195 ADHESIVE (VOC 0.00 G/L)</b>	HPD URL: No HPD Available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Alternative adhesive that can be used for installation.	
<b>FORBO SUSTAIN 1299 ADHESIVE (VOC 0.00 G/L)</b>	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Alternative adhesive that can be used with installation.	
<b>FORBO 660 ADHESIVE (VOC 12.00 G/L)</b>	HPD URL: <a href="http://www.forboflooringna.com">http://www.forboflooringna.com</a>
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Alternative adhesive that can be used for installation.	
<b>FORBO ADHESIVE REMOVER</b>	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Can be used for adhesive residue removal post installation.	
<b>NEUTRAL PH CLEANER</b>	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Can be used for routine cleaning.	
<b>READY TO USE NEUTRAL PH CLEANER</b>	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Can be used for routine cleaning.	
<b>HEAVY DUTY CLEANER</b>	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Can be used for interim maintenance.	
<b>FORBO MOP ON RESTORER</b>	HPD URL: No HPD available
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Can be used for interim maintenance.	

**FORBO SPRAY BUFF**HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:  
Can be used for interim maintenance.

**FORBO MATTE FINISH**HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:  
Can be used for interim maintenance.

**FORBO GLOSS FINISH**HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:  
Can be used for interim maintenance.

**FORBO WALL BASE**HPD URL: <http://www.forboflooringna.com>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:  
Can be used with Marmoleum Modular installation using the recommended adhesive.

 **Section 5: General Notes**

Marmoleum Modular lines include the following:  
Marmoleum Modular, Modular Striato, MCT (Marmoleum Composition Tile).  
Marmoleum Modular contains no Isocyanates.

**MANUFACTURER INFORMATION**

MANUFACTURER: **Forbo Flooring Systems**  
 ADDRESS: **8 Maplewood Drive**  
**Hazle Township PA 18202, United States**  
 WEBSITE: **www.forboflooringna.com**

CONTACT NAME: **Shannon Wolski-Konecnik**  
 TITLE: **Product Support and Education Services Administrator**  
 PHONE: **5704500319**  
 EMAIL: **shannon.wolski@forbo.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

<b>Hazard Types</b>		
<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	<b>NoGS</b> No GreenScreen.

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*