

HPD UNIQUE IDENTIFIER: 25187

CLASSIFICATION: 07 16 13 Polymer Modified Cement Waterproofing

PRODUCT DESCRIPTION: Two-component, highly flexible, cement-based waterproofing slurry. Suitable for waterproofing substrates that show or are expected to show hairline cracks due to expansion-contraction or vibration. Ideal for flat roofs, swimming pools, above ground water tanks, etc. Certified according to EN 14891 and classified as liquid-applied, two-component, water-impermeable product CM 02P for waterproofing under tiles, in external installations (walls and floors) and swimming pools. CE marked.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p>Threshold level</p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p>Residuals/Impurities</p> <p><input checked="" type="radio"/> Considered</p> <p><input type="radio"/> Partially Considered</p> <p><input type="radio"/> Not Considered</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p>Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p>Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No</p> <p><i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i></p>
--	---	--	--

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
AQUAMAT ELASTIC [CALCIUM CARBONATE BM-3 PORTLAND CEMENT LT-P1 | CAN | END UNDISCLOSED LT-UNK WATER BM-4 UNDISCLOSED LT-UNK UNDISCLOSED NoGS 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE CALCIUM CHLORIDE WITH 2-METHYL-4-ISOTHIAZOLIN-3-ONE CALCIUM CHLORIDE NoGS]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was Created with Nested Method. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: Ecode EC1 PLUS- very low emission

VOC content: Decorative Paint Directive 2004/42/CE (calculation method) - Phase 2

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-05-07

PUBLISHED DATE: 2021-06-29

EXPIRY DATE: 2024-05-07

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

AQUAMAT ELASTIC

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Any residual that may be present above the 100ppm level is accounted for in this product.

OTHER PRODUCT NOTES: AQUAMAT ELASTIC is a two-component product, requiring that "Component A" be mixed with "Component B" for every application in accordance with our written recommendations.

CALCIUM CARBONATE

ID: 471-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-07 1:41:58

#: 40.0000 - 50.0000 GS: BM-3 RC: UNK NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The exact percentage of this ingredient is withheld by the manufacturer as trade secrets.

PORTLAND CEMENT

ID: 65997-15-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-07 1:41:58

#: 20.0000 - 40.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CAN

MAK

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

END

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: The exact percentage of this ingredient is withheld by the manufacturer as trade secrets.

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-05-07 1:41:59

#: 10.0000 - 30.0000 GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The exact percentage of this ingredient is withheld by the manufacturer as trade secrets.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-07 1:41:59**%: **5.0000 - 10.0000** GS: **BM-4** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Diluent**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The exact percentage of this ingredient is withheld by the manufacturer as trade secrets.

UNDISCLOSEDID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-07 1:58:09**%: **1.0000 - 10.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Dispersant**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The exact percentage of this ingredient is withheld by the manufacturer as trade secrets.

UNDISCLOSEDID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-07 1:42:00**%: **0.1000 - 1.0000** GS: **NoGS** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Dispersant**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The exact percentage of this ingredient is withheld by the manufacturer as trade secrets.

**5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE CALCIUM CHLORIDE
WITH 2-METHYL-4-ISOTHIAZOLIN-3-ONE CALCIUM CHLORIDE**ID: **55965-87-2**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-05-07 1:42:00**%: **0.0001 - 0.1000** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Biocide**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The exact percentage of this ingredient is withheld by the manufacturer as trade secrets.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Emicode EC1 PLUS- very low emission		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2017-09-12	EXPIRY DATE: 2022-09-12	CERTIFIER OR LAB: Eurofins Product Testing A/S
APPLICABLE FACILITIES: Applies to All facilities			
CERTIFICATE URL: https://isomat.co.uk/product/aquamat-elastic-2-en/			
CERTIFICATION AND COMPLIANCE NOTES: Meets LEED V4 Credit "Low Emitting Materials" Emissions Requirements.			

VOC CONTENT	Decorative Paint Directive 2004/42/CE (calculation method) - Phase 2		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2017-01-02	EXPIRY DATE:	CERTIFIER OR LAB: ISOMAT S.A.
APPLICABLE FACILITIES: Applies to All facilities			
CERTIFICATE URL: https://www.isomat.eu/product/aquamat-elastic-2-en/			
CERTIFICATION AND COMPLIANCE NOTES: Meets LEED V4 Credit "Low Emitting Materials" Emissions Requirements.			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

AQUAMAT ELASTIC (B) - LIQUID	HPD URL: https://www.isomat.eu/product/aquamat-elastic-2-en/
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: AQUAMAT ELASTIC is a two-part product, where COMPONENT A must be mixed with COMPONENT B for each application in accordance with our written recommendations.	

Section 5: General Notes

The content of this product was assessed for health hazard warnings using PHAROS. AQUAMAT ELASTIC does not contain the following:

- Alkylphenols
- Asbestos
- Bisphenol A (BPA)
- Cadmium
- Chlorinated Polyethylene & Chlorosulfonated Polyethylene
- Chlorobenzenes
- Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs)
- Chloroprene (Neoprene)
- Chlorinated Polyvinyl Chloride (CPVC)
- Formaldehyde (all types-added)
- Halogenated Flame Retardants (HFRs)
- Lead (added)
- Mercury
- Polychlorinated Biphenyls (PCBs)
- Perfluorinated Compounds (PFCs)
- Phthalates
- Polyvinyl Chloride (PVC)
- Polyvinylidene Chloride (PVDC)
- Short Chain Chlorinated Paraffins
- Wood treatments containing Creosote, Arsenic or Pentachlorophenol.

MANUFACTURER INFORMATION

MANUFACTURER: **ISOMAT S.A.**
 ADDRESS: **ISOMAT S.A.**
THESSALONIKI CENTRAL MACEDONIA 57003, GREECE
 WEBSITE: <https://www.isomat.gr/>

CONTACT NAME: **STAVROS MOSCHIDIS**
 TITLE: **REGULATORY AFFAIRS SPECIALIST**
 PHONE: **+ 30 2310 576 000**
 EMAIL: **ST.MOSCHIDIS@ISOMAT.GR**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.