

HPD UNIQUE IDENTIFIER: 25933

CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: Quick drying urethane-modified acrylic with exceptional adhesion and hardness for difficult-to-paint surfaces such as: Glossy Tiles, Porcelain, Formica, Fiberglass, Glazed Tiles, Glass, Plastics, Wood, Kynar, Metal

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

100 ppm

1,000 ppm

Per GHS SDS

Other

Residuals/Impurities

Considered

Partially Considered

Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

MONOBOND PRIMER [WATER BM-4 BARIUM SULFATE BM-2 | CAN
DIPROPYLENE GLYCOL MONOMETHYL ETHER LT-UNK ACRYLIC
POLYMER NoGS URETHANE LT-1 | CAN | MUL | DEV | GEN DINOSEB,
AMMONIUM SALT LT-1 | REP | AQU | MAM | EYE | DEV NEPHELINE
SYENITE LT-UNK 1,2-BENZISOTHIAZOLINE-3-ONE LT-P1 | SKI | MUL |
AQU | EYE AMMONIUM HYDROXIDE LT-P1 | RES | MUL | AQU | SKI
POLYOXYL STEARYL ETHER LT-P1 | MUL TITANIUM DIOXIDE
(PRIMARY CASRN IS 13463-67-7) LT-1 | CAN | END]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 41

Regulatory (g/l): 51

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: ASTM D5116

VOC content: ASTM D6886

VOC content: ASTM D2369

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-08-10

PUBLISHED DATE: 2021-08-25

EXPIRY DATE: 2024-08-10

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

MONOBOND PRIMER

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Raw materials in this product are found to have trace amounts of residual monomers.

OTHER PRODUCT NOTES:

WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-08-10 15:54:40

#: 14.0000 - 19.0000 GS: BM-4 RC: PreC NANO: No SUBSTANCE ROLE: Diluent

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Monopole uses a recycled water system to process batches.

BARIUM SULFATE

ID: 7727-43-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-08-10 16:08:27

#: 3.0000 - 5.0000 GS: BM-2 RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CAN

MAK

Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES:

DIPROPYLENE GLYCOL MONOMETHYL ETHER

ID: 34590-94-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-08-16 14:29:34

#: 2.8000 - 3.4000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Solvent

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

ACRYLIC POLYMER

ID: 9063-87-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-08-16 14:26:21

GS: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Acrylic Co-Polymer resin

URETHANE

ID: 51-79-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-08-16 14:38:17

GS: LT-1

RC: None

NANO: No

SUBSTANCE ROLE: Viscosity modifier

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CAN	CA EPA - Prop 65	Carcinogen
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CAN	IARC	Group 2a - Agent is probably Carcinogenic to humans
DEV	CA EPA - Prop 65	Developmental toxicity
GEN	MAK	Germ Cell Mutagen 3a
CAN	EU - GHS (H-Statements)	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
GEN	GHS - Australia	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1A or 1B]
CAN	GHS - Korea	H350 - May cause cancer [Carcinogenicity - Category 1]
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1B]
GEN	GHS - Korea	H340 - May cause genetic defects [Germ cell mutagenicity - Category 1]

SUBSTANCE NOTES: *There is not an appropriate classification for the polyurethane resin used in the viscosity modifier. This was the best choice available and will be updated as more options become available in the future.

DINOSEB, AMMONIUM SALT

ID: 6365-83-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-08-10 16:02:40

GS: LT-1

RC: None

NANO: No

SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
REP	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
MAM	EU - GHS (H-Statements)	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	EU - GHS (H-Statements)	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
DEV	EU - GHS (H-Statements)	H360Df - May damage the unborn child. Suspected of damaging fertility [Reproductive toxicity - Category 1A or 1B]

SUBSTANCE NOTES: Ingredient ammonium salt.

NEPHELINE SYENITE

ID: 37244-96-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-08-10 16:11:03		
#: 0.0500 - 0.1200	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: sodium potassium alumino silicate

1,2-BENZISOTHIAZOLINE-3-ONE

ID: 2634-33-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-08-16 14:31:59		
#: 0.0200 - 0.0400	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Biocide

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]

SUBSTANCE NOTES: In-Can Preservative

AMMONIUM HYDROXIDE

ID: 1336-21-6

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
RES	AOEC - Asthmagens	Asthmagen (Rr&Rs) - irritant-induced & sensitizer-induced
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]

SUBSTANCE NOTES: pH stabilizer in polymer

POLYOXYL STEARYL ETHER

ID: 9005-00-9

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

TITANIUM DIOXIDE (PRIMARY CASRN IS 13463-67-7)

ID: 946525-05-9

%: **0.0000 - 10.0000**GS: **LT-1**RC: **None**NANO: **No**SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	ASTM D5116		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Monopole, Inc. 4661 Alger Street Los Angeles, CA 90039. CERTIFICATE URL:	ISSUE DATE: 2021-08- 25	EXPIRY DATE: 2022- 08-25	CERTIFIER OR LAB: Monopole, Inc.
CERTIFICATION AND COMPLIANCE NOTES: Monopole is in the process of conducting VOC Emissions Testing. VOC Content is less than 100 g/L			

VOC CONTENT	ASTM D6886		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Monopole, Inc. 4661 Alger Street Los Angeles, CA 90039 CERTIFICATE URL:	ISSUE DATE: 2021-08- 23	EXPIRY DATE: 2023- 08-23	CERTIFIER OR LAB: Monopole In- House Laboratory
CERTIFICATION AND COMPLIANCE NOTES: Standard Test Method for Determination of the Weight Percent Individual Volatile Organic Compounds in Waterborne Air-Dry Coatings by Gas Chromatography. VOC Coating1, Regulatory VOC: 51 g/L VOC Coating2, Actual VOC: 41 g/L			

VOC CONTENT	ASTM D2369		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Monopole, Inc. 4661 Alger Street Los Angeles, CA 90039 CERTIFICATE URL:	ISSUE DATE: 2021-08- 23	EXPIRY DATE: 2023- 08-23	CERTIFIER OR LAB: Monopole In- House Laboratory
CERTIFICATION AND COMPLIANCE NOTES: Standard Test Method for Volatile Content of Coatings VOC Content: 51-52 g/L			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PERMASHIELD 100 OR PERMASHIELD 200	HPD URL: https://secureservercdn.net/72.167.241.180/029.1eb.myftpupload.com/wp-content/uploads/2020/07/Permashield_200.pdf
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Primer for Monopole topcoats such as Permashield 100 and Permashield 200	

Section 5: General Notes

BASIC USES: MONOBOND can be used for vertical or horizontal, interior and exterior applications. It can be top coated with acrylic/latex, oil-based alkyds, epoxies, urethanes, etc.

MANUFACTURER INFORMATION

MANUFACTURER: Monopole, Inc.
ADDRESS: 4661 Alger Street
 Los Angeles CA 90039, United States
WEBSITE: www.monopoleinc.com

CONTACT NAME: Angela Wooddell
TITLE: LEED Administrator
PHONE: 18185008585
EMAIL: angela@monopoleinc.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.