

HPD UNIQUE IDENTIFIER: 26948

CLASSIFICATION: 12 51 83 Custom Office Furniture

PRODUCT DESCRIPTION: Wally is a simple storage solution, a little friend to keep your personal items safe. It is a storage pedestal with a big personality. This HPD includes the Pair product lines for storage: Oscar, Wally and Stash. From open display and tucked away storage to waste and recycling solutions we have the right solution to keeps things organized. Available in different styles and a variety of finishes for a fun personalized look.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input checked="" type="radio"/> Nested Materials Method <input type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material <input checked="" type="radio"/> Product</p>	<p>Threshold Level</p> <p><input checked="" type="radio"/> 100 ppm <input type="radio"/> 1,000 ppm <input type="radio"/> Per GHS SDS <input type="radio"/> Other</p>	<p>Residuals/Impurities</p> <p>Considered in 14 of 14 Materials</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input checked="" type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input type="radio"/> No <i>% weight and role provided for all substances except SC substances characterized according to SC guidance.</i></p> <p>Screened <input checked="" type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input type="radio"/> No <i>All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.</i></p> <p>Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No <i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i></p>
--	---	---	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
PARTICLEBOARD FOR FURNITURE CONSTRUCTION [SC:WOOD DUST Not Screened UNDISCLOSED NoGS UNDISCLOSED LT-UNK]
SC:BIO:WOODVENEER [SC:DOMESTIC WOOD VENEER Not Screened] METAL LEGS [IRON, ELEMENTAL (PRIMARY CASRN IS 7439-89-6) LT-P1 | END MANGANESE LT-P1 | END | MUL | REP COPPER LT-P1 | AQU PHOSPHORUS BM-2 | MAM | PHY SILICON, ELEMENTAL LT-UNK CARBON LT-UNK MANGANESE LT-P1 | END | MUL | REP SULFUR, PRECIPITATED LT-UNK | SKI] UNDISCLOSED [WOOD DUST - UNSPECIFIED NoGS UNDISCLOSED LT-UNK UNDISCLOSED NoGS UNDISCLOSED LT-P1 | RES CELLULOSE, MICROCRYSTALLINE LT-UNK | RES] UV CURED WOOD FINISH [BISPHENOL A- EPICHLOROHYDRIN ACRYLATE BM-1 DIPROPYLENE GLYCOL DIACRYLATE LT-UNK TRIPROPYLENE GLYCOL DIACRYLATE LT-P1 | SKI | EYE | AQU | MUL DIPROPYLENE GLYCOL (PRIMARY CASRN IS 25265-71-8) LT-UNK BISPHENOL A BM-1 | END | MUL | REP | DEV | SKI | EYE EPICHLOROHYDRIN LT-1 | CAN | END | SKI | MUL | MAM | REP | GEN SILICON DIOXIDE BM-1 | CAN HYDROCHLORIC ACID BM-2 | SKI | MAM | RES BISPHENOL A BM-1 | END | MUL | REP | DEV | SKI | EYE] POWDER COAT FINISH FOR METAL LEGS [1,3-BENZENEDICARBOXYLIC ACID, POLYMER WITH 1,4-BENZENEDICARBOXYLIC ACID, 2,2-DIMETHYL-1,3-PROPANEDIOL, 1,2-ETHANEDIOL AND HEXANEDIOIC ACID NoGS TITANIUM DIOXIDE LT-1 | CAN | END BARIUM SULFATE BM-2 | CAN TRIGLYCIDYL ISOCYANURATE LT-1 | MUL | MAM | RES | SKI | GEN | EYE PYROMELLITIC ACID 2-PHENYL-2-IMIDAZOLINE SALT (1:1) LT-P1 | MUL ALUMINUM OXIDE BM-2 | RES QUARTZ LT-1 | CAN ALUMINUM

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1
 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: BiologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

Our Storage solutions come in a wide range of options. To cover that full range we have created a low and high option and all configurations are included in that range. The product category is defined as Store including Oscar, Wally and Stash. This HPD covers all products in those lines. The "low" option is Stash metal drawer. For the "high" option we used 72" Oscar with 4 drawers, with Wood Case and Metal Base.

All other configurations are within this range.

Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1
 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.
 The main databases used for researching potential residuals and

HYDROXIDE, DRIED BM-2 KAOLIN LT-UNK | CAN] MISC. HARDWARE
[IRON, ELEMENTAL LT-P1 | END] WOOD ADHESIVE 1 [POLYVINYL
ACETATE LT-UNK WATER BM-4 TALC BM-1 | CAN 2,2,4-TRIMETHYL-
1,3-PENTANEDIOL DIISOBUTYRATE LT-P1 | END DIPROPYLENE
GLYCOL MONOMETHYL ETHER LT-UNK POLYVINYL ALCOHOL LT-
UNK ALUMINUM CHLORIDE LT-P1 | SKI | RES] WOOD ADHESIVE 2 [
WATER (PRIMARY CASRN IS 7732-18-5) BM-4 POLYCHLOROPRENE
LT-UNK ZINC OXIDE BM-1 | AQU | END | RES | MUL RESIN ACIDS AND
ROSIN ACIDS, FUMARATED, CALCIUM SALTS LT-P1 | MUL]
SC: BIO: CORK [SC: CORK Not Screened CALCIUM STEARATE LT-UNK
PHENOL-FORMALDEHYDE RESIN LT-P1 | RES ETHYLENE GLYCOL
BM-1 | END | DEV]
SC: BIO: PARTICLE BOARD FOR DOOR CONSTRUCTION [SC: WOOD
DUST Not Screened UNDISCLOSED LT-P1 | RES UNDISCLOSED LT-P1
| MUL] LAMINATE [SC: KRAFT PAPER Not Screened PHENOL-
FORMALDEHYDE RESIN LT-P1 | RES CELLULOSE,
MICROCRYSTALLINE LT-UNK | RES MELAMINE/FORMALDEHYDE
RESIN LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END POLYNOXYLIN
LT-P1 | RES HEXANEDIOIC ACID, POLYMER WITH N-(2-
AMINOETHYL)-1,2-ETHANEDIAMINE, REACTION PRODUCTS WITH
DIMETHYLAMINE AND EPICHLOROHYDRIN LT-UNK] WHITE
MELAMINE [SC: KRAFT PAPER Not Screened CELLULOSE,
MICROCRYSTALLINE LT-UNK | RES MELAMINE/FORMALDEHYDE
RESIN LT-UNK KRAFT LIGNIN NoGS] RUBBERMAID OFFICE TRASH
CAN [POLYETHYLENE LT-UNK DILAUROYL PEROXIDE LT-UNK | PHY
]

impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

SPECIAL CONDITION: Minor Fasteners
Version: SCMinorFasteners/2020-07-16

All hardware for this system not reported is in alignment with HPDC Special Conditions- Minor Fasteners. The total weight of all metal fasteners is <5% of the total weight of the system. Any fasteners reported above that threshold are listed on the HPD. The total combined weight of the commodity fasteners is between 1% and 2%. All minor fasteners fit within the specific guidelines as outlined in the HPD Guide for Special Conditions They are purchased from a third party, made to a generic specification, e.g. ASTM, and not made to order for the specific manufacturer.

Disclaimer - Every effort has been made to report the substances in this product by the manufacturer to the listed threshold. This is a voluntary, self-reported effort. Any errors or omissions shall be considered human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT
VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: SCS Indoor Advantage Gold - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified? <input type="radio"/> Yes <input checked="" type="radio"/> No	PREPARER: Self-Prepared VERIFIER: VERIFICATION #:	SCREENING DATE: 2021-07-09 PUBLISHED DATE: 2021-12-29 EXPIRY DATE: 2024-07-09
---	---	---

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

PARTICLEBOARD FOR FURNITURE CONSTRUCTION

?: 49.0000 - 90.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Wood Dust, Fiber or Chips

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 “The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD.” This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Oscar uses two different particleboards based on different options. This particleboard is not used for door construction but is the primary core board for the furniture composition. The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin cross-linking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition so the substances will be screened and adjusted accordingly. In addition, this product is FSC certified and CARB certified.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: Not Screened		
#: 50.0000 - 100.0000	GS: Not Screened	RC: Both	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
Hazard Screening not performed				

SUBSTANCE NOTES:
 Version: SCBioMats/2018-02-23
 Category: Tree-based materials
 Identifier: Wood dust

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials. The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin cross-linking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition so the substances will be screened and adjusted accordingly. In addition, this product is FSC certified and CARB certified. It is 90% recycled content- 82% post-industrial and 8 % post-consumer.

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-07-09 15:47:58		
#: 0.0000 - 40.0000	GS: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin cross-linking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition so the substances will be screened and adjusted accordingly. In addition, this product is FSC certified and CARB certified.

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-07-09 15:47:59		
#: 0.0000 - 40.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin cross-linking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition so the substances will be screened and adjusted accordingly. In addition, this product is FSC certified and CARB certified.

SC:Bio:WOODVENEER

#: **7.4200**

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Wood or Lumber
-----------------------------------	---	--------------------------------------

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: SpecialConditionApplied:BiologicalMaterial --- Pair uses a variety of domestic veneers for this collection. They also use laminate therefore this is an alternate material.

SC:DOMESTIC WOOD VENEER

ID: SC:Bio

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **Not Screened**

#: **100.0000** GS: **Not Screened** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23

Category: Tree-based materials

Identifier: Domestic Veneer, various choices

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

METAL LEGS

#: **2.0000**

PRODUCT THRESHOLD: **100 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **Yes** MATERIAL TYPE: **Metal**

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: This includes the 16 gauge metal tubing and mounting plate for options with tube legs. These come from two different manufacturers therefore there is a range of composition. Both are essentially sheet metal (carbon steel). Includes all options for legs including the sled base.

IRON, ELEMENTAL (PRIMARY CASRN IS 7439-89-6)

ID: 443783-52-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:20**

#: **97.0000 - 100.0000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
-----	---------------------------------------	-------------------------------

SUBSTANCE NOTES: Per the PubChem database: Blast furnace pig iron contains silicon, sulfur, phosphorus, manganese and carbon.

MANGANESE

ID: 7439-96-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:36**

%: 1.1000 - 1.6500

GS: LT-P1

RC: UNK

NANO: No

SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: Aluminum is a common residual but is below the threshold."Production of manganese metal is achieved by aluminum reduction of low iron-content manganese ore, and electrolytically from sulfate or chloride solution (Lewis 2001)." (ATSDR)
Manganese with <0.1% metallic impurities can be produced electrolytically from a manganese sulfate solution (EPA 1984; Lewis 2001)." (ATSDR)

COPPER

ID: 7440-50-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:37**

%: 0.3500

GS: LT-P1

RC: UNK

NANO: No

SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects

SUBSTANCE NOTES: About 80% of the primary copper in the world comes from low-grade or poor sulfide ores, which are usually treated by pyrometallurgical methods, generally in the following sequence: (1) Beneficiation by froth flotation of ore to copper concentrate; (2) Optional partial roasting to obtain oxidized material or calcines; (3) two-stage pyrometallurgical extraction, (a) smelting concentrates to matte, (b) converting matte by oxidation to crude (converter or blister) copper; (4) Refining the crude copper, usually in two steps, (a) pyrometallurgically to fire-refined copper, (b) electrolytically to high-purity electrolytic copper.
[Gerhartz, W. (exec ed.). Ullmann's Encyclopedia of Industrial Chemistry. 5th ed.Vol A1: Deerfield Beach, FL: VCH Publishers, 1985 to Present., p. VA7 (86) 479]

PHOSPHORUS

ID: 7723-14-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:46**

%: Impurity/Residual

GS: BM-2

RC: UNK

NANO: No

SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
PHY	EU - GHS (H-Statements)	H228 - Flammable solid

SUBSTANCE NOTES:

SILICON, ELEMENTAL

ID: 7440-21-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:47**

%: Impurity/Residual

GS: LT-UNK

RC: UNK

NANO: No

SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

CARBON

ID: 7440-44-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:43**%: **Impurity/Residual** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

MANGANESE

ID: 7439-96-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:44**%: **Impurity/Residual** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES:

SULFUR, PRECIPITATED

ID: 7704-34-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:46**%: **Impurity/Residual** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation

SUBSTANCE NOTES:

UNDISCLOSED%: **0.2000 - 0.3400**

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Formaldehyde resins are listed on the SDS by the manufacturer at 10-30%. Inquiry to the manufacturer did not list additional information as it is proprietary to the company. The product sheet states that there is no added urea-formaldehyde so additional options for formaldehyde resins will be listed as possible substances since the exact information is unknown. Types of formaldehyde resins include: melamine resin, phenol-formaldehyde resin, polyoxymethylene plastics, 1,4-butanediol, and methylene diphenyl diisocyanate.

WOOD DUST - UNSPECIFIEDID: **Not registered**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:24**%: **25.0000 - 75.0000** GS: **NoGS** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

UNDISCLOSEDID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:27**%: **10.0000 - 30.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is listed as a possible in the chemical composition. The manufacturer will not disclose the exact resin but simply states the family that it belongs to. All resins in the family are screened and listed as possible ingredients.

UNDISCLOSEDID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:28**%: **10.0000 - 30.0000** GS: **NoGS** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is listed as a possible in the chemical composition. The manufacturer will not disclose the exact resin but simply states the family that it belongs to. All resins in the family are screened and listed as possible ingredients.

UNDISCLOSEDID: **Undisclosed**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:29**%: **10.0000 - 30.0000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: This is a possible substance. Due to manufacturer proprietary information the exact composition is unknown. This is listed on the SDS as a possible resin.

CELLULOSE, MICROCRYSTALLINEID: **9004-34-6**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:44:03**%: **10.0000 - 20.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagens (Rs) - sensitizer-induced

SUBSTANCE NOTES:

UV CURED WOOD FINISH %: 0.1000 - 0.6000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: The acrylate polymer is proprietary company information and can not be disclosed outside the manufacturer. It is not a hazardous substance as it is not reported on the SDS. The threshold level is 0.01. No substitute or clarification of information could be found in the database of common building materials.

This finish is above the reportable threshold but it difficult to obtain exact weights for the entire product. It is listed and screened above the threshold but a maximum number is not listed. As the manufacturer, we have used considerable resources to comply with the intent of the HPD by supplying this level of information.

BISPHENOL A-EPICHLOROHYDRIN ACRYLATE

ID: 55818-57-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-09 15:47:25

%: 25.0000 - 50.0000 GS: BM-1 RC: UNK NANO: No SUBSTANCE ROLE: Film former

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The residual monomer content of bisphenol-A in the epoxy resin as produced is a maximum of 1,000 ppm. The residual bisphenol-A will be further reacted when the product is used (i.e. when the epoxy resin is cured)." (EU Risk Assessment, 2003)

Epichlorohydrin (ECH), 1-chloro-2,3-epoxypropane, is a raw material used in the production of epoxy resins, synthetic glycerol, elastomers, paper, and pharmaceuticals [1-2]. ECH can enter drinking water supplies by leaching from epoxy resin coatings on pipes or through flocculating agents in water treatment. (Agilent Technologies)

DIPROPYLENE GLYCOL DIACRYLATE

ID: 57472-68-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-09 15:47:29

%: 10.0000 - 25.0000 GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Antioxidant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

TRIPROPYLENE GLYCOL DIACRYLATE

ID: 42978-66-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-09 15:40:29

%: 10.0000 - 25.0000 GS: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Plasticizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction

SUBSTANCE NOTES: No known impurities.

DIPROPYLENE GLYCOL (PRIMARY CASRN IS 25265-71-8)

ID: 78644-49-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:44:27**

%: **Impurity/Residual** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Listed as <1.0% content in BASF MSDS for commercial DGMA (Laromer DPGDA).

BISPHENOL A

ID: 80-05-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:55**

%: **Impurity/Residual** GS: **BM-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
END	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Substance of Possible Concern
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
END	ChemSec - SIN List	Endocrine Disruption
REP	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
DEV	CA EPA - Prop 65	Developmental toxicity
DEV	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REP	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage
REP	US NIH - Reproductive & Developmental Monographs	Some Evidence of Adverse Effects - Reproductive Toxicity
SKI	MAK	Sensitizing Substance SP - Danger of photocontact sensitization
REP	EU - GHS (H-Statements)	H360F - May damage fertility
REP	CA EPA - Prop 65	Reproductive Toxicity - Female
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: The residual monomer content of bisphenol-A in the epoxy resin as produced is a maximum of 1,000 ppm. The residual bisphenol-A will be further reacted when the product is used (i.e. when the epoxy resin is cured)." (EU Risk Assessment, 2003)

EPICHLOROHYDRIN

ID: 106-89-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:56**

%: **Impurity/Residual** GS: **LT-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	EU - GHS (H-Statements)	H350 - May cause cancer
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	CA EPA - Prop 65	Carcinogen
MAM	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAM	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
MAM	EU - GHS (H-Statements)	H331 - Toxic if inhaled
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CAN	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen
CAN	IARC	Group 2a - Agent is probably Carcinogenic to humans
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
REP	CA EPA - Prop 65	Reproductive Toxicity - Male
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
CAN	GHS - Australia	H350 - May cause cancer
GEN	GHS - New Zealand	6.6A - Known or presumed human mutagens
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
GEN	GHS - Australia	H340 - May cause genetic defects
CAN	GHS - Korea	Carcinogenicity - Category 1 [H350 - May cause cancer]
CAN	GHS - Malaysia	H350 - May cause cancer
CAN	GHS - Japan	Carcinogenicity - Category 1B [H350]

SUBSTANCE NOTES: Epichlorohydrin (ECH), 1-chloro-2,3-epoxypropane, is a raw material used in the production of epoxy resins, synthetic glycerol, elastomers, paper, and pharmaceuticals [1-2]. ECH can enter drinking water supplies by leaching from epoxy resin coatings on pipes or through flocculating agents in water treatment. (Agilent Technologies)

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:56**%: **0.0000 - 10.0000** GS: **BM-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Abrasion resistance**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	GHS - Australia	H350i - May cause cancer by inhalation
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: "The manufacturing process for pyrogenic silicas is based mainly on the combustion of volatile silanes, especially silicon tetrachloride, in an oxygen-hydrogen burner. Primary particles (7-50 nm particle size) of amorphous silica fuse together in the high-temperature flame to yield stable aggregates of between 100 and 500 nm in diameter. These aggregates form micron-sized agglomerates. The finely divided silica is separated from the hydrochloric acid-containing off-gas stream in filter stations. The hydrochloric acid content of the product is commonly reduced to less than 100 ppm by desorbing the hydrochloric acid with air in a fluid-bed reactor. Pyrogenic silica appears as a fluffy white powder. [IARC. Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man. Geneva: World Health Organization, International Agency for Research on Cancer, 1972-PRESENT. (Multivolume work). Available at:<http://monographs.iarc.fr/index.php> p. V68 56 (1997)]" (HSDB)

HYDROCHLORIC ACID

ID: 7647-01-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:57**%: **Impurity/Residual** GS: **BM-2** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
MAM	EU - GHS (H-Statements)	H331 - Toxic if inhaled
RES	AOEC - Asthmagens	Asthmagen (Rr) - irritant-induced
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances

SUBSTANCE NOTES: "The manufacturing process for pyrogenic silicas is based mainly on the combustion of volatile silanes, especially silicon tetrachloride, in an oxygen-hydrogen burner. Primary particles (7-50 nm particle size) of amorphous silica fuse together in the high-temperature flame to yield stable aggregates of between 100 and 500 nm in diameter. These aggregates form micron-sized agglomerates. The finely divided silica is separated from the hydrochloric acid-containing off-gas stream in filter stations. The hydrochloric acid content of the product is commonly reduced to less than 100 ppm by desorbing the hydrochloric acid with air in a fluid-bed reactor. Pyrogenic silica appears as a fluffy white powder. [IARC. Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man. Geneva: World Health Organization, International Agency for Research on Cancer, 1972-PRESENT. (Multivolume work). Available at:<http://monographs.iarc.fr/index.php> p. V68 56 (1997)]" (HSDB)

BISPHENOL A

ID: 80-05-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:57**%: **Impurity/Residual** GS: **BM-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
END	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Substance of Possible Concern
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
END	ChemSec - SIN List	Endocrine Disruption
REP	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
DEV	CA EPA - Prop 65	Developmental toxicity
DEV	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REP	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage
REP	US NIH - Reproductive & Developmental Monographs	Some Evidence of Adverse Effects - Reproductive Toxicity
SKI	MAK	Sensitizing Substance SP - Danger of photocontact sensitization
REP	EU - GHS (H-Statements)	H360F - May damage fertility
REP	CA EPA - Prop 65	Reproductive Toxicity - Female
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]

POWDER COAT FINISH FOR METAL LEGS

CONCENTRATION: %: 0.0100

SUBSTANCE NOTES: The residual monomer content of bisphenol-A in the epoxy resin as produced is a maximum of 1,000 ppm. The residual bisphenol-A will be further reacted when the product is used (i.e. when the epoxy resin is cured)." (EU Risk Assessment, 2003)

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: This option covers all colors and contains alternate materials based on different pigments.

This finish is above the reportable threshold but it difficult to obtain exact weights for the entire product. It is listed and screened above the threshold but a maximum number is not listed. As the manufacturer, we have used considerable resources to comply with the intent of the HPD by supplying this level of information.

1,3-BENZENEDICARBOXYLIC ACID, POLYMER WITH 1,4-BENZENEDICARBOXYLIC ACID, 2,2-DIMETHYL-1,3-PROPANEDIOL, 1,2-ETHANEDIOL AND HEXANEDIOIC ACID

ID: 40471-09-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:21**

#: **50.0000 - 60.0000** GS: **NoGS** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Monomer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:25**

#: **25.0000 - 50.0000** GS: **LT-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: This is not in all color options and therefore the depending on the color choice this substance is a "may contain".

BARIUM SULFATE

ID: 7727-43-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:34**

#: **2.5000 - 10.0000** GS: **BM-2** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: This substance is not in all color options and should be considered a "may contain".

TRIGLYCIDYL ISOCYANURATE

ID: 2451-62-9

%: **2.5000 - 10.0000**GS: **LT-1**RC: **UNK**NANO: **No**SUBSTANCE ROLE: **Curing agent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
MAM	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAM	EU - GHS (H-Statements)	H331 - Toxic if inhaled
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
GEN	EU - GHS (H-Statements)	H340 - May cause genetic defects
GEN	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
GEN	EU - Annex VI CMRs	Mutagen - Category 1B
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage
GEN	EU - SVHC Authorisation List	Mutagenic - Candidate list
GEN	GHS - Korea	Germ cell mutagenicity - Category 1 [H340 - May cause genetic defects]
GEN	GHS - New Zealand	6.6A - Known or presumed human mutagens
GEN	GHS - Japan	Germ cell mutagenicity - Category 1B [H340]

SUBSTANCE NOTES:

PYROMELLITIC ACID 2-PHENYL-2-IMIDAZOLINE SALT (1:1)ID: **54553-90-1**%: **2.5000 - 10.0000**GS: **LT-P1**RC: **UNK**NANO: **No**SUBSTANCE ROLE: **Coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

ALUMINUM OXIDEID: **1344-28-1**%: **0.1000 - 2.5000**GS: **BM-2**RC: **UNK**NANO: **No**SUBSTANCE ROLE: **Abrasive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

QUARTZ

ID: 14808-60-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:40**%: **0.1000 - 1.0000** GS: **LT-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Abrasion resistance**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - Australia	H350i - May cause cancer by inhalation
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: This is not in all color options therefore it is a "may contain" depending on the color choice.

ALUMINUM HYDROXIDE, DRIED

ID: 21645-51-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:50**%: **0.0000 - 2.5000** GS: **BM-2** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This is not in all color options therefore it is a "may contain" depending on the color choice.

KAOLIN

ID: 1332-58-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:49**%: **0.0000 - 2.5000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Based in SDS this substance is a "may contain" and may not appear in all color choices.

MISC. HARDWARE

#: 0.0100 - 3.5000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: This material follows the SPecial Condition for minor fasteners. See the section "General Notes" for more information on that condition. All hardware is <5% of the weight of the products.

IRON, ELEMENTAL

ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-09 15:47:21

#: 90.0000 - 97.0000 GS: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Residuals and impurities were screened using the Pharos database. None listed. Per the PubChem database: Blast furnace pig iron contains silicon, sulfur, phosphorus, manganese and carbon. All impurities are below the threshold.

WOOD ADHESIVE 1

#: 0.0100

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: This furniture collection can contain one of two wood adhesives or both. The low option they have the maximum percentage of composition by weight of 1.5% for low option and 5% for the high option. In the HPD they are listed as adhesive 1 and adhesive 2. This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

This finish is above the reportable threshold but it difficult to obtain exact weights for the entire product. It is listed and screened above the threshold but a maximum number is not listed. As the manufacturer, we have used considerable resources to comply with the intent of the HPD by supplying this level of information.

POLYVINYL ACETATE

ID: 9003-20-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-09 15:47:23

#: 30.0000 - 39.2300 GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:23**

#: **25.0000 - 40.1000** GS: **BM-4** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

TALC

ID: 14807-96-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:30**

#: **6.0000 - 8.7200** GS: **BM-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	IARC	Group 2b - Possibly carcinogenic to humans

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

Actinolite, anthophyllite and tremolite may occur in some talc deposits; when asbestiform, they constitute asbestos and, when not asbestiform, they are referred to as mineral fragments or cleavage fragments.” and “Minerals commonly found in talc products include chlorite and carbonate. Less commonly, talc products contain tremolite, anthophyllite and serpentine.”

IARC Working Group on the Evaluation of Carcinogenic Risk to Humans. Carbon Black, Titanium Dioxide, and Talc. Lyon (FR): International Agency for Research on Cancer; 2010. (IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, No. 93.) Available from: <https://www.ncbi.nlm.nih.gov/books/NBK326521/>.

2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE

ID: 6846-50-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:31**

#: **5.0000 - 8.7200** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:41**%: **0.1000 - 0.7000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Defoamer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

POLYVINYL ALCOHOL

ID: 9002-89-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:51**%: **0.0000 - 1.2200** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

ALUMINUM CHLORIDE

ID: 7446-70-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:52**%: **0.0000 - 1.2200** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Curing agent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
RES	AOEC - Asthmagens	Asthmagens (Rs) - sensitizer-induced

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

WOOD ADHESIVE 2

%: 0.0100

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: This furniture collection can contain one of two wood adhesives or both. The low option they have the maximum percentage of composition by weight of 1.5% for low option and 5% for the high option. In the HPD they are listed as adhesive 1 and adhesive 2. This has one missing ingredient that is at the threshold of 0.01. It is highly proprietary and the company will not disclose. All other ingredients are disclosed. The ingredient is listed as a resin dispersion.

This finish is above the reportable threshold but it difficult to obtain exact weights for the entire product. It is listed and screened above the threshold but a maximum number is not listed. As the manufacturer, we have used considerable resources to comply with the intent of the HPD by supplying this level of information.

WATER (PRIMARY CASRN IS 7732-18-5)

ID: 558440-22-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:22**

#: **40.0000 - 50.0000** GS: **BM-4** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

POLYCHLOROPRENE

ID: 9010-98-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:22**

#: **30.0000 - 40.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Adhesive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

ZINC OXIDE

ID: 1314-13-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:36**

#: **1.0000 - 3.0000** GS: **BM-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Accelerator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

RESIN ACIDS AND ROSIN ACIDS, FUMARATED, CALCIUM SALTS

ID: 94387-04-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:40**

#: **0.1000 - 5.0000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

SC: BIO: CORK

%: 0.0100

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Wood Dust, Fiber or Chips

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: SpecialConditionApplied:BiologicalMaterial --- This is the cork for the drawer.

SC: CORK

ID: SC:Bio

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **Not Screened**

%: **70.0000** GS: **Not Screened** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening not performed		

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23

Category: Tree-based materials

Identifier: mixed-unknown

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials. This information has been supplemented with the database of common building materials for cork products. Per the database, this type of material is cork and resin.

CALCIUM STEARATE

ID: 1592-23-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:37**

%: **1.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Lubricant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This information is from the database of common building materials. This substance may or may not be in the actual product.

Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1

“The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD.”

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

PHENOL-FORMALDEHYDE RESIN

ID: 9003-35-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:42**

#: **0.0500** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: This information is from the database of common building materials. This substance may or may not be in the actual product.

Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1

“The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD.”

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

ETHYLENE GLYCOL

ID: 107-21-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:45**

#: **0.0100** GS: **BM-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
DEV	CA EPA - Prop 65	Developmental toxicity
DEV	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity

SUBSTANCE NOTES: This information is from the database of common building materials. This substance may or may not be in the actual product.

Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1

“The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD.”

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

SC: BIO: PARTICLE BOARD FOR DOOR CONSTRUCTION %: 0.0000 - 8.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES
CONSIDERED: Yes

MATERIAL TYPE: Wood Dust, Fiber or
Chips

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered using the Pharos database of peer-reviewed scientific data on building materials and substances. Any recorded impurities are for reference purposes only. No actual material was tested.

OTHER MATERIAL NOTES: SpecialConditionApplied: BiologicalMaterial --- The birch core board is used for door construction only. It is an alternate material because it only appears in the configurations with doors. This product's manufacturer listed the binder as 0-40% containing alkali and phenol-formaldehyde resin. This percentage range is larger than the required 10% difference but due to proprietary reasons, this is what the manufacturer would disclose.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: Not Screened		
#: 60.0000 - 100.0000	GS: Not Screened	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
Hazard Screening not performed				

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23

Category: Tree-based materials

Identifier: birch, thin-leaved deciduous hardwood tree of the genus Betula, wood dust

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials. This product's manufacturer listed the binder as 0-40% containing alkali and phenol-formaldehyde resin. This percentage range is larger than the required 10% difference but due to proprietary reasons, this is what the manufacturer would disclose.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-07-09 15:47:09		
#: 0.0000 - 40.0000	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		

SUBSTANCE NOTES: This product's manufacturer listed the binder as 0-40% containing alkali and phenol-formaldehyde resin. This percentage range is larger than the required 10% difference but due to proprietary reasons, this is what the manufacturer would disclose.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-07-09 15:43:13		
#: 0.0000 - 40.0000	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		

SUBSTANCE NOTES: This product's manufacturer listed the binder as 0-40% containing alkali and phenol-formaldehyde resin. This percentage range is larger than the required 10% difference but due to proprietary reasons, this is what the manufacturer would disclose.

LAMINATE

#: **0.0000 - 4.0000**

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Paper or Cardboard
----------------------------	--	-----------------------------------

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Laminate is an alternate option to wood veneer in this collection. To fill in the gaps of the manufacturer data the Pharos common building material database was used.

SC:KRAFT PAPER

ID: **SC:Bio**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **Not Screened**

%: **50.0000 - 50.9700** GS: **Not Screened** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	Hazard Screening not performed	

SUBSTANCE NOTES:
Version: SCBioMats/2018-02-23
Category: Tree-based materials
Identifier: Generic wood pulp

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

PHENOL-FORMALDEHYDE RESIN

ID: **9003-35-4**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:26**

%: **20.0000 - 23.9800** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Information is based on the database of common building materials.

CELLULOSE, MICROCRYSTALLINE

ID: **9004-34-6**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:32**

%: **3.6100 - 10.0500** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: This information is based on the database of common building materials.

MELAMINE/FORMALDEHYDE RESIN

ID: **9003-08-1**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:47**

%: **0.0100 - 0.3400** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The material laminate was supplemented with information from the database of common building materials.

TITANIUM DIOXIDE

ID: **13463-67-7**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:41:01**

#: 0.0000 - 9.4400

GS: LT-1

RC: UNK

NANO: No

SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Laminate is an alternate option to wood veneer in this collection. To fill in the gaps of the manufacturer data the Pharos common building material database was used.

POLYNOXYLIN

ID: 9011-05-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-09 15:42:11

#: 0.0000 - 4.8900

GS: LT-P1

RC: UNK

NANO: No

SUBSTANCE ROLE: Monomer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Information for laminate was supplemented with information from the database of common building materials.

HEXANEDIOIC ACID, POLYMER WITH N-(2-AMINOETHYL)-1,2-ETHANEDIAMINE, REACTION PRODUCTS WITH DIMETHYLAMINE AND EPICHLOROHYDRIN

ID: 68583-79-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-07-09 15:42:06

#: 0.0000 - 0.3300

GS: LT-UNK

RC: UNK

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The material laminate was supplemented with information from the database of common building materials.

WHITE MELAMINE

#: 0.0000 - 12.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: This is an alternate material and does not appear in all Oscar configurations. it is used for interior shelving and is similar to laminate. To fill in any data gaps from the manufacturer the Pharos database of common building materials was used.

SC:KRAFT PAPER

ID: SC:Bio

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **Not Screened**

#: **75.0000 - 90.0000** GS: **Not Screened** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23

Category: Plant-based materials

Identifier: Kraft paper is made from wood pulp

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

CELLULOSE, MICROCRYSTALLINE

ID: 9004-34-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:33**

#: **3.0000 - 6.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
-----	-------------------	-------------------------------------

SUBSTANCE NOTES:

MELAMINE/FORMALDEHYDE RESIN

ID: 9003-08-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:47:38**

#: **0.3400 - 1.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES:

KRAFT LIGNIN

ID: 8068-05-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-07-09 15:41:28**

#: **Impurity/Residual** GS: **NoGS** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
<p>SUBSTANCE NOTES: Impurity of Cellulose fiber processing. "The pulping process separates the cellulose from the lignin and hemicellulose (structurally unrelated polysaccharides), leaving it in a fibrous form that is purified, dried, and shipped in large rolls" (USDA)</p> <p>The paper later describes the Kraft process as one method of delignification.</p>		

RUBBERMAID OFFICE TRASH CAN %: 0.0000 - 2.0000

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Polymeric Material
<p>RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 "The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold. Lithner, Delilah, et al. Environmental and health hazard ranking and assessment of plastic polymers based on chemical composition. Science of the Total Environment (2011).</p>		
<p>OTHER MATERIAL NOTES: This is an option and is not standard in all Oscar models. The Rubbermaid Commercial Deskside trash can is a rectangular, injection-molded linear low-density polyethylene (LLDPE) garbage can suitable for offices and other business and public environments.</p>		

POLYETHYLENE

ID: 9002-88-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-09 15:47:20
%: 100.0000	GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Structure component
HAZARD TYPE	AGENCY AND LIST TITLES WARNINGS
None found	No warnings found on HPD Priority Hazard Lists
<p>SUBSTANCE NOTES: Lithner, Delilah, et al. Environmental and health hazard ranking and assessment of plastic polymers based on chemical composition. Science of the Total Environment (2011).</p>	

DILAUROYL PEROXIDE

ID: 105-74-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2021-07-09 15:47:48
%: Impurity/Residual	GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES WARNINGS
PHY	EU - GHS (H-Statements) H242 - Heating may cause a fire
<p>SUBSTANCE NOTES: Lithner, Delilah, et al. Environmental and health hazard ranking and assessment of plastic polymers based on chemical composition. Science of the Total Environment (2011).</p>	

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	SCS Indoor Advantage Gold - Classroom & Office scenario		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2021-12-	EXPIRY DATE: 2022-	CERTIFIER OR LAB: SCS Global
APPLICABLE FACILITIES: Systems and tables: Systems: Belay, Fade, Gradient, Mix, Olli, Simple Beam, Swing, Swing Bar, Swing High, Swing Jr, Swing Low; Conferencing: Baby Beluga, Beluga, BYOT, Cape, Gradient Conference Tables, Serif, Sevens; Systems Accessories: 101, Bag Hook, Crostini, Crouton, End of Run Panels and Shelving, Felt Cable Manager, Gradient Storage, Hanging Whiteboard, Hanging Woodboard, Olli Coat Rack, Mix Divider Screen, Nest, Nest Screen, Olli Butterfly Screen, Olli Cushion, Olli Plug, Olli Frame, Olli Meeting Table, Oscar, Planter Hook, Saltine, Stackable Caddy, Stackable Planter, Stackable Storage, Stash, Swing Beam Mounted Screen, Swing Modesty, Swing/Olli/ BYOT Power Sleeve, Toast, Tuck, Wally	18	12-17	
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: #SCS-IAQ-05854			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Our Storage solutions come in a wide range of options. To cover that full range we have created a low and high option and all configurations are included in that range. The product category is defined as Store including Oscar, Wally and Stash. This HPD covers all products in those lines. The "low" option is Stash metal drawer. For the "high" option we used 72" Oscar with 4 drawers, with Wood Case and Metal Base.

All other configurations are within this range.

Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1

"The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD."

This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

SPECIAL CONDITION: Minor Fasteners

Version: SCMinorFasteners/2020-07-16

All hardware for this system not reported is in alignment with HPDC Special Conditions- Minor Fasteners. The total weight of all metal fasteners is <5% of the total weight of the system. Any fasteners reported above that threshold are listed on the HPD. The total combined weight of the commodity fasteners is between 1% and 2%. All minor fasteners fit within the specific guidelines as outlined in the HPD Guide for Special Conditions They are purchased from a third party, made to a generic specification, e.g. ASTM, and not made to order for the specific manufacturer.

Disclaimer - Every effort has been made to report the substances in this product by the manufacturer to the listed threshold. This is a voluntary, self-reported effort. Any errors or omissions shall be considered human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions.

MANUFACTURER INFORMATION

MANUFACTURER: Pair
ADDRESS: 500 Davis Street
 San Francisco CA 94111, United States
WEBSITE: <http://madebypair.com>

CONTACT NAME: Astor Ng
TITLE: Project Manager
PHONE: 415.747.7300
EMAIL: astor@madebypair.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.