

HPD UNIQUE IDENTIFIER: 24994

CLASSIFICATION: 12 51 83 Custom Office Furniture

PRODUCT DESCRIPTION: Choice is essential to Olli's design. Traverse from focus work to a collaborative environment in minutes by enhancing your workspace with sidekicks and elements designed to fit the needs of any workplace. This HPD includes the Pair product lines for workstations: Simple Beam. The Swing, Swing Jr., Olli, and Simple Beam systems are comparable in product attribute because they include a freestanding beam for power and data distribution. The power system can be used to delineate space and support various modes of individual and collaborative work.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold level, Residuals/Impurities, and All Substances Above the Threshold Indicated Are: Characterized, Screened, Identified. Includes radio button options for each cell.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

BEAM [IRON, ELEMENTAL LT-P1 | END CALCIUM LT-P1 | PHY CARBON LT-UNK COPPER LT-P1 | AQU MANGANESE LT-P1 | END | MUL | REP SILICON, ELEMENTAL LT-UNK SULFUR, PRECIPITATED LT-UNK | SKI ALUMINUM FLUORIDE BM-1] SC: BIO: PARTICLEBOARD [SC: WOOD DUST Not Screened PHENOL-FORMALDEHYDE RESIN (PRIMARY CASRN IS 9003-35-4) LT-P1 | RES] SC: BIO: PARTICLEBOARD2 [SC: WOOD DUST Not Screened POLYVINYL ACETATE LT-UNK METHYLENE BISPHENYL DIISOCYANATE (PURE MDI) (PRIMARY CASRN IS 101-68-8) LT-UNK | CAN | MUL | RES | SKI | EYE] METAL LEGS [IRON, ELEMENTAL (PRIMARY CASRN IS 7439-89-6) LT-P1 | END MANGANESE LT-P1 | END | MUL | REP COPPER LT-P1 | AQU CARBON LT-UNK SULFUR, PRECIPITATED LT-UNK | SKI MANGANESE LT-P1 | END | MUL | REP SILICON, ELEMENTAL LT-UNK PHOSPHORUS BM-2 | MAM | PHY] UNDISCLOSED [SC: WOOD DUST Not Screened CELLULOSE, MICROCRYSTALLINE LT-UNK | RES UNDISCLOSED LT-P1 | RES UNDISCLOSED NoGS UNDISCLOSED LT-UNK] POWDER COAT FINISH FOR METAL LEGS [1,3-BENZENEDICARBOXYLIC ACID, POLYMER WITH 1,4-BENZENEDICARBOXYLIC ACID, 2,2-DIMETHYL-1,3-PROPANEDIOL, 1,2-ETHANEDIOL AND HEXANEDIOIC ACID NoGS BARIUM SULFATE BM-2 | CAN TRIGLYCIDYL ISOCYANURATE LT-1 | MUL | MAM | RES | SKI | GEN | EYE PYROMELLITIC ACID 2-PHENYL-2-IMIDAZOLINE SALT (1:1) LT-P1 | MUL ALUMINUM OXIDE BM-2 | RES QUARTZ LT-1 | CAN ALUMINUM HYDROXIDE, DRIED BM-2 KAOLIN LT-UNK | CAN] UV CURED WOOD FINISH [BISPHENOL A-EPICHLOROHYDRIN ACRYLATE BM-1 TRIPROPYLENE GLYCOL DIACRYLATE LT-P1 | SKI | EYE | AQU | MUL DIPROPYLENE GLYCOL DIACRYLATE LT-UNK DIPROPYLENE GLYCOL (PRIMARY CASRN IS 25265-71-8) LT-UNK BISPHENOL A BM-1 | END | MUL | REP | DEV | SKI | EYE HYDROCHLORIC ACID BM-2 | SKI | MAM | RES SILICON DIOXIDE BM-1 | CAN EPICHLOROHYDRIN LT-1 | CAN | END | SKI | MUL | MAM | REP | GEN BISPHENOL A BM-1 | END | MUL | REP | DEV | SKI |

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: BiologicalMaterial, GeologicalMaterial, Electronics

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

With 2500 possible combinations to this product line, we conducted this HPD with a "low" and "high" option to configure the percentage of material composition for all materials and substances. The product category is defined as Workstations including Swing, Swing Jr, Simple Beam, and Olli. This HPD covers all products in those lines. The "low" option is Swing with a TOP 48" - NO HOLE RADIUS, NO HOLE RADIUS, SWING BEAM, 48", SWING COVER, SWING LEGS, and HARDWARE

For the "high" option we used Swing with SWING TOP 72" , SWING BEAM, 72", SWING COVER, SWING LEG, SWING TUBE 72", SWING LEG, BAR END CAP, SWING LEG, BAR MIDCAP, SWING TUBE BAR BRACKET.

Notes 1). All other configurations are within this range. 2). All hardware for this system not reported is in alignment with HPDC Special Conditions-Minor Fasteners. The total weight of all metal fasteners is <5% of the total weight of the system. Any fasteners reported above that threshold are listed on the HPD. The total combined weight of the commodity fasteners is between 1.17% and 1.23%. All minor fasteners fit within the specific guidelines as outlined in the HPD Guide for Special Conditions They are purchased from a third party, made to a generic specification, e.g. ASTM, and not made to order for the specific manufacturer. 3). Electronics are also covered by a special condition and reported as such. All electrical components are EU RoHS compliant without exemptions. 4). All impurities and residuals reported as part of the screening process are based on peer-

EYE] SC:ELECTRONICS:ELECTRICALCOMPONENTS [SC:POWER CABLES Not Screened] SC:BIO:WOODVENEER [SC:DOMESTIC WOOD VENEER Not Screened] WOOD ADHESIVE 1 [POLYVINYL ACETATE LT-UNK WATER BM-4 TALC BM-1 | CAN 2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE LT-P1 | END DIPROPYLENE GLYCOL MONOMETHYL ETHER LT-UNK ALUMINUM CHLORIDE LT-P1 | SKI | RES POLYVINYL ALCOHOL LT-UNK] WOOD ADHESIVE 2 [WATER (PRIMARY CASRN IS 7732-18-5) BM-4 POLYCHLOROPRENE LT-UNK ZINC OXIDE BM-1 | AQU | END | RES | MUL RESIN ACIDS AND ROSIN ACIDS, FUMARATED, CALCIUM SALTS LT-P1 | MUL] LAMINATE [SC:KRAFT PAPER Not Screened PHENOL-FORMALDEHYDE RESIN LT-P1 | RES CELLULOSE, MICROCRYSTALLINE LT-UNK | RES MELAMINE/FORMALDEHYDE RESIN LT-UNK POLYNOXYLIN LT-P1 | RES SC:TITANIUM DIOXIDE Not Screened HEXANEDIOIC ACID, POLYMER WITH N-(2-AMINOETHYL)-1,2-ETHANEDIAMINE, REACTION PRODUCTS WITH DIMETHYLAMINE AND EPICHLOROHYDRIN LT-UNK]

reviewed scientific data about that substance and are not a guarantee of presence in the actual material. No actual materials were tested for impurities and residuals therefore the information provided is for reference only. The Pharos database was used.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: SCS Indoor Advantage Gold - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-06-04

PUBLISHED DATE: 2021-06-04

EXPIRY DATE: 2024-06-04

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

BEAM %: 30.0000 - 40.9000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered using the Pharos database of peer-reviewed scientific data on building materials and substances. Any recorded impurities are for reference purposes only. No actual material was tested.

OTHER MATERIAL NOTES: This is standard sheet metal.

IRON, ELEMENTAL

ID: 7439-89-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-04 9:31:33

%: 97.0000 - 100.0000 GS: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

END TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor

SUBSTANCE NOTES: Per the PubChem database: Blast furnace pig iron contains silicon, sulfur, phosphorus, manganese and carbon.

CALCIUM

ID: 7440-70-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-04 9:31:49

%: 0.0000 - 0.1000 GS: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

PHY EU - GHS (H-Statements) H261 - In contact with water releases flammable gases

SUBSTANCE NOTES: Residuals and impurities screened using the PubChem database. Available as commercial-grade with 99.9% purity. No impurities listed above the threshold. Possible impurities include Mg, N, Al, Fe, Mn, Co, Li, Be, Cr, and B. This is for informational purposes only. No actual material was tested.

CARBON

ID: 7440-44-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-04 9:31:50

%: 0.0000 - 0.6000 GS: LT-UNK RC: UNK NANO: No SUBSTANCE ROLE: Alloy element

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Elemental carbon is found in nature in two crystalline allotropic forms: graphite and diamond. Various impurities, none reported above the threshold for elemental carbon.

Natural graphite is mined in open-pit and underground mines. The crude ore contains several impurities in various quantities. Only some of the Sri Lanka deposits contain types with carbon contents up to 100%. The crude ore is separated in some places by hand. Crude ores with a carbon content sufficiently high for industrial use are only crushed, dried, graded, and if necessary, milled. Flake graphites must be enriched, preferably by using flotation processes. Since graphite flakes float easily, this process is successfully used even for low-grade ores

COPPER

ID: 7440-50-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-04 9:31:50**%: **0.0000 - 0.5000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects

SUBSTANCE NOTES: About 80% of the primary copper in the world comes from low-grade or poor sulfide ores, which are usually treated by pyrometallurgical methods, generally in the following sequence: (1) Beneficiation by froth flotation of ore to copper concentrate; (2) Optional partial roasting to obtain oxidized material or calcines; (3) two-stage pyrometallurgical extraction, (a) smelting concentrates to matte, (b) converting matte by oxidation to crude (converter or blister) copper; (4) Refining the crude copper, usually in two steps, (a) pyrometallurgically to fire-refined copper, (b) electrolytically to high-purity electrolytic copper.

[Gerhartz, W. (exec ed.). Ullmann's Encyclopedia of Industrial Chemistry. 5th ed.Vol A1: Deerfield Beach, FL: VCH Publishers, 1985 to Present., p. VA7 (86) 479]

MANGANESE

ID: 7439-96-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-04 9:31:51**%: **Impurity/Residual** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: Per the PubChem database: Blast furnace pig iron contains silicon, sulfur, phosphorus, manganese and carbon.

SILICON, ELEMENTAL

ID: 7440-21-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-04 9:31:51**%: **Impurity/Residual** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Per the PubChem database: Blast furnace pig iron contains silicon, sulfur, phosphorus, manganese and carbon.

SULFUR, PRECIPITATED

ID: 7704-34-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-04 9:31:52**%: **Impurity/Residual** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation

SUBSTANCE NOTES: Per the PubChem database: Blast furnace pig iron contains silicon, sulfur, phosphorus, manganese and carbon.

ALUMINUM FLUORIDE

ID: 7784-18-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-04 9:31:52**

GS: 0.0000 - 40.0000

GS: BM-1

RC: UNK

NANO: Unknown

SUBSTANCE ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This product's manufacturer listed the binder as 0-40% containing alkali and phenol-formaldehyde resin. This percentage range is larger than the required 10% difference but due to proprietary reasons, this is what the manufacturer would disclose.

SC: BIO: PARTICLEBOARD

GS: 13.0000 - 28.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Wood Dust, Fiber or Chips

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered using the Pharos database of peer-reviewed scientific data on building materials and substances. Any recorded impurities are for reference purposes only. No actual material was tested.

OTHER MATERIAL NOTES: SpecialConditionApplied: BiologicalMaterial --- This is an alternate material. This product's manufacturer listed the binder as 0-40% containing alkali and phenol-formaldehyde resin. This percentage range is larger than the required 10% difference but due to proprietary reasons, this is what the manufacturer would disclose.

SC: WOOD DUST

ID: SC: Bio

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: Not Screened

GS: 60.0000 - 100.0000

GS: Not Screened

RC: UNK

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23

Category: Tree-based materials

Identifier: Generic Wood Dust

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials. This product's manufacturer listed the binder as 0-40% containing alkali and phenol-formaldehyde resin. This percentage range is larger than the required 10% difference but due to proprietary reasons, this is what the manufacturer would disclose.

PHENOL-FORMALDEHYDE RESIN (PRIMARY CASRN IS 9003-35-4)

ID: 2180992-35-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-06-04 9:31:52

GS: 0.0000 - 40.0000

GS: LT-P1

RC: UNK

NANO: No

SUBSTANCE ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RES

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: This product's manufacturer listed the binder as 0-40% containing alkali and phenol-formaldehyde resin. This percentage range is larger than the required 10% difference but due to proprietary reasons, this is what the manufacturer would disclose.

SC: BIO: PARTICLEBOARD2

GS: 11.9000 - 13.7000

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered using the Pharos database of peer-reviewed scientific data on building materials and substances. Any recorded impurities are for reference purposes only. No actual material was tested.

OTHER MATERIAL NOTES: SpecialConditionApplied:BiologicalMaterial --- these workstations can use two different particleboards based on different options. This particleboard is not used for door construction but is the primary core board for the furniture composition. The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin cross-linking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition so the substances will be screened and adjusted accordingly. In addition, this product is FSC certified and CARB certified.

SC:WOOD DUST

ID: **SC:GeoMat**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **Not Screened**

#: **50.0000 - 100.0000** GS: **Not Screened** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening not performed		

SUBSTANCE NOTES:

Version: SCGeoMats/2019-06-20

Origin: Unknown

Typical Composition: Various types of wood dust

Potential presence of toxic metals: None reported

Presence of Radioactive Elements: none The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin cross-linking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition so the substances will be screened and adjusted accordingly. In addition, this product is FSC certified and CARB certified. It is 90% recycled content- 82% post-industrial and 8 % post-consumer.

POLYVINYL ACETATE

ID: **9003-20-7**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-04 9:31:49**

#: **0.0000 - 40.0000** GS: **LT-UNK** RC: **UNK** NANO: **Unknown** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin cross-linking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition so the substances will be screened and adjusted accordingly. In addition, this product is FSC certified and CARB certified.

METHYLENE BISPHENYL DIISOCYANATE (PURE MDI) (PRIMARY CASRN IS 101-68-8)

ID: **97568-33-7**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-04 9:31:53**

#: **0.0000 - 40.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
RES	AOEC - Asthmagens	Asthmagen (G) - generally accepted
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation
EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
RES	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
RES	US EPA - PPT Chemical Action Plans	Inhalation sensitizer causing asthma and lung damage

SUBSTANCE NOTES: The company only disclosed that the wood dust was 50-100% of the core's chemical composition. The cut sheet for the product lists that it uses NAF adhesive. NAF-based resins are resins formulated with no added formaldehyde as part of the resin cross-linking structure and include resins made from soy, polyvinyl acetate, or methylene diisocyanate. Resins in particleboard can be 0-40% by composition so the substances will be screened and adjusted accordingly. In addition, this product is FSC certified and CARB certified.

METAL LEGS

#: 2.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered using the Pharos database of peer-reviewed scientific data on building materials and substances. Any recorded impurities are for reference purposes only. No actual material was tested.

OTHER MATERIAL NOTES: This includes the 16 gauge metal tubing and mounting plate for options with tube legs. These come from two different manufacturers therefore there is a range of composition. Both are essentially sheet metal (carbon steel). Includes all options for legs including the sled base.

IRON, ELEMENTAL (PRIMARY CASRN IS 7439-89-6)

ID: 443783-52-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-04 9:31:32

#: 97.0000 - 100.0000

GS: LT-P1

RC: UNK

NANO: No

SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Per the PubChem database: Blast furnace pig iron contains silicon, sulfur, phosphorus, manganese and carbon.

MANGANESE

ID: 7439-96-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-04 9:31:42

#: 1.1000 - 1.6500

GS: LT-P1

RC: UNK

NANO: No

SUBSTANCE ROLE: Alloy element

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: Aluminum is a common residual but is below the threshold."Production of manganese metal is achieved by aluminum reduction of low iron-content manganese ore, and electrolytically from sulfate or chloride solution (Lewis 2001)." (ATSDR)
Manganese with <0.1% metallic impurities can be produced electrolytically from a manganese sulfate solution (EPA 1984; Lewis 2001)." (ATSDR)

COPPER

ID: 7440-50-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-04 9:31:43**

%: **0.3500** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects

SUBSTANCE NOTES: About 80% of the primary copper in the world comes from low-grade or poor sulfide ores, which are usually treated by pyrometallurgical methods, generally in the following sequence: (1) Beneficiation by froth flotation of ore to copper concentrate; (2) Optional partial roasting to obtain oxidized material or calcines; (3) two-stage pyrometallurgical extraction, (a) smelting concentrates to matte, (b) converting matte by oxidation to crude (converter or blister) copper; (4) Refining the crude copper, usually in two steps, (a) pyrometallurgically to fire-refined copper, (b) electrolytically to high-purity electrolytic copper.
[Gerhartz, W. (exec ed.). Ullmann's Encyclopedia of Industrial Chemistry. 5th ed.Vol A1: Deerfield Beach, FL: VCH Publishers, 1985 to Present., p. VA7 (86) 479]

CARBON

ID: 7440-44-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-04 9:31:45**

%: **Impurity/Residual** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

SULFUR, PRECIPITATED

ID: 7704-34-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-04 9:31:47**

%: **Impurity/Residual** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation

SUBSTANCE NOTES: Per the PubChem database: Blast furnace pig iron contains silicon, sulfur, phosphorus, manganese and carbon.

MANGANESE

ID: 7439-96-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-04 9:31:46**

%: **Impurity/Residual** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: Per the PubChem database: Blast furnace pig iron contains silicon, sulfur, phosphorus, manganese and carbon.

SILICON, ELEMENTAL

ID: 7440-21-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-04 9:31:46		
%: Impurity/Residual	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Per the PubChem database: Blast furnace pig iron contains silicon, sulfur, phosphorus, manganese and carbon.

PHOSPHORUS

ID: 7723-14-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-04 9:31:45		
%: Impurity/Residual	GS: BM-2	RC: UNK	NANO: No	SUBSTANCE ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances		
PHY	EU - GHS (H-Statements)	H228 - Flammable solid		

SUBSTANCE NOTES: Per the PubChem database: Blast furnace pig iron contains silicon, sulfur, phosphorus, manganese and carbon.

UNDISCLOSED

%: 0.2000 - 0.3400

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered using the Pharos database of peer-reviewed scientific data on building materials and substances. Any recorded impurities are for reference purposes only. No actual material was tested.

OTHER MATERIAL NOTES: Formaldehyde resins are listed on the SDS by the manufacturer at 10-30%. Inquiry to the manufacturer did not list additional information as it is proprietary to the company. The product sheet states that there is no added urea-formaldehyde so additional options for formaldehyde resins will be listed as possible substances since the exact information is unknown. Types of formaldehyde resins include: melamine resin, phenol-formaldehyde resin, polyoxymethylene plastics, 1,4-butanediol, and methylene diphenyl diisocyanate.

SC:WOOD DUST

ID: SC:Bio

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: Not Screened		
%: 25.0000 - 75.0000	GS: Not Screened	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	Hazard Screening not performed			

SUBSTANCE NOTES:
Version: SCBioMats/2018-02-23
Category: Tree-based materials
Identifier: Generic Wood Dust

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials. Generic CAS RN 9004-34-6

CELLULOSE, MICROCRYSTALLINE

ID: 9004-34-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-04 9:31:37		
%: 10.0000 - 20.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
SUBSTANCE NOTES:				

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-04 9:31:37		
%: 10.0000 - 30.0000	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
SUBSTANCE NOTES: This is a possible substance. Due to manufacturer proprietary information the exact composition is unknown. This is listed on the SDS as a possible resin.				

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-04 9:31:37		
%: 10.0000 - 30.0000	GS: NoGS	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: This substance is listed as a possible in the chemical composition. The manufacturer will not disclose the exact resin but simply states the family that it belongs to. All resins in the family are screened and listed as possible ingredients.				

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-04 9:31:38		
%: 10.0000 - 30.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: This substance is listed as a possible in the chemical composition. The manufacturer will not disclose the exact resin but simply states the family that it belongs to. All resins in the family are screened and listed as possible ingredients.				

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered using the Pharos database of peer-reviewed scientific data on building materials and substances. Any recorded impurities are for reference purposes only. No actual material was tested.

OTHER MATERIAL NOTES: This option covers all colors and contains alternate materials based on different pigments.

1,3-BENZENEDICARBOXYLIC ACID, POLYMER WITH 1,4-BENZENEDICARBOXYLIC ACID, 2,2-DIMETHYL-1,3-PROPANEDIOL, 1,2-ETHANEDIOL AND HEXANEDIOIC ACID

ID: 40471-09-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-04 9:31:33

%: 50.0000 - 60.0000

GS: NoGS

RC: UNK

NANO: No

SUBSTANCE ROLE: Monomer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

BARIUM SULFATE

ID: 7727-43-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-04 9:31:40

%: 2.5000 - 10.0000

GS: BM-2

RC: UNK

NANO: No

SUBSTANCE ROLE: Pigment

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CAN

MAK

Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: This substance is not in all color options and should be considered a "may contain".

TRIGLYCIDYL ISOCYANURATE

ID: 2451-62-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-04 9:31:41

%: 2.5000 - 10.0000

GS: LT-1

RC: UNK

NANO: No

SUBSTANCE ROLE: Curing agent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
MAM	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAM	EU - GHS (H-Statements)	H331 - Toxic if inhaled
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
GEN	EU - GHS (H-Statements)	H340 - May cause genetic defects
GEN	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
GEN	EU - Annex VI CMRs	Mutagen - Category 1B
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage
GEN	EU - SVHC Authorisation List	Mutagenic - Candidate list
GEN	GHS - Korea	Germ cell mutagenicity - Category 1 [H340 - May cause genetic defects]
GEN	GHS - New Zealand	6.6A - Known or presumed human mutagens
GEN	GHS - Japan	Germ cell mutagenicity - Category 1B [H340]

SUBSTANCE NOTES:

PYROMELLITIC ACID 2-PHENYL-2-IMIDAZOLINE SALT (1:1)

ID: 54553-90-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-04 9:31:41		
%: 2.5000 - 10.0000	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters		

SUBSTANCE NOTES:

ALUMINUM OXIDE

ID: 1344-28-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-04 9:31:43		
%: 0.1000 - 2.5000	GS: BM-2	RC: UNK	NANO: No	SUBSTANCE ROLE: Abrasive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		

SUBSTANCE NOTES:

QUARTZ

ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-04 9:31:44		
---	--	--	--	--

#: 0.1000 - 1.0000

GS: LT-1

RC: UNK

NANO: No

SUBSTANCE ROLE: Abrasion resistance

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - Australia	H350i - May cause cancer by inhalation
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: This is not in all color options therefore it is a "may contain" depending on the color choice.

ALUMINUM HYDROXIDE, DRIED

ID: 21645-51-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-04 9:31:54

#: 0.0000 - 2.5000

GS: BM-2

RC: UNK

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This is not in all color options therefore it is a "may contain" depending on the color choice.

KAOLIN

ID: 1332-58-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-06-04 9:31:54

#: 0.0000 - 2.5000

GS: LT-UNK

RC: UNK

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Based in SDS this substance is a "may contain" and may not appear in all color choices.

UV CURED WOOD FINISH

#: 0.1000 - 0.6000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered using the Pharos database.

OTHER MATERIAL NOTES: The acrylate polymer is proprietary company information and can not be disclosed outside the manufacturer. It is not a hazardous substance as it is not reported on the SDS. The threshold level is 0.01. No substitute or clarification of information could be found in the database of common building materials.

BISPHENOL A-EPICHLOROHYDRIN ACRYLATE

ID: 55818-57-0

%: 25.0000 - 50.0000	GS: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Film former
-----------------------------	-----------------	----------------	-----------------	------------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found	No warnings found on HPD Priority Hazard Lists
------------	--

SUBSTANCE NOTES: The residual monomer content of bisphenol-A in the epoxy resin as produced is a maximum of 1,000 ppm. The residual bisphenol-A will be further reacted when the product is used (i.e. when the epoxy resin is cured)." (EU Risk Assessment, 2003)

Epichlorohydrin (ECH), 1-chloro-2,3-epoxypropane, is a raw material used in the production of epoxy resins, synthetic glycerol, elastomers, paper, and pharmaceuticals [1-2]. ECH can enter drinking water supplies by leaching from epoxy resin coatings on pipes or through flocculating agents in water treatment. (Agilent Technologies)

TRIPROPYLENE GLYCOL DIACRYLATEID: **42978-66-5**

%: 10.0000 - 25.0000	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Plasticizer
-----------------------------	------------------	----------------	-----------------	------------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
-----	-----	---

SKI	EU - GHS (H-Statements)	H315 - Causes skin irritation
-----	-------------------------	-------------------------------

EYE	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
-----	-------------------------	--------------------------------------

AQU	EU - GHS (H-Statements)	H411 - Toxic to aquatic life with long lasting effects
-----	-------------------------	--

MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
-----	---	----------------------------

SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
-----	-------------------------	--

SUBSTANCE NOTES: No known impurities.

DIPROPYLENE GLYCOL DIACRYLATEID: **57472-68-1**

%: 10.0000 - 25.0000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Antioxidant
-----------------------------	-------------------	----------------	-----------------	------------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found	No warnings found on HPD Priority Hazard Lists
------------	--

SUBSTANCE NOTES:

DIPROPYLENE GLYCOL (PRIMARY CASRN IS 25265-71-8)ID: **78644-49-2**

%: Impurity/Residual	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Impurity/Residual
-----------------------------	-------------------	----------------	-----------------	--

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found	No warnings found on HPD Priority Hazard Lists
------------	--

SUBSTANCE NOTES: Listed as <1.0% content in BASF MSDS for commercial DGMA (Laromer DPGDA).

BISPHENOL AID: **80-05-7**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
END	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Substance of Possible Concern
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
END	ChemSec - SIN List	Endocrine Disruption
REP	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
DEV	CA EPA - Prop 65	Developmental toxicity
DEV	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REP	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage
REP	US NIH - Reproductive & Developmental Monographs	Some Evidence of Adverse Effects - Reproductive Toxicity
SKI	MAK	Sensitizing Substance SP - Danger of photocontact sensitization
REP	EU - GHS (H-Statements)	H360F - May damage fertility
REP	CA EPA - Prop 65	Reproductive Toxicity - Female
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: The residual monomer content of bisphenol-A in the epoxy resin as produced is a maximum of 1,000 ppm. The residual bisphenol-A will be further reacted when the product is used (i.e. when the epoxy resin is cured)." (EU Risk Assessment, 2003)

HYDROCHLORIC ACIDID: **7647-01-0**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
END	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Substance of Possible Concern
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
END	ChemSec - SIN List	Endocrine Disruption
REP	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
DEV	CA EPA - Prop 65	Developmental toxicity
DEV	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REP	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage
REP	US NIH - Reproductive & Developmental Monographs	Some Evidence of Adverse Effects - Reproductive Toxicity
SKI	MAK	Sensitizing Substance SP - Danger of photocontact sensitization
REP	EU - GHS (H-Statements)	H360F - May damage fertility
REP	CA EPA - Prop 65	Reproductive Toxicity - Female
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
MAM	EU - GHS (H-Statements)	H331 - Toxic if inhaled
RES	AOEC - Asthmagens	Asthmagen (Rr) - irritant-induced
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances

SUBSTANCE NOTES: "The manufacturing process for pyrogenic silicas is based mainly on the combustion of volatile silanes, especially silicon tetrachloride, in an oxygen-hydrogen burner. Primary particles (7-50 nm particle size) of amorphous silica fuse together in the high-temperature flame to yield stable aggregates of between 100 and 500 nm in diameter. These aggregates form micron-sized agglomerates. The finely divided silica is separated from the hydrochloric acid-containing off-gas stream in filter stations. The hydrochloric acid content of the product is commonly reduced to less than 100 ppm by desorbing the hydrochloric acid with air in a fluid-bed reactor. Pyrogenic silica appears as a fluffy white powder. [IARC. Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man. Geneva: World Health Organization, International Agency for Research on Cancer, 1972-PRESENT. (Multivolume work). Available at:<http://monographs.iarc.fr/index.php> p. V68 56 (1997)]" (HSDB)

SILICON DIOXIDE

ID: 7631-86-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-04 9:31:57		
%: 0.0000 - 10.0000	GS: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Abrasion resistance
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	GHS - Australia	H350i - May cause cancer by inhalation		
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]		

SUBSTANCE NOTES: "The manufacturing process for pyrogenic silicas is based mainly on the combustion of volatile silanes, especially silicon tetrachloride, in an oxygen-hydrogen burner. Primary particles (7-50 nm particle size) of amorphous silica fuse together in the high-temperature flame to yield stable aggregates of between 100 and 500 nm in diameter. These aggregates form micron-sized agglomerates. The finely divided silica is separated from the hydrochloric acid-containing off-gas stream in filter stations. The hydrochloric acid content of the product is commonly reduced to less than 100 ppm by desorbing the hydrochloric acid with air in a fluid-bed reactor. Pyrogenic silica appears as a fluffy white powder. [IARC. Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Man. Geneva: World Health Organization, International Agency for Research on Cancer, 1972-PRESENT. (Multivolume work). Available at:<http://monographs.iarc.fr/index.php> p. V68 56 (1997)]" (HSDB)

EPICHLOROHYDRIN

ID: 106-89-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-04 9:31:57		
%: Impurity/Residual	GS: LT-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	EU - GHS (H-Statements)	H350 - May cause cancer
CAN	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	CA EPA - Prop 65	Carcinogen
MAM	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAM	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
MAM	EU - GHS (H-Statements)	H331 - Toxic if inhaled
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CAN	US EPA - IRIS Carcinogens	(1986) Group B2 - Probable human Carcinogen
CAN	IARC	Group 2a - Agent is probably Carcinogenic to humans
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
REP	CA EPA - Prop 65	Reproductive Toxicity - Male
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
CAN	GHS - Australia	H350 - May cause cancer
GEN	GHS - New Zealand	6.6A - Known or presumed human mutagens
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens
GEN	GHS - Australia	H340 - May cause genetic defects
CAN	GHS - Korea	Carcinogenicity - Category 1 [H350 - May cause cancer]
CAN	GHS - Malaysia	H350 - May cause cancer
CAN	GHS - Japan	Carcinogenicity - Category 1B [H350]

SUBSTANCE NOTES: Epichlorohydrin (ECH), 1-chloro-2,3-epoxypropane, is a raw material used in the production of epoxy resins, synthetic glycerol, elastomers, paper, and pharmaceuticals [1-2]. ECH can enter drinking water supplies by leaching from epoxy resin coatings on pipes or through flocculating agents in water treatment. (Agilent Technologies)

BISPHENOL A

ID: 80-05-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-04 9:31:58**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
END	OSPAR - Priority PBTs & EDs & equivalent concern	Endocrine Disruptor - Substance of Possible Concern
MUL	US EPA - PPT Chemical Action Plans	EPA Chemical of Concern - Action Plan published
MUL	US EPA - PPT Chemical Action Plans	TSCA Work Plan chemical - Action Plan in development
END	ChemSec - SIN List	Endocrine Disruption
REP	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
DEV	CA EPA - Prop 65	Developmental toxicity
DEV	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
REP	EU - REACH Annex XVII CMRs	Toxic to Reproduction Category 2 - Substances which should be regarded as if they impair fertility or cause Developmental Toxicity in humans
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE	EU - GHS (H-Statements)	H318 - Causes serious eye damage
REP	US NIH - Reproductive & Developmental Monographs	Some Evidence of Adverse Effects - Reproductive Toxicity
SKI	MAK	Sensitizing Substance SP - Danger of photocontact sensitization
REP	EU - GHS (H-Statements)	H360F - May damage fertility
REP	CA EPA - Prop 65	Reproductive Toxicity - Female
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REP	GHS - Japan	Toxic to reproduction - Category 1B [H360]

SUBSTANCE NOTES: The residual monomer content of bisphenol-A in the epoxy resin as produced is a maximum of 1,000 ppm. The residual bisphenol-A will be further reacted when the product is used (i.e. when the epoxy resin is cured)." (EU Risk Assessment, 2003)

SC:ELECTRONICS:ELECTRICALCOMPONENTS

%: 0.1000 - 5.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Electronic Component

RESIDUALS AND IMPURITIES NOTES: RoHS Compliant without exemptions

OTHER MATERIAL NOTES: SpecialConditionApplied:Electronics --- This includes power cords and electrical receptacles.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **Not Screened**

%: **100.0000** GS: **Not Screened** RC: **UNK** NANO: **Unknown** SUBSTANCE ROLE: **Electronic component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening not performed		

SUBSTANCE NOTES:
 Version: SCElec/2018-02-23
 Brief Description: Power Cables
 Compliance: RoHS Compliant without exceptions
 Takeback Program: none Per: SPECIAL CONDITION: Electronics
 Version: SCElec/2018-02-23

SC:BIO:WOODVENEER

%: 0.0000 - 1.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Wood or Lumber

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered using the Pharos database of peer-reviewed scientific data on building materials and substances. Any recorded impurities are for reference purposes only. No actual material was tested.

OTHER MATERIAL NOTES: SpecialConditionApplied:BiologicalMaterial --- Pair uses a variety of domestic veneers for this collection. They also use laminate therefore this is an alternate material.

SC:DOMESTIC WOOD VENEER

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **Not Screened**

%: **100.0000** GS: **Not Screened** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening not performed		

SUBSTANCE NOTES:
 Version: SCBioMats/2018-02-23
 Category: Tree-based materials
 Identifier: Domestic Veneer, various choices

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

WOOD ADHESIVE 1

%: 0.0000 - 1.5000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered using the Pharos database of peer-reviewed scientific data on building materials and substances. Any recorded impurities are for reference purposes only. No actual material was tested.

OTHER MATERIAL NOTES: This furniture collection can contain one of two wood adhesives or both. The low option they have the maximum percentage of composition by weight of 1.5%. In the HPD they are listed as adhesive 1 and adhesive 2.This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

POLYVINYL ACETATE

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-04 9:31:34**

%: **30.0000 - 39.2300** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

WATER ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-04 9:31:35		
%: 25.0000 - 40.1000	GS: BM-4	RC: UNK	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

TALC ID: 14807-96-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-04 9:31:39		
%: 6.0000 - 8.7200	GS: BM-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
CAN	IARC	Group 2b - Possibly carcinogenic to humans		

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

Actinolite, anthophyllite and tremolite may occur in some talc deposits; when asbestiform, they constitute asbestos and, when not asbestiform, they are referred to as mineral fragments or cleavage fragments.” and “Minerals commonly found in talc products include chlorite and carbonate. Less commonly, talc products contain tremolite, anthophyllite and serpentine.”

IARC Working Group on the Evaluation of Carcinogenic Risk to Humans. Carbon Black, Titanium Dioxide, and Talc. Lyon (FR): International Agency for Research on Cancer; 2010. (IARC Monographs on the Evaluation of Carcinogenic Risks to Humans, No. 93.) Available from: <https://www.ncbi.nlm.nih.gov/books/NBK326521/>.

2,2,4-TRIMETHYL-1,3-PENTANEDIOL DIISOBUTYRATE ID: 6846-50-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-04 9:31:39		
%: 5.0000 - 8.7200	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

DIPROPYLENE GLYCOL MONOMETHYL ETHER

ID: 34590-94-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-04 9:31:44		
%: 0.1000 - 0.7000	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

ALUMINUM CHLORIDE

ID: 7446-70-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-04 9:31:48		
%: 0.0000 - 1.2200	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage		
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

POLYVINYL ALCOHOL

ID: 9002-89-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-04 9:31:48		
%: 0.0000 - 1.2200	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: This is a PVA interior wood glue. The database of common building materials was used to supplement the information given by the manufacturer. Citing proprietary information the manufacturer would not disclose the chemical inventory to 100 ppm. The information in the database was used as a supplement and should not be accepted as absolute. Every effort was made to make a complete inventory and screening of all materials.

WOOD ADHESIVE 2

%: **0.0000 - 1.5000**

PRODUCT THRESHOLD: 100 ppm	RESIDUALS AND IMPURITIES CONSIDERED: Yes	MATERIAL TYPE: Polymeric Material
RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered using the Pharos database of peer-reviewed scientific data on building materials and substances. Any recorded impurities are for reference purposes only. No actual material was tested.		

OTHER MATERIAL NOTES: This furniture collection can contain one of two wood adhesives or both. The low option they have the maximum percentage of composition by weight of 1.5%. In the HPD they are listed as adhesive 1 and adhesive 2. This has one missing ingredient that is at the threshold of 0.01. It is highly proprietary and the company will not disclose. All other ingredients are disclosed. The ingredient is listed as a resin dispersion.

WATER (PRIMARY CASRN IS 7732-18-5)

ID: 558440-22-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-04 9:31:33**

%: **40.0000 - 50.0000** GS: **BM-4** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: Per manufacturer's SDS.

POLYCHLOROPRENE

ID: 9010-98-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-04 9:31:34**

%: **30.0000 - 40.0000** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Adhesive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: anufacturer's SDS.

ZINC OXIDE

ID: 1314-13-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-04 9:31:42**

%: **1.0000 - 3.0000** GS: **BM-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Accelerator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

AQU	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
-----	-------------------------	-----------------------------------

AQU	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
-----	-------------------------	---

END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
-----	---------------------------------------	-------------------------------

RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
-----	-------------------	-------------------------------------

MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
-----	---	----------------------------

SUBSTANCE NOTES: anufacturer's SDS. anufacturer's SDS.

RESIN ACIDS AND ROSIN ACIDS, FUMARATED, CALCIUM SALTS

ID: 94387-04-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-04 9:31:44**

%: **0.1000 - 5.0000** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
-----	---	----------------------------

SUBSTANCE NOTES: anufacturer's SDS.

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were considered using the Pharos database of peer-reviewed scientific data on building materials and substances. Any recorded impurities are for reference purposes only. No actual material was tested.

OTHER MATERIAL NOTES: Laminate is an alternate option to wood veneer in this collection. To fill in the gaps of the manufacturer data the Pharos common building material database was used.

SC:KRAFT PAPERID: **SC:Bio**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **Not Screened**%: **50.0000 - 50.9700** GS: **Not Screened** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening not performed

SUBSTANCE NOTES:

Version: SCBioMats/2018-02-23

Category: Tree-based materials

Identifier: Generic Wood Pulp

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials. CAS RN 9004-34-6

PHENOL-FORMALDEHYDE RESINID: **9003-35-4**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-04 9:31:36**%: **20.0000 - 23.9800** GS: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

RES AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: Information is based on the database of common building materials.

CELLULOSE, MICROCRYSTALLINEID: **9004-34-6**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-04 9:31:40**%: **3.6100 - 10.0500** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

RES AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: This information is based on the database of common building materials.

MELAMINE/FORMALDEHYDE RESINID: **9003-08-1**HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-04 9:31:47**%: **0.0100 - 0.3400** GS: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The material laminate was supplemented with information from the database of common building materials.

POLYNOXYLIN

ID: 9011-05-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-04 9:20:42		
%: 0.0000 - 4.8900	GS: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		
SUBSTANCE NOTES: This is urea formaldehyde				

SC:TITANIUM DIOXIDE

ID: SC:GeoMat

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: Not Screened		
%: 0.0000 - 9.4400	GS: Not Screened	RC: UNK	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
Hazard Screening not performed				
SUBSTANCE NOTES:				
Version: SCGeoMats/2019-06-20				
Origin: unknown				
Typical Composition: rock				
Potential presence of toxic metals: unknown				
Presence of Radioactive Elements: none Titanium, the ninth most common element in the Earth's crust, is a metal commonly found in plants and animals. Titanium naturally interacts with oxygen to form titanium oxides, commonly found in ores, indigenous dusts, sands and soils.				

HEXANEDIOIC ACID, POLYMER WITH N-(2-AMINOETHYL)-1,2-ETHANEDIAMINE, REACTION PRODUCTS WITH DIMETHYLAMINE AND EPICHLOROHYDRIN

ID: 68583-79-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-06-04 9:31:48		
%: 0.0000 - 0.3300	GS: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found	No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES: The material laminate was supplemented with information from the database of common building materials.				

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

SCS Indoor Advantage Gold - Classroom & Office scenario

CERTIFYING PARTY: Third Party	ISSUE DATE: 2018-12-17	EXPIRY DATE: 2021-12-17	CERTIFIER OR LAB: SCS Global
APPLICABLE FACILITIES: Systems and tables: Systems: Balance, Belay, Mix, Olli, Simple Beam, Swing, Swing Bar, Swing High, Swing Low Conferencing: Baby Beluga, Beluga, BYOT, Hashi, Serif, Sevens Systems Accessories: 101, Crostini, Crouton, End of Run Panels and Shelving, Hanging Whiteboard, Hanging Woodboard, Oscar, Stash, Toast, Wally			
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: #SCS-IAQ-05854			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Pair provided all the information for this HPD in good faith with the intention of understanding and screening their products' material ingredients at .01% or 100 ppm. Any errors made should be simply considered human errors and Pair shall not be held liable for any errors made.

With 2500 possible combinations to this product line, we conducted this HPD with a "low" and "high" option to configure the percentage of material composition for all materials and substances. The "low" option is Swing with a TOP 48" - NO HOLE RADIUS, NO HOLE RADIUS, SWING BEAM, 48", SWING COVER, SWING LEGS, and HARDWARE. For the "high" option we used Swing with SWING TOP 72" , SWING BEAM, 72", SWING COVER, SWING LEG, SWING TUBE 72", SWING LEG, BAR END CAP, SWING LEG, BAR MIDCAP, SWING TUBE BAR BRACKET.

Notes 1). All other configurations are within this range. 2). All hardware for this system not reported is in alignment with HPDC Special Conditions-Minor Fasteners. The total weight of all metal fasteners is <5% of the total weight of the system. Any fasteners reported above that threshold are listed on the HPD. The total combined weight of the commodity fasteners is between 1.17% and 1.23%. All minor fasteners fit within the specific guidelines as outlined in the HPD Guide for Special Conditions They are purchased from a third party, made to a generic specification, e.g. ASTM, and not made to order for the specific manufacturer. 3). Electronics are also covered by a special condition and reported as such. All electrical components are EU RoHS compliant without exemptions. 4). All impurities and residuals reported as part of the screening process are based on peer-reviewed scientific data about that substance and are not a guarantee of presence in the actual material. No actual materials were tested for impurities and residuals therefore the information provided is for reference only. The Pharos database was used.

MANUFACTURER INFORMATION

MANUFACTURER: **Pair**
 ADDRESS: **500 Davis Street**
San Francisco CA 94111, United States
 WEBSITE: <http://madebypair.com>

CONTACT NAME: **Astor Ng**
 TITLE: **Project Manager**
 PHONE: **415.747.7300**
 EMAIL: astor@madebypair.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.