

HPD UNIQUE IDENTIFIER: 25056

CLASSIFICATION: 03 30 00 Cast-in-Place Concrete

PRODUCT DESCRIPTION: This HPD covers ELEMENT™ Portland Cements which are found under different names depending on the place of use or its application. For Canada: Type GU, GU-PER, MS, HE, Trillium™ Cement, Probase™, RehabSol™. For United States of America: I, I/II, II, III, Probase™, RehabSol™. Further details about cement description can be found in Section 5 General Notes.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold level	Residuals/Impurities	<i>All Substances Above the Threshold Indicated Are:</i>
<input type="radio"/> Nested Materials Method	<input checked="" type="radio"/> 100 ppm	<input checked="" type="radio"/> Considered	Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Basic Method	<input type="radio"/> 1,000 ppm	<input type="radio"/> Partially Considered	<i>% weight and role provided for all substances.</i>
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	<input type="radio"/> Not Considered	Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other	Explanation(s) provided for Residuals/Impurities?	<i>All substances screened using Priority Hazard Lists with results disclosed.</i>
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	Identified <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No
			<i>All substances disclosed by Name (Specific or Generic) and Identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

ELEMENT™ PORTLAND CEMENT [PORTLAND CEMENT LT-P1 | CAN | END]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Portland cement is made of clinker, limestone powder, gypsum, and grinding aids. According to cement manufacturing standards (CSA A3001 and ASTM C150), every component may vary of ± 1.5%. At Ciment Quebec, our laboratory controls raw material at each step in its transformation through continuous sampling, 24 hours a day, seven days a week allowing us to control the content of our cements at a very high quality level thus ensuring no residuals or impurities are present in the cement at or above the declared threshold.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Inherently non-emitting source per LEED Management: ISO 9001:2015 Quality management systems
LCA: Environmental Product Declaration (EPD) by ASTM

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1 and Option 2

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER: Vertima

VERIFICATION #: Ute-11230

SCREENING DATE: 2021-06-09

PUBLISHED DATE: 2021-06-09

EXPIRY DATE: 2024-06-09

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

ELEMENT™ PORTLAND CEMENT

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: At Ciment Quebec, our laboratory controls raw material at each step in its transformation through continuous sampling, 24 hours a day, seven days a week allowing us to control the content of our cements at a very high quality level, thus ensuring no residuals or impurities are present in the cement at or above the declared threshold.

OTHER PRODUCT NOTES:

PORTLAND CEMENT

ID: 65997-15-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-06-09 8:08:24**

%: **100.0000 - 100.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Portland Cement, as stated in ASTM C150/C150M-18, shall only contain the following ingredients: portland cement clinker; water or calcium sulfate, or both; limestone; processing additions; and air-entraining addition for air-entraining portland cement. At Ciment Québec, Portland Cement is made of portland cement clinker, calcium sulfate (gypsum), limestone and processing additions (grinding aids).

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Inherently non-emitting source per LEED
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Ciment Québec inc. 145 du Centenaire Blvd Saint-Basile Qc G0A 3G0 Canada CERTIFICATE URL:	ISSUE DATE: 2021-05-31 EXPIRY DATE: CERTIFIER OR LAB: None
CERTIFICATION AND COMPLIANCE NOTES: Portland Cement is a inorganic material, generally used in concrete, and not by itself. According to LEED v4., products that are inherently nonemitting sources of VOCs (stone, ceramic, powder-coated metals, plated or anodized metal, glass, concrete, clay brick, and unfinished or untreated solid wood) are considered fully compliant without any VOC emissions testing if they do not include integral organic-based surface coatings, binders, or sealants.	

MANAGEMENT	ISO 9001:2015 Quality management systems
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Ciment Québec inc. 145 du Centenaire Blvd Saint-Basile Qc G0A 3G0 Canada CERTIFICATE URL:	ISSUE DATE: 2014-12-11 EXPIRY DATE: 2023-12-03 CERTIFIER OR LAB: National Quality Assurance
CERTIFICATION AND COMPLIANCE NOTES: ISO 9001:2015 Certificate # 15640	

LCA	Environmental Product Declaration (EPD) by ASTM
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Ciment Québec inc. 145 du Centenaire Blvd Saint-Basile Qc G0A 3G0 Canada CERTIFICATE URL: https://www.astm.org/CERTIFICATION/DOCS/677.EPD_for_Ciment_Qu%C3%A9bec_ELEMENTTM_Portland.pdf	ISSUE DATE: 2021-06-04 EXPIRY DATE: 2026-06-03 CERTIFIER OR LAB: Vertima (preparer) / Athena Sustainable Materials Institute (3rd party verifier)
CERTIFICATION AND COMPLIANCE NOTES: The Program Operator is ASTM and the EPD registration number is 231.	

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Type GU (Type I) cement is a multipurpose cement suitable for all applications not requiring the special properties of any other type of cement. Used in various applications such as : pavement, floors, buildings, sidewalks, pipes, masonry blocs, etc.

Type GU-PER is a specialized cement for constructions needing a lighter color. This cement is chemically and physically similar to the general use cement, except that its particles are paler.

Type MS (Type I/II, Type II) cement is used to protect concrete against moderate sulfate attacks. It is used for common structures or structure elements in contact with soils or underground water having sulfate concentration higher than normal but not exceptionally high. This cement is chemically and physically similar to the general use cement, except that aluminate content has to be maintain below 8%.

Type HE (Type III) cement produces high strength in a shorter time, usually in a week or less. This cement is chemically and physically similar to the general use cement, except that its particles are grounded more finely.

ProBase™ is a brand name for general use cement used for stabilization deep in foundations and roads.

RehabSol™ is a brand name for general use cement used for stabilization and solidification (SS) performance on contaminated soils.

Trillium™ Cement is Ciment Quebec brand name in few territories.

Ciment Québec safety data sheets can be found at the following link:

<https://cimentquebec.com/en/about-us/safety-data-sheets/>

MANUFACTURER INFORMATION

MANUFACTURER: Ciment Quebec
ADDRESS: 145 Blvd du Centenaire
 Saint-Basile Quebec G0A3G0, Canada
WEBSITE: www.cimentquebec.com

CONTACT NAME: Guillaume Lemieux
TITLE: Cement Business Development and Technical Services Manager
PHONE: 438-863-9561
EMAIL: glemieux@cqi.ca

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.