LCN 2030 Door Closers by Allegion

Health Product Declaration v2.1

created via: HPDC Online Builder

CLASSIFICATION: 08 11 00

PRODUCT DESCRIPTION: The heavy-duty 2030 Series Pacer® closers are designed for concealment in a narrow minimum 1-3/4" aluminum transom, meeting ANSI/BHMA A156.4 Grade 1 and the American Disabilities Act (ADA) reduced opening force requirements. A forged steel single-lever arm and and roller assembly for the 2030 Series provide smooth, quiet door control, with separate regulation of general closing speed and latching speed. 2030 Series is UL and cUL listed for self-closing doors without hold-open and carry a 15-year limited warranty.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method
 Basic Method

Threshold Disclosed Per

- C Material
- Product

Threshold level C 100 ppm C 1,000 ppm C Per GHS SDS C Per OSHA MSDS

C Other

Residuals/Impurities

- Considered
 Partially Considered
 Not Considered
- Explanation(s) provided for Residuals/Impurities?

Are All Substances Above the Threshold Indicated:

Characterized O Yes O No Percent Weight and Role Provided?

Screened • Yes • No Using Priority Hazard Lists with Results Disclosed?

Identified C Yes C No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

LCN 2030 DOOR CLOSERS [IRON LT-P1 | END FERRYL IRON NoGS UNS G10200 CARBON OR STEEL ALLOY NoGS UNS G92540 CARBON OR STEEL ALLOY NoGS UNS G10400 CARBON OR STEEL ALLOY NoGS UNS G12150 CARBON OR STEEL ALLOY NoGS DISTILLATES (PETROLEUM), HYDROTREATED (MILD) LIGHT NAPHTHENIC (9CI) LT-1 | CAN | MUL STODDARD SOLVENT LT-1 | MAM | GEN | CAN | MUL UNS G41400 CARBON OR STEEL ALLOY NoGS UNS G12144 CARBON OR STEEL ALLOY NoGS CARBON LT-UNK SILICON LT-UNK HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES (MINERAL OIL) LT-1 | CAN | MUL CARBONIC DICHLORIDE, POLYMER WITH 4,4'-(1-METHYLETHYLIDENE)BIS[PHENOL] LT-UNK MPIF FX-2008-60 COPPER-INFILTRATED STEEL POWDER NoGS UNS G10080 CARBON OR STEEL ALLOY NoGS UNS G10180 CARBON OR STEEL ALLOY NoGS UNS S41000 STAINLESS STEEL ALLOY NoGS UNS G40370 CARBON OR STEEL ALLOY NoGS UNS A92011 ALUMINUM ALLOY NoGS MANGANESE LT-P1 | END | MUL | REP UNDISCLOSED LT-P1 | RES 2-PROPENENITRILE, POLYMER WITH 1,3-BUTADIENE LT-UNK 2-PROPENENITRILE, POLYMER WITH 1,3-BUTADIENE LT-UNK CARBON BLACK LT-1 | CAN CLAY TREATED PARAFFIN WAX LT-UNK ETHYLENE GLYCOL MONOBUTYL ETHER (EGBE) BM-2 | SKI | EYE | END BENZENESULFONIC ACID, DI-C10-18-ALKYL DERIVS., BARIUM SALTS NoGS]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

One CAS number is not identified. However, the chemical has been characterized and screened.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Inherently non- emitting source per LEED®

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients, Option 1

Third Party Verified? O Yes O No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2018-09-05 PUBLISHED DATE: 2018-09-11 EXPIRY DATE: 2021-09-05 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

LCN 2030 DOOR CLOSERS				
PRODUCT THRESHOLD: 1000 ppm		RESIDUALS AND IM	PURITIES CONSIDERED: Yes	
RESIDUALS AND IMPURITIES NOTES: \mathbf{F}	Residuals considered	through research a	nd communication wit	thin company and suppliers
OTHER PRODUCT NOTES: N/A				
IRON				ID: 7439-89-6
%: 21.0000 - 23.0000	GS: LT-P1	RC: UNK	NANO: NO	ROLE: Body
HAZARDS:	AGENCY(IES) WITH WARNINGS	3:		
ENDOCRINE	TEDX - Potential Endo	crine Disruptors	Potential Endocrine Disru	ptor
FERRYL IRON %: 18.0000 - 20.0000	gs: NoGS	RC: None	NANO: No	ID: 14127-53- 8 ROLE: Body
HAZARDS:	AGENCY(IES) WITH WARNINGS	3:		
None Found	No warnings found on	HPD Priority lists		
SUBSTANCE NOTES: This substand of steel, the status of recycled	d content is unknown.	y matrix. Range due to	possible variations in allo	y. Due to the commodity nature
%: 7.0000 - 9.0000	GS: NoGS	RC: UNK	NANO: NO	ROLE: Body
HAZARDS:	AGENCY(IES) WITH WARNINGS	3:		
None Found	No warnings found on	HPD Priority lists		
SUBSTANCE NOTES: Range due to content is unknown.	different functions availa	able to customers. Due	to the commodity nature	of steel, the status of recycled

	STEEL ALLOY			ID: Not registered
%: 5.0000 - 7.0000	GS: NoGS	RC: UNK	NANO: NO	ROLE: Body
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Prior	ity lists		
SUBSTANCE NOTES: Range du content is unknown.	ue to different functions available to cu	stomers. Due to th	he commodity nature o	of steel, the status of recycled
UNS G10400 CARBON OR	STEEL ALLOY			ID: Not registered
%: 5.0000 - 7.0000	gs: NoGS	RC: UNK	NANO: NO	ROLE: Body
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Prior	ity lists		
SUBSTANCE NOTES: Range du content is unknown.	ue to different functions available to cu	stomers. Due to th	he commodity nature o	of steel, the status of recycled
UNS G12150 CARBON OR	STEEL ALLOY			ID: Not registered
%: 5.0000 - 7.0000	GS: NoGS	RC: UNK	NANO: NO	ROLE: Body
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Prior	ity lists		
SUBSTANCE NOTES: Range du content is unknown.	ue to different functions available to cu	stomers. Due to tl	he commodity nature of	of steel, the status of recycled
DISTILLATES (PETROLEUI NAPHTHENIC (9CI)	M), HYDROTREATED (MILD) LIGHT			id: 64742-53-6
	M), HYDROTREATED (MILD) LIGHT GS: LT-1	rc: No	ne NANO: No	ID: 64742-53-6 Role: Hydraulic Oil
NAPHTHENIC (9CI)		rc: No	ne nano: No	
NAPHTHENIC (9CI) %: 3.0000 - 7.0000	GS: LT-1		ne NANO: No 350 - May cause cancer	ID: 64742-53-6 Role: Hydraulic Oil
NAPHTHENIC (9CI) %: 3.0000 - 7.0000 HAZARDS:	GS: LT-1 AGENCY(IES) WITH WARNINGS:	Н	350 - May cause cancer	ROLE: Hydraulic Oil
NAPHTHENIC (9CI) %: 3.0000 - 7.0000 HAZARDS: CANCER	GS: LT-1 AGENCY(IES) WITH WARNINGS: EU - GHS (H-Statements)	H C re	350 - May cause cancer arcinogen Category 2 - S garded as if they are Ca	ROLE: Hydraulic Oil
NAPHTHENIC (9CI) %: 3.0000 - 7.0000 HAZARDS: CANCER CANCER	GS: LT-1 AGENCY(IES) WITH WARNINGS: EU - GHS (H-Statements) EU - REACH Annex XVII CMRs	H C re C	350 - May cause cancer arcinogen Category 2 - S egarded as if they are Ca MR - Carcinogen, Mutag	ROLE: Hydraulic Oil Substances which should be rcinogenic to man

SUBSTANCE NOTES: A range is provided to protect the proprietary nature of the formulation.

STODDARD SOLVENT

%: 3.0000 - 6.0000	GS: LT-1	RC: None	NANO: NO	ROLE: Lubricant	
HAZARDS:	AGENCY(IES) WITH WARNI	NGS:			
MAMMALIAN	EU - GHS (H-Stater	nents)	H304 - May be fa	tal if swallowed and enters airways	
GENE MUTATION	EU - GHS (H-Stater	nents)	H340 - May caus	e genetic defects	
CANCER	EU - GHS (H-Stater	nents)	H350 - May caus	e cancer	
ORGAN TOXICANT	EU - GHS (H-Stater	nents)	H372 - Causes da repeated exposu	amage to organs through prolonged or re	
CANCER	EU - REACH Annex	EU - REACH Annex XVII CMRs		gory 2 - Substances which should be ey are Carcinogenic to man	
GENE MUTATION	EU - REACH Annex	EU - REACH Annex XVII CMRs		ry 2 - Substances which should be ey are Mutagenic to man	
MULTIPLE	German FEA - Subs Waters	German FEA - Substances Hazardous to Waters		to Waters	
CANCER	EU - Annex VI CMR	ls	Carcinogen Category 1B - Presumed Carcinogen based animal evidence		
GENE MUTATION	EU - Annex VI CMR	s	Mutagen - Categ	ory 1B	
GENE MUTATION	Malaysia - GHS		H340 - May cause genetic defects		
CANCER	Malaysia - GHS		H350 - May cause cancer		
GENE MUTATION	Australia - GHS		H340 - May cause genetic defects		
CANCER	Australia - GHS		H350 - May cause cancer		

SUBSTANCE NOTES: A range is given to protect the proprietary nature of the supplier's formulation.

UNS G41400 CARBON OR	ID: Not registe	red				
%: 2.0000 - 3.0000	GS: NoGS	RC: UNK	NANO: NO	ROLE: Body		
HAZARDS:	AGENCY(IES) WITH WARNINGS	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: Range due to different functions available to customers. Due to the commodity nature of steel, the status of recycled content is unknown.

UNS G12144 CARBON OR STEEL ALLOY				ID: Not regis	tered		
	%: 1.0000 - 2.0000	GS: NoGS	RC: UNK	NANO: NO	ROLE: Body		
	HAZARDS:	AGENCY(IES) WITH WARNINGS:	AGENCY(IES) WITH WARNINGS:				
	None Found	No warnings found on H	No warnings found on HPD Priority lists				

SUBSTANCE NOTES: Range due to different functions available to customers. Due to the commodity nature of steel, the status of recycled content is unknown.

CARBON					ID: 7440-44-0	
%: 1.0000 - 1.5000	GS: LT-UNK	RC: UNK	NANO: NO	ROLE: Internal Part and Body Metal		
HAZARDS:	AGENCY(IES) WITH WARNI	NGS:				
None Found	No warnings found	arnings found on HPD Priority lists				

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Range due to possible variations in alloy. Due to the commodity nature of steel, the status of recycled content is unknown.

SILICON				ID: 7440-21-3		
%: 0.5000 - 1.5000	GS: LT-UNK	RC: UNK	NANO: No	ROLE: Body		
HAZARDS:	AGENCY(IES) WITH WARNINGS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Pr	o warnings found on HPD Priority lists				

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Range due to possible variations in alloy. Due to the commodity nature of steel, the status of recycled content is unknown.

HYDROTREATED HEAVY PARAFFINIC PETROLEUM DISTILLATES ID: 64742-54-7 (MINERAL OIL) %: 0.5000 - 1.5000 GS: LT-1 RC: None NANO: NO ROLE: Lubricant HAZARDS: AGENCY(IES) WITH WARNINGS: CANCER EU - GHS (H-Statements) H350 - May cause cancer CANCER EU - REACH Annex XVII CMRs Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man MULTIPLE ChemSec - SIN List CMR - Carcinogen, Mutagen &/or Reproductive Toxicant CANCER EU - Annex VI CMRs Carcinogen Category 1B - Presumed Carcinogen based on animal evidence CANCER Australia - GHS H350 - May cause cancer

SUBSTANCE NOTES: A range is given to protect the proprietary nature of the supplier's formulation.



SUBSTANCE NOTES: A range is provided to protect the proprietary nature of the formulation.

MPIF FX-2008-60 COPPER-INFILTRATED STEEL POWDER				ID: Not registered
%: 0.0000 - 1.0000	GS: NoGS	RC: UNK	nano: No	ROLE: Body
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: Range due to different functions available to customers. Due to the commodity nature of steel, the status of recycled content is unknown.

UNS G10080 CARBON OR STEEL ALLOY					
%: 0.0000 - 1.0000	GS: NoGS	RC: UNK	NANO: NO	ROLE: Body	
HAZARDS:	AGENCY(IES) WITH WARNINGS:	GENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Price	warnings found on HPD Priority lists			

SUBSTANCE NOTES: Range due to different functions available to customers. Due to the commodity nature of steel, the status of recycled content is unknown.

UNS G10180 CARBON OR STEEI	LALLOY			ID: Not registered			
%: 0.0000 - 0.5000	gs: NoGS	RC: UNK	NANO: No	ROLE: Body			
HAZARDS:	AGENCY(IES) WITH WARNINGS:						
None Found	No warnings found on HPD Prior	rity lists					
SUBSTANCE NOTES: Range due to different functions available to customers. Due to the commodity nature of steel, the status of recycled content is unknown.							
UNS S41000 STAINLESS STEEL	ALLOY			ID: Not registered			
%: 0.0000 - 0.5000	GS: NoGS	RC: UNK	NANO: NO	ROLE: Body			
HAZARDS:	AGENCY(IES) WITH WARNINGS:						
None Found	No warnings found on HPD Prior	rity lists					
SUBSTANCE NOTES: Range due to different functions available to customers. Due to the commodity nature of stainless steel, the status of recycled content is unknown.							
UNS G40370 CARBON OR STEE	L ALLOY	RC: UNK	NANO: NO	ID: Not registered			
%: 0.0000 - 0.000	65: NUGS	RU: UNK	NANO: NO	ROLE: Body			

LCN 2030 Door Closers hpdrepository.hpd-collaborative.org HAZARDS:

AGENCY(IES) WITH WARNINGS:

No warnings found on HPD Priority lists

None Found

SUBSTANCE NOTES: Range due to different functions available to customers. Due to the commodity nature of steel, the status of recycled content is unknown.

ID: Not registered %: 0.0000 - 0.5000 GS: NoGS RC: UNK NANO: No ROLE: Body HAZARDS: AGENCY(IES) WITH WARNINGS: None Found No warnings found on HPD Priority lists

SUBSTANCE NOTES: Range due to different functions available to customers. Due to the commodity nature of aluminum alloy, the status of recycled content is unknown.

MANGANESE ID: 7439-96-5 %: 0.0000 - 0.5000 GS: LT-P1 RC: UNK NANO: NO ROLE: Body HAZARDS: AGENCY(IES) WITH WARNINGS: ENDOCRINE Potential Endocrine Disruptor **TEDX - Potential Endocrine Disruptors** MULTIPLE German FEA - Substances Hazardous to Class 2 - Hazard to Waters Waters REPRODUCTIVE Japan - GHS Toxic to reproduction - Category 1B

SUBSTANCE NOTES: This substance is part of the steel alloy matrix. Range due to possible variations in alloy. Due to the commodity nature of steel, the status of recycled content is unknown.

UNDISCLOSED						
%: 0.0000 - 3.0000	GS: LT-P1	RC: None	NANO: N	O ROL	E: Hydraulic Oil	
HAZARDS:	AGENCY(IES) WITH WAR	ININGS:				
RESPIRATORY AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced						
SUBSTANCE NOTES: A range	is provided to protect the	proprietary nature o	of the formulation	on.		
2-PROPENENITRILE, POL	YMER WITH 1,3-BUTAD	ENE				ID: 9003-18-3
%: 0.0000 - 0.2000	GS: LT-UNK		RC: None	NANO: NO	ROLE: Internal I	Part
HAZARDS:	AGENCY(IES) WITH WAR	NINGS:				
030 Door Closers						

SUBSTANCE NOTES: A range is provided to protect the proprietary nature of the formulation.

2-PROPENENITRILE, POLYMER WITH 1,3-BUTADIENE				ID: 9003- -	18-3
%: 0.0000 - 0.2000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Internal Part	
HAZARDS:	AGENCY(IES) WITH WARNINGS:				
None Found	No warnings found on HPD Pr	No warnings found on HPD Priority lists			

SUBSTANCE NOTES: A range is provided to protect the proprietary nature of the formulation.

CARBON BLACK				ID: 1333-86- 4		
%: 0.0000 - 0.2000	GS: LT-1	RC: None	NANO: NO	ROLE: Internal Part		
HAZARDS:	AGENCY(IES) WITH \	VARNINGS:				
CANCER	US CDC - Occ	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CANCER	CA EPA - Prop	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CANCER	МАК	МАК		Group 3B - Evidence of carcinogenic effects cient for classification		

SUBSTANCE NOTES: A range is provided to protect the proprietary nature of the formulation.

CLAY TREATED PARAFFIN WAX				
%: 0.0000 - 0.5000	GS: LT-UNK	RC: None	NANO: NO	ROLE: Lubricant
HAZARDS:	AGENCY(IES) WITH WARNING	AGENCY(IES) WITH WARNINGS:		
None Found	No warnings found o	No warnings found on HPD Priority lists		

SUBSTANCE NOTES: A range is given to protect the proprietary nature of the supplier's formulation.

ETHYLENE GLYCOL MONOBUTYL ETHER (EGBE)				
%: 0.0000 - 0.5000	GS: BM-2	RC: None	NANO: NO	ROLE: Lubricant
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
SKIN IRRITATION	EU - GHS (H-Statements)		H315 - Causes skin irrit	ation
EYE IRRITATION	EU - GHS (H-Statements)		H319 - Causes serious	eye irritation
ENDOCRINE	TEDX - Potential Endocrin	TEDX - Potential Endocrine Disruptors		ruptor

LCN 2030 Door Closers hpdrepository.hpd-collaborative.org

HPD v2.1 created via HPDC Builder Page 9 of 12

OUDOTANOF NOTEO.	rongo io givon	a protoot the	propriotory	noturo of the c	supplier's formulation.
SUBSTANCE NUTES: A	and is given i		DIODITELATVI	nature of the s	upplier 5 iomulation.

BENZENESULFONIC ACID, DI-C10-18-ALKYL DERIVS., BARIUM SALTS				ID: 93820-55-4
%: 0.0000 - 0.5000	GS: NoGS	RC: None	NANO: NO	ROLE: Lubricant
HAZARDS:	AGENCY(IES) WITH WARNINGS:			
None Found	No warnings found on HPD Priority list	s		

SUBSTANCE NOTES: A range is given to protect the proprietary nature of the supplier's formulation.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Inherently non- emitting sour	rce per LEED®
CERTIFYING PARTY: Self-declared Applicable facilities: All CERTIFICATE URL:	ISSUE DATE: 2018- EXPIRY DAT 09-05	TE: CERTIFIER OR LAB: N/A
CERTIFICATION AND COMPLIANCE NOTES:		

🕒 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

This HPD represents the LCN 2030 series door closers.

MANUFACTURER INFORMATION

MANUFACTURER: Allegion ADDRESS: 121 W Railroad Ave Princeton IL 61356, USA WEBSITE: www.allegion.com CONTACT NAME: Tim Weller TITLE: Manager of Codes, Standards and Sustainability PHONE: 317-810-3751 EMAIL: tim.weller@allegion.com

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

GLO Global warming

MUL Multiple hazards

OZO Ozone depletion

NEU Neurotoxicity

MAM Mammalian/systemic/organ toxicity

PBT Persistent Bioaccumulative Toxic

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)

Recycled Types

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

LCN 2030 Door Closers hpdrepository.hpd-collaborative.org