

CLASSIFICATION: 09 30 13

PRODUCT DESCRIPTION: Our products can be used indoors and outdoors, in both residential and commercial spaces. From sprawling retail spaces to luxurious residential guest bathrooms, American-made Crossville tile is chosen by designers and architects in all industries for its beauty, sustainability, and functional design. This HPD represents all colors available within the following collections: Alaska, Altered State, Argent, Astral Plane, Basalt, Bluestone, Bohemia, Color Blox, Color Blox Mosaics, Color By Numbers, Convergence, Cross Colors Mingles, Cursive, EcoCycle Americana, Empire, Familiar Territory, Garden, Glass Blox, Gotham, Groove Glass, Handwritten, Java Joint, Jazz Age, Main Street, Moonstruck, Nest, Notorious, Physics, Ready to Wear, Reformation, Relax, Retroactive 2.0, Retroactive 2.0 Patterned, Shades, Sideview Glass, Simpatico, Speakeasy, State of Grace, Story Teller, Structure, Yin + Yang.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes
- No

All Substances Above the Threshold Indicated Are:

Characterized  Yes Ex/SC  Yes  No

% weight and role provided for all substances.

Screened  Yes Ex/SC  Yes  No

All substances screened using Priority Hazard Lists with results disclosed.

Identified  Yes Ex/SC  Yes  No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY  
GREENSCREEN SCORE | HAZARD TYPE

CROSSVILLE PORCELAIN TILES | FELDSPAR LT-UNK | RES CLAY LT-UNK  
| CAN QUARTZ LT-1 | CAN TALC BM-1 | CAN TITANIUM DIOXIDE LT-1 |  
CAN | END SILICON LT-UNK ZIRCON (ZR(SiO4)) LT-UNK SILICA,  
VITREOUS LT-1 | CAN CALCIUM MAGNESIUM CARBONATE NoGS  
CHROMIUM IRON OXIDE LT-P1 | SKI ALUMINUM OXIDE BM-2 | RES  
ZIRCONIUM OXIDE (ZRO2) LT-P1 | CAN CHROMITE (CHROMITE ORE)  
NoGS CRISTOBALITE (SiO2) LT-1 | CAN 2-PROPENOIC ACID,  
HOMOPOLYMER, SODIUM SALT LT-UNK C.I. PIGMENT BROWN 24 LT-  
UNK CALCIUM OXIDE LT-P1 DIETHYLENE GLYCOL LT-P1 | END RUTILE,  
SUBSTITUTED: INORGANIC COLOUR PIGMENTS (SYNTHETIC  
MATERIALS), CHEMICALLY AND THERMICALLY STABLE NoGS  
WOLLASTONITE LT-UNK REACTION MASS OF FUMES, SILICA AND  
DIIRON TRIOXIDE NoGS FRITS, CHEMICALS LT-P1 | MUL NEPHELINE  
SYENITE LT-UNK C.I. PIGMENT BLUE 72 LT-1 | RES | CAN | GEN C.I.  
PIGMENT RED 231 LT-UNK ZINC OXIDE BM-1 | RES | AQU | MUL  
POTASSIUM OXIDE (K2O) LT-UNK SODIUM OXIDE LT-UNK CARBONIC  
ACID, BARIUM SALT (1:1) LT-UNK 1,2,3-PROPANETRIOL LT-UNK KYANITE  
(AL2O(SiO4)) LT-UNK MAGNESIUM OXIDE (MGO) LT-UNK | CAN ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen  
Benchmark or List translator Score ... BM-1  
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Inherently non-emitting source per LEED

Third Party Verified?

Yes

No

PREPARER: **Self-Prepared**

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2019-03-18

PUBLISHED DATE: 2020-05-15

EXPIRY DATE: 2022-03-18



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-1-standard](http://www.hpd-collaborative.org/hpd-2-1-1-standard)

### CROSSVILLE PORCELAIN TILES

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: All residual data was collected from suppliers and those that fall above the reported threshold are included in the product inventory.

OTHER PRODUCT NOTES:

#### FELDSPAR

ID: 68476-25-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-03-18

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

#### CLAY

ID: 1332-58-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-03-18

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

#### QUARTZ

ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-03-18

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials. Since this substance is not in its respirable form, if manufacturer's instructions are followed during installation, the risk level of the hazards listed above is significantly diminished.

## TALC

ID: 14807-96-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-18**

#: **0.00 - 5.00**

GS: **BM-1**

RC: **None**

NANO: **No**

ROLE: **Base**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials. The expired GreenScreen assessment was performed by ToxServices on 10/16/2014 and can be found at <https://www.pharosproject.net/uploads/files/gs/cf33fcf006fda23a2118381e4f09c5f3a83f4485.pdf>

## TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-18**

#: **0.00 - 5.00**

GS: **LT-1**

RC: **None**

NANO: **No**

ROLE: **Colorant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials. Since this substance is not in its respirable form, if manufacturer's instructions are followed during installation, the risk level of the hazards listed above is significantly diminished.

## SILICON

ID: 7440-21-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-18**

#: **0.00 - 1.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Base**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

## ZIRCON (ZR(SIO4))

ID: 14940-68-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-18**

#: **0.00 - 1.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Colorant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

## SILICA, VITREOUS

ID: 60676-86-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-18**

#: **0.00 - 1.00**

GS: **LT-1**

RC: **None**

NANO: **No**

ROLE: **Base**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

### CALCIUM MAGNESIUM CARBONATE

ID: 16389-88-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-03-18**

#: **0.00 - 1.00** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Colorant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

### CHROMIUM IRON OXIDE

ID: 12737-27-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-03-18**

#: **0.00 - 1.00** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Colorant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

### ALUMINUM OXIDE

ID: 1344-28-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2019-03-18**

#: **0.00 - 1.00** GS: **BM-2** RC: **None** NANO: **No** ROLE: **Additive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials. The GreenScreen Assessment was performed by WAP Sustainability on 4/20/2018 and can be found at <https://www.pharosproject.net/uploads/files/gs/8b3e73890ab58b6b19f855a3a79b610080a03ad9.pdf>.

### ZIRCONIUM OXIDE (ZRO2)

ID: 1314-23-4

#: **0.00 - 1.00** GS: **LT-P1** RC: **None** NANO: **No** ROLE: **Colorant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

**CHROMITE (CHROMITE ORE)**ID: **1308-31-2**

#: **0.00 - 1.00** GS: **NoGS** RC: **None** NANO: **No** ROLE: **Colorant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

**CRISTOBALITE (SIO2)**ID: **14464-46-1**

#: **0.00 - 1.00** GS: **LT-1** RC: **None** NANO: **No** ROLE: **Base**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	New Zealand - GHS	6.7A - Known or presumed human carcinogens
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials. Since this substance is not in its respirable form, if manufacturer's instructions are followed during installation, the risk level of the hazards listed above is significantly diminished.

**2-PROPENOIC ACID, HOMOPOLYMER, SODIUM SALT**

ID: 9003-04-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-03-18**%: **0.00 - 1.00**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Additive**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

**C.I. PIGMENT BROWN 24**

ID: 68186-90-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-03-18**%: **0.00 - 1.00**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Colorant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

**CALCIUM OXIDE**

ID: 1305-78-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-03-18**%: **0.00 - 1.00**GS: **LT-P1**RC: **None**NANO: **No**ROLE: **Base**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

**DIETHYLENE GLYCOL**

ID: 111-46-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-03-18**%: **0.00 - 1.00**GS: **LT-P1**RC: **None**NANO: **No**ROLE: **Additive**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

**RUTILE, SUBSTITUTED: INORGANIC COLOUR PIGMENTS (SYNTHETIC MATERIALS),  
CHEMICALLY AND THERMICALLY STABLE**

ID: 68186-92-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-18**

#: **0.00 - 1.00**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Colorant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

**WOLLASTONITE**

ID: 13983-17-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-18**

#: **0.00 - 1.00**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Base**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

**REACTION MASS OF FUMES, SILICA AND DIIRON TRIOXIDE**

ID: 1353091-50-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-18**

#: **0.00 - 0.10**

GS: **NoGS**

RC: **None**

NANO: **No**

ROLE: **Colorant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

**FRITS, CHEMICALS**

ID: 65997-18-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-18**

#: **0.00 - 0.10**

GS: **LT-P1**

RC: **None**

NANO: **No**

ROLE: **Colorant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

MULTIPLE

German FEA - Substances Hazardous to Waters

Class 2 - Hazard to Waters

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

**NEPHELINE SYENITE**

ID: 37244-96-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-03-18**%: **0.00 - 0.10**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Additive**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

**C.I. PIGMENT BLUE 72**

ID: 68186-87-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-03-18**%: **0.00 - 0.10**GS: **LT-1**RC: **None**NANO: **No**ROLE: **Colorant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (G) - generally accepted

CANCER

MAK

Carcinogen Group 2 - Considered to be carcinogenic for man

RESPIRATORY

MAK

Sensitizing Substance Sah - Danger of airway &amp; skin sensitization

GENE MUTATION

MAK

Germ Cell Mutagen 3a

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

**C.I. PIGMENT RED 231**

ID: 68186-99-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-03-18**%: **0.00 - 0.10**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Colorant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

**ZINC OXIDE**

ID: 1314-13-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-03-18**%: **0.00 - 0.10**GS: **BM-1**RC: **None**NANO: **No**ROLE: **Colorant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials. The expired GreenScreen Assessment was completed by ToxServices on October 14, 2014 and can be found at <https://www.pharosproject.net/uploads/files/gs/c93f13c5702ed499d3f738803ddfe75c34d57ff3.pdf>

### POTASSIUM OXIDE (K2O)

ID: 12136-45-7

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2019-03-18</b>		
%: <b>0.00 - 0.10</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Base</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

### SODIUM OXIDE

ID: 1313-59-3

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2019-03-18</b>		
%: <b>0.00 - 0.10</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Additive</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

### CARBONIC ACID, BARIUM SALT (1:1)

ID: 513-77-9

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2019-03-18</b>		
%: <b>0.00 - 0.10</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	ROLE: <b>Colorant</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

### 1,2,3-PROPANETRIOL

ID: 56-81-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-18**

#: **0.00 - 0.10**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Colorant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

### KYANITE (AL<sub>2</sub>(SIO<sub>4</sub>))

ID: 1302-76-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-18**

#: **0.00 - 0.10**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Colorant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

### MAGNESIUM OXIDE (MGO)

ID: 1309-48-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2019-03-18**

#: **0.00 - 0.10**

GS: **LT-UNK**

RC: **None**

NANO: **No**

ROLE: **Base**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

MAK

Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: A range is given due to the variable product thickness, various color options, and due to the variable composition of naturally occurring materials.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### Inherently non-emitting source per LEED

CERTIFYING PARTY: **Self-declared**

ISSUE DATE: **2019-**

EXPIRY DATE:

CERTIFIER OR LAB: **N/A**

APPLICABLE FACILITIES: **All**

**03-18**

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### VARIOUS INSTALLATION PRODUCTS

HPD URL: **No HPD Available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Crossville recommended products for surface preparation, adhesive systems, grout systems, caulks, sealants, and crack isolation membranes from Ardex, Blanke, BOSTIK, CustomTech, LATICRETE, Mapei, and TEC and can be found at <https://www.crossvilleinc.com/Resources/Library?categories=installation%20guide>.

## Section 5: General Notes

This HPD represents an average product from Crossville covering all potential colors, styles, and sizes.



## MANUFACTURER INFORMATION

MANUFACTURER: **Crossville Inc.**

ADDRESS: **349 Sweeney Drive**

**Crossville TN 38555, USA**

WEBSITE: <https://crossvilleinc.com>

CONTACT NAME: **Noah Chitty**

TITLE: **Director of Technical Services**

PHONE: **865-244-0807**

EMAIL: [nchitty@crossvilleinc.com](mailto:nchitty@crossvilleinc.com)

## KEY

**OSHA MSDS** Occupational Safety and Health Administration Material Safety Data Sheet

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**MAM** Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

**PHY** Physical Hazard (reactive)

**REP** Reproductive toxicity

**RES** Respiratory sensitization

**SKI** Skin sensitization/irritation/corrosivity

**LAN** Land Toxicity

**NF** Not found on Priority Hazard Lists

### GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspecified (insufficient data to benchmark)

**LT-P1** List Translator Possible Benchmark 1

**LT-1** List Translator Likely Benchmark 1

**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

**NoGS** Unknown (no data on List Translator Lists)

### Recycled Types

**PreC** Preconsumer (Post-Industrial)

**PostC** Postconsumer

**Both** Both Preconsumer and Postconsumer

**Unk** Inclusion of recycled content is unknown

**None** Does not include recycled content

### Other Terms

#### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material

**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*