# **BASE Coat PermaBase® Joint Compound by Panel Rey S.A.**

# Health Product Declaration v2.1.1

created via: HPDC Online Builder

## CLASSIFICATION: 09 29 00

PRODUCT DESCRIPTION: Joint compound, as defined by ASTM C474 and C475, is used along with joint tape to join sheets of drywall by creating a seamless finish. Joint compound is comprised of a blend of minerals. This HPD covers the Base coat joint compound line from Panel Rey S.A. These products are manufactured in the Panel Rey facilities located in Mexicali, Mexico; Monterrey, Mexico; and Mexico City, Mexico. Panel Rey's Base Max is a product made up by a mixture of Portland cement, reinforcing fibers, polymer resins, waterproof material that make it a specialized product. It's function is to serve as a base coating, especially for the PermaBase® Cement panel in DEFS systems (Direct Applied exterior finish System), or it can also be used to treat joints, corners, moldings, fix tapes and fiberglass mesh on outdoors, and be used as well as a base coating for outdoor Gypsum Panel Boards. It's also designed to be used in EIFS Exterior Insulation Finishing System), i.e., to stick semi rigid insulation plates that work as insulation material and receive reinforcing mesh for outdoors. Product Specifications: absorption of water (%): 13% maximum; permeability (Perms = g/hr-ft -mmHg): 66 maximum; destruction due to scratching (hardness): rating 2 maximum; cracking: negative up to a flexion of 2" of radius; transmission of vapor (MVP = g/hr-ft): 29 maximum; and penetration of water: negative.

# Section 1: Summary

### **CONTENT INVENTORY**

#### **Inventory Reporting Format**

- Nested Materials Method
- C Basic Method
- **Threshold Disclosed Per**
- C Material
- Product

# Threshold level 100 ppm

- C 1,000 ppm C Per GHS SDS
- C Per OSHA MSDS
- C Other

#### **Residuals/Impurities**

Residuals/Impurities Considered in 12 of 12 Materials

Explanation(s) provided for Residuals/Impurities?

# **Nested Method / Product Threshold**

All Substances Above the Threshold Indicated Are:

Characterized O Yes Ex/SC O Yes O No % weight and role provided for all substances.

#### Screened

C Yes Ex/SC C Yes 🖸 No

One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more Special Condition did not follow guidance.

#### Identified

C Yes Ex/SC C Yes 🛈 No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

#### MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

UNDISCLOSED [ LIMESTONE, CALCIUM CARBONATE LT-UNK ] SILICA SAND [ AMORPHOUS SILICA LT-P1 | CAN ] WHITE OR GRAY CEMENT [ MAGNESIUM OXIDE (PRIMARY CASRN IS 1309-48-4) LT-UNK | CAN ALUMINUM OXIDE BM-2 | RES FERRIC OXIDE BM-2 | CAN SODIUM OXIDE LT-UNK PHOSPHORUS PENTOXIDE LT-P1 | SKI SULFUR TRIOXIDE LT-P1 | MAM ] UNDISCLOSED [ UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | CAN UNDISCLOSED [ UNDISCLOSED LT-UNK ] UNDISCLOSED [ UNDISCLOSED [ UNDISCLOSED [ UNDISCLOSED [ UNDISCLOSED [ UNDISCLOSED [ UNDISCLOSED LT-UNK ] UNDISCLOSED [ UNDISCLOSED LT-UNK ] UNDISCLOSED [ UNDISCLOSED LT-P1 | EYE ] UNDISCLOSED [ UNDISCLOSED LT-UNK ] UNDISCLOSED [ UNDISCLOSED [ UNDISCLOSED LT-UNK ] UNDISCLOSED [ UNDISCLOSED [ UNDISCLOSED LT-UNK ] UNDISCLOSED [ UNDISCLOSED LT-UNK ] UNDISCLOSED [ UNDISCLOSED [ UNDISCLOSED [ UNDISCLOSED LT-UNK ] UNDISCLOSED [ UNDISCL

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): Not Calculated Regulatory (g/l): Not Applicable BASE Coat PermaBase Joint Compound hpdrepository.hpd-collaborative.org Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

#### INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished the product, along with the role and percent weight. Therefore, this HPD is consistent with the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1).

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

Does the product contain exempt VOCs: No Are ultra-low VOC tints available: N/A VOC emissions: VOC Emissions VOC content: VOC Content Other: Type III Environmental Product Declaration

#### CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes

PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2019-02-22 PUBLISHED DATE: 2019-02-22 EXPIRY DATE: 2022-02-22 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

### UNDISCLOSED

%: 45.0000 - 65.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at https://toxnet.nlm.nih.gov/. All notes are recorded at each material/substance.

OTHER MATERIAL NOTES: Impurities are typically trace metals and naturally occurring minerals.

LIMESTONE, CALCIUM C	ARBONATE			ID: <b>1317-65-3</b>
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2019-02	-22
%: 45.0000 - 65.0000	GS: LT-UNK	RC: UNK	NANO: <b>NO</b>	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at https://toxnet.nlm.nih.gov/. All notes are recorded at each material/substance.

# SILICA SAND

%: 40.0000 - 60.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at https://toxnet.nlm.nih.gov/. All notes are recorded at each material/substance.

OTHER MATERIAL NOTES:

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	ING DATE: 2019-02-2	22
%: 40.0000 - 60.0000	GS: <b>LT-P1</b>	RC: UNK	NANO: <b>NO</b>	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	Japan - GHS	Carcinogenicity - Category 1A		
CANCER	Australia - GHS	H350i - May cause cancer by inhalation		

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at https://toxnet.nlm.nih.gov/. All notes are recorded at each material/substance.

WHITE OR GRAY CEMENT

**AMORPHOUS SILICA** 

%: 15.0000 - 50.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at https://toxnet.nlm.nih.gov/. All notes are recorded at each material/substance.

OTHER MATERIAL NOTES:

MAGNESIUM OXIDE (PRIMARY CASRN IS 1309-48-4)				
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	2-22	
%: <b>0.1500 - 0.5000</b>	GS: LT-UNK	RC: UNK	NANO: <b>No</b>	ROLE: Additive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	МАК	Carcinogen Group 4 - Non-genotoxic carcinogen wit risk under MAK/BAT levels		otoxic carcinogen with low

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at https://toxnet.nlm.nih.gov/. All notes are recorded at each material/substance.

				ID: <b>1344-28-1</b>	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENI	HAZARD SCREENING DATE: 2019-02-22		
%: 0.1500 - 0.5000	GS: <b>BM-2</b>	RC: UNK	NANO: <b>NO</b>	ROLE: Additive	

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS RESPIRATORY **AOEC - Asthmagens** Asthmagen (Rs) - sensitizer-induced SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at https://toxnet.nlm.nih.gov/. All notes are recorded at each material/substance. **FERRIC OXIDE** ID: 1309-37-1 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-02-22 %: 0.1500 - 0.5000 GS: BM-2 RC: UNK NANO: NO ROLE: Additive HAZARD TYPE AGENCY AND LIST TITLES WARNINGS CANCER MAK Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at https://toxnet.nlm.nih.gov/. All notes are recorded at each material/substance. SODIUM OXIDE ID: 1313-59-3 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-02-22 %: Impurity/Residual GS: LT-UNK RC: UNK NANO: NO ROLE: Impurity/Residual AGENCY AND LIST TITLES HAZARD TYPE WARNINGS No hazards found SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at https://toxnet.nlm.nih.gov/. All notes are recorded at each material/substance. PHOSPHORUS PENTOXIDE ID: 1314-56-3 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2019-02-22 %: Impurity/Residual GS: LT-P1 RC: UNK NANO: NO ROLE: Impurity/Residual HAZARD TYPE AGENCY AND LIST TITLES WARNINGS SKIN IRRITATION

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at https://toxnet.nlm.nih.gov/. All notes are recorded at each material/substance.

EU - GHS (H-Statements)

H314 - Causes severe skin burns and eye damage

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	NING DATE: 2019	-02-22
%: Impurity/Residual	GS: <b>LT-P1</b>	RC: UNK	NANO: <b>NO</b>	ROLE: Impurity/Residual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances		

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at https://toxnet.nlm.nih.gov/. All notes are recorded at each material/substance.

# UNDISCLOSED

%: 1.0000 - 20.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at https://toxnet.nlm.nih.gov/. All notes are recorded at each material/substance.

OTHER MATERIAL NOTES:

	GS: LT-UNK	RC: UNK	NANO: <b>NO</b>	ROLE: Filler
HAZARD TYPE		1/4 PN/8100		
HAZARU TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards lound			
SUBSTANCE NOTES: Residuals recorded at each material/	and impurities were screened using th substance.	e toxnet database at https://t	oxnet.nlm.nih.gov	//. All notes are
JNDISCLOSED	was Chamical and Materials Library	HAZARD SCREENING DATE	0010 00 00	
6: Impurity/Residual	GS: LT-P1	RC: UNK NANO:		purity/Residual
impunty/nesidual	GS: LIFFI	RC: UNK NANU: I		punty/nesidual
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	Japan - GHS	Carcinogenicity	- Category 1A	
CANCER	Australia - GHS	H350i - May cau	use cancer by inhal	ation
	aros Chemical and Materials Library	HAZARD SCREENING DAT	E: 2019-02-22	
AZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREENING DAT RC: <b>UNK</b> NANO:		purity/Residual
AZARD SCREENING METHOD: Pha				purity/Residual
HAZARD SCREENING METHOD: Pha	GS: LT-UNK	RC: UNK NANO:		purity/Residual
IAZARD SCREENING METHOD: Pha 6: Impurity/Residual HAZARD TYPE	GS: LT-UNK AGENCY AND LIST TITLES No hazards found and impurities were screened using th	RC: UNK NANO:	No ROLE: Im	
AZARD SCREENING METHOD: Pha Impurity/Residual HAZARD TYPE SUBSTANCE NOTES: Residuals recorded at each material/	GS: LT-UNK AGENCY AND LIST TITLES No hazards found and impurities were screened using the substance.	RC: UNK NANO:	No ROLE: Im	
AZARD SCREENING METHOD: Pha 6: Impurity/Residual HAZARD TYPE SUBSTANCE NOTES: Residuals recorded at each material/	GS: LT-UNK AGENCY AND LIST TITLES No hazards found and impurities were screened using the substance. %: 1.0	RC: UNK NANO: WARNINGS	No ROLE: Im	
AZARD SCREENING METHOD: Pha 6: Impurity/Residual HAZARD TYPE SUBSTANCE NOTES: Residuals recorded at each material/ NDISCLOSED DDUCT THRESHOLD: 100 ppm SIDUALS AND IMPURITIES NOTES	GS: LT-UNK AGENCY AND LIST TITLES No hazards found and impurities were screened using the substance. %: 1.0	RC: UNK NANO: WARNINGS e toxnet database at https://t 0000 - 1.0000 ALS AND IMPURITIES CONSIDERE screened using the toxne	No ROLE: Im oxnet.nlm.nih.gov	
X: Impurity/Residual HAZARD TYPE SUBSTANCE NOTES: Residuals recorded at each material/ NDISCLOSED ODUCT THRESHOLD: 100 ppm SIDUALS AND IMPURITIES NOTES	GS: LT-UNK AGENCY AND LIST TITLES No hazards found and impurities were screened using th substance. %: 1.0 n RESIDU S: Residuals and impurities were	RC: UNK NANO: WARNINGS e toxnet database at https://t 0000 - 1.0000 ALS AND IMPURITIES CONSIDERE screened using the toxne	No ROLE: Im oxnet.nlm.nih.gov	

UNDISCLOSED

UNDISCLOSED					
HAZARD SCREENING METHOD: Phare	os Chemical and Materials Lib	rary HAZ	ARD SCREEN	NING DATE: 2019-02	2-22
%: 1.0000 - 1.0000	GS: NoGS	RC:	UNK	NANO: <b>NO</b>	ROLE: Thickener
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS		
	No hazards found				
SUBSTANCE NOTES: Residuals an recorded at each material/su	nd impurities were screened us Ibstance.	ing the toxnet databa	se at https	s://toxnet.nlm.nih	.gov/. All notes are
UNDISCLOSED	9	%: 0.5000 - 10.000	D		
PRODUCT THRESHOLD: 100 ppm	R	RESIDUALS AND IMPURITI	ES CONSID	ered: Yes	
RESIDUALS AND IMPURITIES NOTES: https://toxnet.nlm.nih.gov/.			-	xnet database	at
OTHER MATERIAL NOTES:					
UNDISCLOSED					
HAZARD SCREENING METHOD: Pharc	os Chemical and Materials Lib	rary	HAZARD SCR	EENING DATE: 2019	-02-22
%: 0.5000 - 10.0000	GS: LT-UNK	I	RC: UNK	NANO: <b>NO</b>	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS		
	No hazards found				
SUBSTANCE NOTES: Residuals an recorded at each material/su	nd impurities were screened us bstance.	ing the toxnet databa	se at https	s://toxnet.nlm.nih	.gov/. All notes are
UNDISCLOSED	0	%: 0.5000 - 5.0000			
PRODUCT THRESHOLD: 100 ppm	R	RESIDUALS AND IMPURITI	ES CONSID	ERED: Yes	
RESIDUALS AND IMPURITIES NOTES: https://toxnet.nlm.nih.gov/.			-	xnet database	at
OTHER MATERIAL NOTES:					

UNDI	SCLOSED						
HAZARI	D SCREENING METHOD: Pharos	Chemical and Materials Lib	rary	HAZARD SCRE	ENING DATE: 20	19-02-22	
%: <b>0.5</b>	000 - 5.0000	GS: LT-UNK		RC: UNK	NANO: NC	) R	DLE: Filler
HAZAF	RD TYPE	AGENCY AND LIST TITLES	v	VARNINGS			
		No hazards found					
	STANCE NOTES: Residuals and orded at each material/subs	impurities were screened us stance.	ing the toxnet databa	se at https://	/toxnet.nlm.nil	n.gov/. All n	otes are
UNDIS	CLOSED	(	%: 0.1000 - 1.5000	)			
PRODUC	T THRESHOLD: 100 ppm	F	RESIDUALS AND IMPURIT	IES CONSIDER	ED: Yes		
RESIDUA	LS AND IMPURITIES NOTES: ${f R}$	esiduals and impurities	were screened usi	ng the toxr	net database	e at	
https://	/toxnet.nlm.nih.gov/. Al	I notes are recorded at	each material/subs	stance.			
OTHER M	IATERIAL NOTES:						
UNDI	SCLOSED						
HAZARI	D SCREENING METHOD: Pharos	Chemical and Materials Lib	rary HAZ/	ARD SCREENING	a date: <b>2019-02</b>	2-22	
%: <b>0.1</b>	000 - 1.5000	GS: <b>LT-P1</b>	RC:	UNK	NANO: <b>No</b>	ROLE: ACC	elerator
HAZAF	RD TYPE	AGENCY AND LIST TITLES	v	VARNINGS			
EYE	IRRITATION	EU - GHS (H-Statements)	ł	H319 - Causes	s serious eye irri	tation	
	STANCE NOTES: Residuals and orded at each material/subs	impurities were screened us stance.	sing the toxnet databa	se at https://	/toxnet.nlm.nił	n.gov/. All n	otes are
UNDIS	CLOSED	C	%: 0.0500 - 0.7500	)			
PRODUC	t threshold: 100 ppm	F	RESIDUALS AND IMPURIT	IES CONSIDER	ED: Yes		

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities were screened using the toxnet database at https://toxnet.nlm.nih.gov/. All notes are recorded at each material/substance.

OTHER MATERIAL NOTES:

ZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCRE	HAZARD SCREENING DATE: 2019-02-22		
0.0500 - 0.7500	GS: LT-UNK	RC: UNK	NANO: <b>NO</b>	ROLE: Binder	
IAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				
SUBSTANCE NOTES: <b>Residuals</b> recorded at each material	and impurities were screened using the /substance.	toxnet database at https:	://toxnet.nlm.nih.ç	gov/. All notes are	
DISCLOSED	%: 0.05	500 - 0.7500			
DUCT THRESHOLD: 100 ppr	n RESIDUAL	S AND IMPURITIES CONSIDE	RED: Yes		
	s: Residuals and impurities were s /. All notes are recorded at each m	-	met database a	at	
NDISCLOSED					
	aros Chemical and Materials Library	HAZARD SOREEN	IING DATE: 2019-02	-92	
0.0500 - 0.7500	GS: LT-UNK	RC: UNK	NANO: <b>NO</b>	ROLE: Thickener	
IAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				
SUBSTANCE NOTES: <b>Residuals</b> recorded at each material,	and impurities were screened using the /substance.	toxnet database at https:	://toxnet.nlm.nih.g	gov/. All notes are	
DISCLOSED	%: 0.05	500 - 0.5000			
DUCT THRESHOLD: 100 ppr	n RESIDUAL	S AND IMPURITIES CONSIDE	RED: Yes		
		creened using the tox	met database a	at	
DUALS AND IMPURITIES NOTE	s: Residuals and impurities were s /. All notes are recorded at each m	-			
DUALS AND IMPURITIES NOTE		-			
DUALS AND IMPURITIES NOTE		-			
DUALS AND IMPURITIES NOTE		-			

UNDISCLOSED					
HAZARD SCREENING METHOD: Ph	HAZARD SCREE	HAZARD SCREENING DATE: 2019-02-22			
%: 0.0500 - 0.5000	GS: Not Screened	RC: UNK	NANO: <b>NO</b>	ROLE: Binder/Filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	Hazard Screening not performed	I			
SUBSTANCE NOTES: Residuals recorded at each material	and impurities were screened using t /substance.	he toxnet database at http:	s://toxnet.nlm.ni	h.gov/. All notes are	
INDISCLOSED	%: 0	0.0000 - 0.5000			
RODUCT THRESHOLD: 100 ppi		UALS AND IMPURITIES CONSID	Noo		
	Residuals and impurities were ./. All notes are recorded at each				
UNDISCLOSED					
HAZARD SCREENING METHOD: Pn %: 0.0000 - 0.5000	aros Chemical and Materials Library GS: LT-1	HAZARD SCREEN RC: <b>UNK</b>	IING DATE: <b>2019-0</b> NANO: <b>NO</b>	ROLE: Defoamer	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H220 - Extremely flammable gas
GENE MUTATION	EU - GHS (H-Statements)	H340 - May cause genetic defects
CANCER	EU - GHS (H-Statements)	H350 - May cause cancer
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 1 - Substances known to be Carcinogenic to man
CANCER	EU - REACH Annex XVII CMRs	Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man
GENE MUTATION	EU - REACH Annex XVII CMRs	Mutagen Category 2 - Substances which should be regarded as if they are Mutagenic to man
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	EU - Annex VI CMRs	Carcinogen Category 1A - Known human Carcinogen based on human evidence
GENE MUTATION	EU - Annex VI CMRs	Mutagen - Category 1B
GENE MUTATION	Australia - GHS	H340 - May cause genetic defects
CANCER	Australia - GHS	H350 - May cause cancer
DEVELOPMENTAL	Australia - GHS	H360Df - May damage the unborn child. Suspected of damaging fertility

SUBSTANCE NOTES: Residuals and impurities were screened using the toxnet database at https://toxnet.nlm.nih.gov/. All notes are recorded at each material/substance.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	VOC Emissions	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All facilities included. CERTIFICATE URL:	ISSUE DATE: 2019- 02-22	CERTIFIER OR LAB: Panel Rey S.A.

CERTIFICATION AND COMPLIANCE NOTES: This product has not been tested for VOC emissions.

VOC CONTENT	VOC Content			
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: VOC content is not facility specific.	ISSUE DATE: 2019- 02-22	EXPIRY DATE:	CERTIFIER OR LAB: Panel Rey S.A.	
CERTIFICATE URL:				

CERTIFICATION AND COMPLIANCE NOTES: VOC content has not been calculated for this product. It is not subject to SCAQMD regulation.

OTHER	Type III Environm	Type III Environmental Product Declaration				
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Panel Rey facilities	ISSUE DATE: 2017- 11-08	EXPIRY DATE: 2022- 11-08	CERTIFIER OR LAB: UL Environment			
CERTIFICATE URL:						

CERTIFICATION AND COMPLIANCE NOTES: This is a sector EPD for Drywall Finishing Joint Compound. It was performed on behalf of the Drywall finishing council and Panel Rey S.A. is a participating member. The content of the declaration included: Product definition and information about building physics, information about basic material and the material's origin, description of the product's manufacturing, , indication of product processing, information about the in-use conditions, life cycle assessment results, and testing results and verifications. This declaration refers to the functional unit as prescribed by the PCR. The functional unit is defined as "100 m2 of covered substrate considering an installation scenario as defined by a GA-214 Level 4 finish with the quantity adjusted for the measured shrinkage (testing per ASTM C474) for a service life of 75 years."

# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

Residuals and impurities were screened using the toxnet database at: https://toxnet.nlm.nih.gov/ . All notes are

recorded at each material/substance.

### MANUFACTURER INFORMATION

MANUFACTURER: Panel Rey S.A. Address: Serafin Peña 938 Sur Nuevo Leon Monterrey 64000, Mexico WEBSITE: www.panelrey.com CONTACT NAME: Karla Daniela Macias Lujan TITLE: Product Technology Specialist PHONE: 018183053800 EMAIL: kmacias@gpromax.com

### KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

GLO Global warming

#### **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (insuficient data to benchmark)

#### **Recycled Types**

PreC Preconsumer (Post-Industrial) PostC Postconsumer Both Both Preconsumer and Postconsumer Unk Inclusion of recycled content is unknown None Does not include recycled content

### Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

#### HPD v2.1.1 created via HPDC Builder Page 15 of 15

MAM Mammalian/systemic/organ toxicity MUL Multiple hazards NEU Neurotoxicity OZO Ozone depletion PBT Persistent Bioaccumulative Toxic PHY Physical Hazard (reactive) REP Reproductive toxicity RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity LAN Land Toxicity NF Not found on Priority Hazard Lists

LT-P1 List Translator Possible Benchmark 1 LT-1 List Translator Likely Benchmark 1 LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark) NoGS Unknown (no data on List Translator Lists)