

Name Nydree Flooring



Product ID All Nydree Flooring Except COR Classification 09 64 23.13 Finishes: Acrylic-Impregnated Wood Parquet Flooring

Website www.nydreeflooring.com

Manufacturer Nydree Flooring, LLC Contact Name Jason Brubaker
Address 1115 Vista Park Drive Title VP, Sales & Marketing
Suites C&D Phone 770-753-0474
Forest, VA 24551 Email jbrubaker@nydree.com

Description Acrylic Impregnated, Engineered Hardwood Flooring

Release Date 2014-06-04 Expiry Date 2017-06-04 HPD URL https://tool.hpdcollaborative.org/...
Certifier Certicate #

SUMMARY DISCLOSURE

The content of this product was assessed for health hazard warnings as required using Pharos

Residuals Disclosure Full Disclosure of Intentional Ingredients Full Disclosure of Known Hazards Disclosure Notes

Contents in Descending Order of Quantity

Wood Fiber - unspecified, Undisclosed (Acrylic Copolymer), Undisclosed (Resol Adhesive), Undisclosed (Hot Melt Moisture Cure Adhesive), POLYETHYLENE GLYCOL, Undisclosed (UV-Cured Polyurethane Finish), Undisclosed (Solvent Yellow Dye), Undisclosed (Solvent Black Dye), 52256-39-0 Solvent Red, Undisclosed (Solvent Blue Dye), Undisclosed (Solvent Orange Dye), 2,2'-AZOBIS(2-METHYLBUTANENITRILE), 2,2'-AZOBIS(2-METHYLPROPANENITRILE)

Hazards Highest concern GreenScreen score - List Translator Possible Benchmark 1
PBT (Persistent Bioaccumulative Toxic) Cancer Gene Mutation Development Reproductive Endocrine Respiratory Neurotoxicity Mammal Skin or Eye Aquatic toxicity Land toxicity Physical hazard Global warming Ozone depletion Multiple Unknown

Total VOC Content Material (g/L) Regulatory (g/L) Does the product contain exempt VOCs? Are there VOC-free tints available?

Notes

Certifications + Compliance

VOC Emissions FloorScore Sustainable forestry Forest Stewardship Council (FSC) - Mixed Credit VOC Content N/A Multi-attribute FloorScore

The HPD Standard is solely a declaration of product content and direct health hazards associated with exposure to its individual contents. It is not a full assessment of environmental impacts from the life cycle of this product. It is not an assessment of risks associated with actual use of the product. It does not address the potential health impacts of substances used or created during manufacture that do not appear in the final product as residuals, nor substances created during combustion or other degradation processes.

This Health Product Declaration was generated following the requirements of the noted Standard version and is valid for a total of three years after date of issue or three months after a substantive change of product contents occurs. Users should verify that this Health Product Declaration is compliant with the most current version of the HPD Standard. Accuracy of claims made in this Health Product Declaration is the sole responsibility of the listed manufacturer and certifier (if applicable). The HPD Collaborative does not warrant any claim made herein, explicit or implicit. The HPD Standard is an “open standard” developed and managed by the HPD Collaborative, a nonprofit organization. For more information, visit hpdcollaborative.org.

CONTENT IN DESCENDING ORDER OF QUANTITY

All ingredients must be assessed for health warnings against Priority Hazard Lists, regardless of disclosure level.

Priority Hazard Lists and information on the GreenScreen Benchmarks can be found at www.hpdcollaborative.org/hazardlists.

GS: GreenScreen Benchmark; **RC:** Recycled Content, **PC:** Post Consumer, **PI:** Post Industrial (Pre-consumer), **BO:** Both; **Nano:** comprised of nanoscale particles or nanotechnology

Name	CAS RN	% weight	GS	RC	Nano	Role
Hazard A	Warning A					
Hazard B	Warning B					
Hazard C	Warning C					
Hazard D	Warning D					
Hazard E	Warning E					
Notes						
Wood Fiber - unspecified		79 - 87 %		N	N	Wear Layer & Plywood Platform
None found	No warnings found on HPD Priority lists					
Undisclosed (Acrylic Copolymer)	Unknown	5 - 11 %		N	N	Gives Product Hardness
Unknown	Not disclosed					
Trade Secret						
Undisclosed (Resol Adhesive)	Unknown	4.5 - 5.5 %		N	U	Plywood Adhesive
Unknown	Not disclosed					
Unknown CAS Number						
Undisclosed (Hot Melt Moisture Cure Adhesive)	Unknown	1.7 - 2.2 %		N	N	Laminating Adhesive
Unknown	Not disclosed					
Trade Secret						
POLYETHYLENE GLYCOL	25322-68-3	1 - 2 %	LT-U	N	N	Wood Stabilizer
None found	No warnings found on HPD Priority lists					
Undisclosed (UV-Cured Polyurethane Finish)	Unknown	0.5 - 2.2 %		N	Y	Protective Finish

Unknown	Not disclosed					
Trade Secret						
Undisclosed (Solvent Yellow Dye)	Unknown	0 - 0.17 %		N	N	Colorant
Unknown	Not disclosed					
Trade Secret						
Undisclosed (Solvent Black Dye)	Unknown	0 - 0.17 %		N	N	Colorant
Unknown	Not disclosed					
Trade Secret						
52256-39-0 Solvent Red	52256-39-0	0 - 0.17 %		N	N	Colorant
None found	No warnings found on HPD Priority lists					
Undisclosed (Solvent Blue Dye)	Unknown	0 - 0.17 %		N	N	Colorant
Unknown	Not disclosed					
Trade Secret						
Undisclosed (Solvent Orange Dye)	Unknown	0 - 0.17 %		N	N	Colorant
Unknown	Not disclosed					
Trade Secret						
2,2'-AZOBIS(2-METHYLBUTANENITRILE)	13472-08-7	0 - 0.01 %	LT-U	N	N	Catalyst
None found	No warnings found on HPD Priority lists					
2,2'-AZOBIS(2-METHYLPROPANENITRILE)	78-67-1	0 - 0.01 %	LT-P1	N	N	Catalyst
MAMMALIAN	EU R-Phrases: R22: Harmful if swallowed.					
ACUTE AQUATIC	EU R-Phrases: R52: Harmful to aquatic organisms.					
REACTIVE	EU H-Statements: H242 Heating may cause a fire					
MULTIPLE	VwVwS: Class 2 Hazard to Waters					

CERTIFICATIONS AND COMPLIANCE

Certifying Party = First: Manufacturer's self-declaration; Second: Verification by trade association or other interested party; Third: Verification by independent certifier (ideal).

Applicable facilities = Manufacturing sites to which testing applies.

Type	Standard or Certification			Certifier or Laboratory
	Certifying Party	Issue Date	Expiry Date	Certificate URL
Applicable Facilities				
Notes				

VOC Emissions	FloorScore			SCS Global Services for Resilient Floor Covering Institute (RFCI)
	3rd party independent certification	2013-08-12	2014-08-31	cdn.nydreeflooring.com/80BE2D/nydreeflooring/media/wysiwyg/FloorScore2013.pdf
	4608 Quehanna Highway, Karthaus, PA 16845			
VOC Content	N/A			
Recycled Content	Not tested			
Sustainable forestry	Forest Stewardship Council (FSC) - Mixed Credit			SCS Global Services
	3rd party independent certification	2011-03-05	2016-03-04	https://tool.hpdcollaborative.org/uploads/files/certifications/162/1376422162.pdf
	4608 Quehanna Highway, Karthaus, PA 16845			
Multi-attribute	FloorScore			SCS Global Services for Resilient Floor Covering Institute (RFCI)
	3rd party independent certification	2013-08-12	2014-08-31	cdn.nydreeflooring.com/80BE2D/nydreeflooring/media/wysiwyg/FloorScore2013.pdf
	4608 Quehanna Highway, Karthaus, PA 16845			

ACCESSORY MATERIALS

This section is for additional products required by warranty or recommended by the manufacturer for installation (such as adhesives, fasteners, or factory coatings) or for maintenance, cleaning, or operations. Refer to Health Product Declarations, published separately, for a complete view of these products.

Note: This declaration is not intended to address hazards of the installation process.

Required or Recommended Product	URL for Companion Health Product Declaration
Condition when required or recommended and/or other notes	
MRA1585 Adhesive	
Must be used for all installations for warranty.	

NOTES