

HPD UNIQUE IDENTIFIER: 26673

CLASSIFICATION: 08 81 00 Glass Glazing

PRODUCT DESCRIPTION: Multiver's laminated glass HPD covers a multiple of glass combination. Laminated glass is a combination of two or more layers of glass combined with PVB film or SGP (Ionoplast). The glasses used can be clear, ultraclear, tinted, reflective, have low emissivity and be opacified (spandrel glass) with a coating based on ceramic or silicone (Opaci-Coat 300®). Laminated glass can be prepared with glasses from 3 mm up to 19 mm and a variety of PVB or SGP (Ionoplast) interlayer thicknesses and colors. Multiver's laminated glasses can be heat treated and are used for aesthetic purposes, security (aggression, vandalism, hurricanes, etc.), guardrails, soundproofing and others. Multiver's laminated glass complies with CAN/CGSB-12.1-M90 Tempered or Laminated Safety Glass.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input checked="" type="radio"/> Nested Materials Method <input type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material <input checked="" type="radio"/> Product</p>	<p>Threshold Level</p> <p><input type="radio"/> 100 ppm <input checked="" type="radio"/> 1,000 ppm <input type="radio"/> Per GHS SDS <input type="radio"/> Other</p>	<p>Residuals/Impurities</p> <p>Considered in 5 of 5 Materials</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>% weight and role provided for all substances.</i></p> <p>Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No <i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p>Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No <i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i></p>
--	---	---	--

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

GLASS [SODA LIME BOROSILICATE GLASS LT-UNK] POLYVINYL BUTYRAL (PVB) INTERLAYER [UNDISCLOSED LT-UNK] UNDISCLOSED LT-1 | CAN | END UNDISCLOSED LT-UNK BIS(2-BUTOXYETHYL) ADIPATE NoGS ANATASE (TIO2) LT-1 | CAN CALCIUM CARBONATE BM-3 ACETIC ACID ETHENYL ESTER, POLYMER WITH 1,1-BIS(ETHENYLOXY)BUTANE AND ETHENOL LT-UNK] IONOPLAST INTERLAYER [ETHENE SODIUM POLYMER WITH METHACRYLIC ACID LT-UNK] CERAMIC FRIT COATING [FRITS, CHEMICALS LT-P1 | MUL TITANIUM DIOXIDE LT-1 | CAN | END] OPACI-COAT 300® [SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED BM-2 SILICON DIOXIDE BM-1 | CAN NICKEL RUTILE YELLOW LT-1 | CAN | RES ALUMINUM HYDROXIDE, DRIED BM-2 C.I. PIGMENT GREEN 50 LT-1 | RES | CAN | GEN FERRIC OXIDE BM-1 | CAN CI 77346 LT-1 | RES | CAN | GEN FERRIC OXIDE, YELLOW LT-UNK CARBON BLACK BM-1 | CAN C.I. 74265 LT-UNK CINQUASIA RED LT-UNK PIGMENT BLUE 15 BM-3 C.I. PIGMENT YELLOW 83 LT-P1 C.I. PIGMENT YELLOW 216, RUTILE, TIN ZINC NoGS C.I. PIGMENT YELLOW 227, NIOBIUM SULFUR TIN ZINC OXIDE NoGS TITANIUM DIOXIDE LT-1 | CAN | END]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product. Ranges are used to cover Multiver's laminated glass with PVB or ionoplast interlayer as well as laminated glass without coating or with Ceramic Frit or Opaci-Coat 300® coating. Guidelines for reporting Float Glass are still under development by the HPDC. Multiver will update the HPD accordingly once these guidelines get published. Some substances are not identified as they are proprietary.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Not tested

CONSISTENCY WITH OTHER PROGRAMS

Third Party Verified?

- Yes
- No

PREPARER: Vertima

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-12-07

PUBLISHED DATE: 2021-12-07

EXPIRY DATE: 2024-12-07

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

GLASS

%: 86.0000 - 100.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Glass

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are reported by the manufacturers at or above the declaration threshold.

OTHER MATERIAL NOTES: Weight percentage are used to cover laminated glass with PVB or Ionoplast interlayer. Clear, ultraclear, tinted or pre-coated glass with solar control properties or low emissivity properties are considered 100% glass by manufacturers at and above 100 ppm. The laminated glass is available with optional Ceramic Frit or Opaci-Coat 300® coating.

SODA LIME BOROSILICATE GLASS

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-12-07 9:37:51

%: 100.0000

GS: LT-UNK

RC: Both

NANO: No

SUBSTANCE ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Recycled content varies by manufacturer. Pre Consumer recycled content varies between 0% - 20% and Post Consumer recycled content varies between 0% - 3%.

POLYVINYL BUTYRAL (PVB) INTERLAYER

%: 0.0000 - 14.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities reported at or above the threshold by the manufacturer.

OTHER MATERIAL NOTES: Weight percent interval is used to cover Multiver's laminated glass with either PVB interlayer or Ionoplast interlayer. PVB interlayers are provided by multiple suppliers; hence, substance may or may not be present in the interlayer.

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-12-07 9:37:53

%: 15.0000 - 30.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Plasticizer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Weight percent interval used to cover multiple PVB interlayer composition from various suppliers. This substance is undisclosed as it is proprietary.

UNDISCLOSED

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2021-12-07 9:38:04

#: 0.0000 - 15.0000

GS: LT-1

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

SUBSTANCE NOTES: Weight percent interval used to cover multiple PVB interlayer composition from various suppliers. This substance is undisclosed as it is proprietary.

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-12-07 9:38:04**

#: 0.0000 - 75.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Weight percent interval used to cover multiple PVB interlayer composition from various suppliers. This substance is undisclosed as it is proprietary.

BIS(2-BUTOXYETHYL) ADIPATE

ID: **141-18-4**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-12-07 9:38:05**

#: 0.0000 - 5.0000

GS: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Plasticizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Weight percent interval used to cover multiple PVB interlayer composition from various suppliers.

ANATASE (TiO2)

ID: **1317-70-0**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-12-07 9:38:05**

#: 0.0000 - 2.0000

GS: LT-1

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

SUBSTANCE NOTES: Weight percent interval used to cover multiple PVB interlayer composition from various suppliers.

CALCIUM CARBONATE

ID: 471-34-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-12-07 9:38:06**

#: **0.0000 - 5.0000** GS: **BM-3** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Weight percent interval used to cover multiple PVB interlayer composition from various suppliers.

ACETIC ACID ETHENYL ESTER, POLYMER WITH 1,1-BIS(ETHENYLOXY)BUTANE AND ETHENOL

ID: 27360-07-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-12-07 9:38:06**

#: **0.0000 - 80.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Weight percent interval used to cover multiple PVB interlayer composition from various suppliers.

IONOPLAST INTERLAYER

#: **0.0000 - 12.6000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities reported at or above the declaration threshold by the manufacturer.

OTHER MATERIAL NOTES: Weight percent interval is used to cover Multiver's laminated glass with either PVB interlayer or Ionoplast interlayer.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-12-07 9:37:52**

%: **99.0000 - 100.0000** GS: **LT-UNK** RC: **PreC** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The material contains 25% Pre Consumer recycled content. Percent weight interval used to cover variability in composition.

CERAMIC FRIT COATING %: **0.0000 - 1.5000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Ceramic

RESIDUALS AND IMPURITIES NOTES: No residuals are impurities are present at or above the declaration threshold according to the manufacturers.

OTHER MATERIAL NOTES: Weight percentage interval is used to cover laminated glass with and without coating. Furthermore, two coatings are available in various colors, either Ceramic Frit or Opaci-Coat 300®. Composition of Ceramic Frit coating is based on the final product composition as delivered. Not all color pigments are listed as they fall below the declaration threshold.

FRITS, CHEMICALS

ID: 65997-18-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-12-07 9:37:52**%: **75.0000 - 90.0000** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: Weight percent interval is used to cover variability in product and keep exact recipe confidential.

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-12-07 9:38:03**%: **0.0000 - 20.0000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

SUBSTANCE NOTES: Percent weight interval is used to cover product variability, keep exact recipe confidential and account for different Ceramic Firt coating final color.

OPACI-COAT 300®

%: **0.0000 - 1.3000**PRODUCT THRESHOLD: **1000 ppm** RESIDUALS AND IMPURITIES CONSIDERED: **Yes** MATERIAL TYPE: **Ceramic**

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities present at or above the declaratin threshold declared by the manufacturer.

HPD URL: <https://hpdrepository.hpd-collaborative.org/repository/HPDThumbnails/58F78E7D99CF1F99CCC7078549EF4E79.jpg>

OTHER MATERIAL NOTES: Weight percentage interval is used to cover laminated glass with and without coating. Furthermore, two coatings are available, either Ceramic Frit or Opaci-Coat 300®.

SILOXANES AND SILICONES, DI-ME, HYDROXY-TERMINATED

ID: 70131-67-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-12-07 9:37:53**%: **75.0000 - 85.0000** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Percent weight percentage used to account for product variability and keep exact recipe confidential. Substance identified on the US EPA Safer Chemical Ingredient List. Crosslinked Polydimethylsiloxane. Water-based silicone coating that is fully cured to a tack-free silicone elastomeric film providing opacification in any color to glass and related construction materials.

SILICON DIOXIDE

ID: 7631-86-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-12-07 9:37:54**

#: **10.0000 - 20.0000** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Abrasion resistance**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]

SUBSTANCE NOTES: Percent weight percentage used to account for product variability and keep exact recipe confidential. Form-specific hazards not expected to apply when substance is bound in the matrix of the cured and dried product.

NICKEL RUTILE YELLOW

ID: 8007-18-9

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-12-07 9:37:56**

#: **0.0000 - 12.0000** GS: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
RES	AOEC - Asthmagens	Asthmagens (Rs) - sensitizer-induced

SUBSTANCE NOTES: Percent weight percentage used to account for product variability and keep exact recipe confidential. Form-specific hazards not expected to apply when substance is bound in the matrix of the cured and dried product. Substance not present in all colors.

ALUMINUM HYDROXIDE, DRIED

ID: 21645-51-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-12-07 9:37:59**

#: **0.0000 - 2.0000** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Percent weight percentage used to account for product variability and keep exact recipe confidential. Form-specific hazards not expected to apply when substance bound in the matrix of the cured and dried product.

C.I. PIGMENT GREEN 50

ID: 68186-85-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-12-07 9:37:56**

#: 0.0000 - 12.0000

GS: LT-1

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (G) - generally accepted
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
GEN	MAK	Germ Cell Mutagen 3a

SUBSTANCE NOTES: Percent weight percentage used to account for product variability and keep exact recipe confidential. Form-specific hazards not expected to apply when substance is bound in the matrix of the cured and dried product. Substance not present in all colors.

FERRIC OXIDE

ID: 1309-37-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-12-07 9:37:55

#: 0.0000 - 12.0000

GS: BM-1

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Percent weight percentage used to account for product variability and keep exact recipe confidential. Form-specific hazards not expected to apply when substance is bound in the matrix of the cured and dried product. Substance not present in all colors.

CI 77346

ID: 1345-16-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-11-25 7:39:35

#: 0.0000 - 10.0000

GS: LT-1

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (G) - generally accepted
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
GEN	MAK	Germ Cell Mutagen 3a

SUBSTANCE NOTES: Percent weight percentage used to account for product variability and keep exact recipe confidential. Form-specific hazards not expected to apply when substance is bound in the matrix of the cured and dried product. Substance not present in all colors.

FERRIC OXIDE, YELLOW

ID: 51274-00-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-11-25 7:39:35		
%: 0.0000 - 10.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Percent weight percentage used to account for product variability and keep exact recipe confidential. Substance not present in all colors.				

CARBON BLACK ID: **1333-86-4**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-11-25 7:39:36		
%: 0.0000 - 6.0000	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
SUBSTANCE NOTES: Percent weight percentage used to account for product variability and keep exact recipe confidential. Form-specific hazards not expected to apply when substance is bound in the matrix of the cured and dried product. Substance not present in all colors.				

C.I. 74265 ID: **14302-13-7**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-11-25 7:39:37		
%: 0.0000 - 6.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Percent weight percentage used to account for product variability and keep exact recipe confidential. Substance not present in all colors.				

CINQUASIA RED ID: **1047-16-1**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-11-25 7:39:37		
%: 0.0000 - 6.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: Percent weight percentage used to account for product variability and keep exact recipe confidential. Substance not present in all colors.				

PIGMENT BLUE 15 ID: **147-14-8**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-11-25 7:39:38		
%: 0.0000 - 6.0000	GS: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Percent weight percentage used to account for product variability and keep exact recipe confidential. Form-specific hazards not expected to apply when substance is bound in the matrix of the cured and dried product. Substance not present in all colors.

C.I. PIGMENT YELLOW 83 ID: **5567-15-7**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-12-07 9:37:55		
%: 0.0000 - 6.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Percent weight percentage used to account for product variability and keep exact recipe confidential. Form-specific hazards not expected to apply when substance is bound in the matrix of the cured and dried product. Substance not present in all colors.

C.I. PIGMENT YELLOW 216, RUTILE, TIN ZINC ID: **85536-73-8**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-12-07 9:37:57		
%: 0.0000 - 12.0000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Percent weight percentage used to account for product variability and keep exact recipe confidential. Substance not present in all colors.

C.I. PIGMENT YELLOW 227, NIOBIUM SULFUR TIN ZINC OXIDE ID: **1374645-21-2**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-12-07 9:37:57		
%: 0.0000 - 12.0000	GS: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Percent weight percentage used to account for product variability and keep exact recipe confidential. Substance not present in all colors.

TITANIUM DIOXIDE ID: **13463-67-7**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2021-12-07 9:37:58		
%: 0.0000 - 12.0000	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

SUBSTANCE NOTES: Percent weight percentage used to account for product variability and keep exact recipe confidential. Form-specific hazards not expected to apply when substance is bound in the matrix of the cured and dried product. Substance not present in all colors.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Not tested

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2021-12-

EXPIRY DATE:

CERTIFIER OR LAB: n/a

APPLICABLE FACILITIES: All.

07

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

More details on Multiver's glass properties can be found at <https://www.multiver.ca/en/our-products.php>.

MANUFACTURER INFORMATION

MANUFACTURER: Multiver Ltée
ADDRESS: 436 Bérubé Street
 Québec Quebec G1M 1C8, Canada
WEBSITE: www.multiver.ca/en

CONTACT NAME: Luc Cormier
TITLE: Vice-President, Operations
PHONE: 1-800-463-2810
EMAIL: luccormier@multiver.ca

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.