Thermory USA Cladding by Labeling Sustainability

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 27386
CLASSIFICATION: 07 46 23 Wood Siding
PRODUCT DESCRIPTION: Thermory real wood cladding adds unequaled sophistication to your walls. Our proven Benchmark series urges you to create natural, timeless elegance, while our Drift series gives you the chance to create a bolder aesthetic. Either way, Thermory cladding is made to make you stand out. Features of our cladding include: smooth-kissed milling, easy installation, low maintenance, JEM joints, and tight seams. Thermory products are naturally enhanced using only heat and steam.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format
- (•) Nested Materials Method
- ( ) Basic Method

Threshold Disclosed Per
- ( ) Material
- (•) Product

Threshold Level
- (•) 100 ppm
- ( ) 1,000 ppm
- ( ) Per GHS SDS
- ( ) Other

Residuals/Impurities
Considered in 1 of 1 Materials

Explanation(s) provided for Residuals/Impurities?
(•) Yes ( ) No

All Substances Above the Threshold Indicated Are:

Characterized (•) Yes Ex/SC ( ) Yes ( ) No

% weight and role provided for all substances except SC substances characterized according to SC guidance.

Screened (•) Yes Ex/SC ( ) Yes ( ) No

All substances screened using Priority Hazard Lists with results disclosed except SC substances screened according to SC guidance.

Identified ( ) Yes Ex/SC ( ) Yes (•) No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | *RESIDUAL OR IMPURITY*
GREENSCREEN SCORE | HAZARD TYPE

SC:BIO:SOLIDWOOD [SC:SOLID WOOD Not Screened]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... UNK

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special conditions applied: BiologicalMaterial

[LEED v4] "Yes ex/SC" result is due only to materials and substances for which Special Conditions were applied. Thus "Yes ex/SC" does not disqualify the product for the LEED v4 Materials and Resources Disclosure and Optimization credit, Option 1.

Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1
“The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD.”
This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.
The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

Every effort has been made to report the substances in this product by the manufacturer to the listed threshold. This is a voluntary, self-reported effort. Any errors or omissions shall be considered human

error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: Non-emitting material

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- ○ Yes
- ◉ No

PREPARER: Self-Prepared
VERIFIER:
VERIFICATION #:

SCREENING DATE: 2022-01-28
PUBLISHED DATE: 2022-01-28
EXPIRY DATE: 2025-01-28

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- *Basic Inventory method with Product-level threshold.*
- *Nested Material Inventory method with Product-level threshold*
- *Nested Material Inventory method with individual Material-level thresholds*

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

SC:BIO:SOLIDWOOD **%: 100.0000**

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Wood or Lumber

RESIDUALS AND IMPURITIES NOTES: None noted. Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1 “The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD.” This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: SpecialConditionApplied:BiologicalMaterial --- Cladding profiles in the US are: Ash, Knotty Pine, Spruce, Clear Pine

SC:SOLID WOOD ID: **SC:Bio**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **Not Screened**

%: **100.0000** GS: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Biological material**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
	Hazard Screening not performed	

SUBSTANCE NOTES:
Version: SCBioMats/2018-02-23
Category: Tree-based materials
Identifier: Cladding materials in the US are: Ash, pine, and spruce

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials. This product is modified using heat and steam. No chemicals are used in the processing of this material.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Non-emitting material

CERTIFYING PARTY: Self-declared
APPLICABLE FACILITIES: This is not a facility designation.
CERTIFICATE URL:

ISSUE DATE: 2022-01-28

EXPIRY DATE:

CERTIFIER OR LAB: SelfCertified by Thermory USA

CERTIFICATION AND COMPLIANCE NOTES: Per LEED v 4.1, Low emitting materials, wood is a non-emitting material of VOCs. Thermory USA cladding is a chemically non-treated wood. NO chemicals are used in the processing or treatment of this material.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

When hanging this product furring strips are needed. Quarrix® furring strips may be used and purchased in conjunction with your Thermory® Cladding product but are not required. Any furring strip will work. For this reason, furring strips are not included as a hanging system in this HPD, a customer can simply use the cladding system and follow the basic installation instructions. Other installation items not covered in this HPD are the use of a vapor barrier and a pest screen. For the exact installation instructions, consult the cladding installation instructions at: https://www.thermoryusa.com/wp-content/uploads/2020/12/THM570_Cladding-Installation-Guide2.pdf.

Residuals and impurities are considered in accordance with the HPD Best Practice Guidance, 10.02.17, version 1
“The threshold applied to Residuals and Impurities (R/I) is the same as the threshold applied to intentionally added substances, in terms of level, i.e., 100 ppm or 1000 ppm. Residuals and impurities present below the declared Inventory Threshold do not need to be reported on the HPD.”
This includes average data as declared in the common product database or in peer-reviewed scientific articles. For this product, no actual material has been tested therefore residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.
The main databases used for researching potential residuals and impurities are Pharos and PubChem (formerly toxnet). Any R/I above the threshold shall be listed on the HPD, otherwise, if none are listed then no residuals or impurities are common in that substance above the threshold.

Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: **Labeling Sustainability**
ADDRESS: **537 W. Highlands Ranch Pkwy**
Unit 114
Highlands Ranch, CO 80129, USA
WEBSITE: **www.thermoryusa.com**

CONTACT NAME: **Geanna Johnson**
TITLE: **Architectural Expert**
PHONE: **303.518.7683**
EMAIL: **geanna@thermoryusa.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity
CAN Cancer
DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity
GEN Gene mutation
GLO Global warming
LAN Land toxicity
MAM Mammalian/systemic/organ toxicity
MUL Multiple
NEU Neurotoxicity
NF Not found on Priority Hazard Lists
OZO Ozone depletion
PBT Persistent, bioaccumulative, and toxic
PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)
LT-1 List Translator 1 (Likely Benchmark-1)
LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.