

HPD UNIQUE IDENTIFIER: 21523

CLASSIFICATION: 09 51 00 Acoustical Ceilings

PRODUCT DESCRIPTION: Lyra fiberglass ceiling panels feature a smooth, white, drywall-like visual on a fiberglass substrate that is made with a plant-based binder and formulated without formaldehyde resins. Lyra panels offer high absorption (NRC) and light reflectance and are available in a variety of standard sizes – including large format panels. These impact, scratch and soil resistance panels are made from 75% recycled content and can be recycled at the end of their useful life as part of the Armstrong Recycling Program.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes
- No

All Substances Above the Threshold Indicated Are:

Characterized  Yes Ex/SC  Yes  No  
% weight and role provided for all substances.

Screened  Yes Ex/SC  Yes  No  
All substances screened using Priority Hazard Lists with results disclosed.

Identified  Yes Ex/SC  Yes  No  
All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**

LYRA™ PB CEILING PANELS [ GLASS, OXIDE, CHEMICALS LT-UNK  
STARCH ACRYLIC BINDER NoGS CALCIUM CARBONATE LT-UNK  
ALUMINUM HYDROXIDE BM-2 MODIFIED VEGETABLE OIL NoGS  
POLYVINYL ACETATE LT-UNK DIBENZOATE LT-P1 | MUL QUARTZ LT-1 |  
CAN POLYVINYL ALCOHOL LT-UNK SILOXANE NoGS ]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1  
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Residuals / impurities in select raw materials are quantitatively measured and are displayed in the HPD when greater than 100ppm.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified  
Other: ILFI Declare - Red List Free  
LCA: Environmental Product Declaration (EPD) by UL

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:  
VERIFICATION #:

SCREENING DATE: 2020-08-27

PUBLISHED DATE: 2020-08-27

EXPIRY DATE: 2023-08-27



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### LYRA™ PB CEILING PANELS

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals / impurities in select raw materials are quantitatively measured and are displayed in the HPD when greater than 100ppm.

OTHER PRODUCT NOTES: For more information on Armstrong Lyra PB Ceiling Panel visit [https://www.armstrongceilings.com/commercial/en-us/commercial-ceilings-walls/lyra-ceiling-tiles.html#redirect\\_term=lyra+pb](https://www.armstrongceilings.com/commercial/en-us/commercial-ceilings-walls/lyra-ceiling-tiles.html#redirect_term=lyra+pb)

#### GLASS, OXIDE, CHEMICALS

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-08-27

#: 65.0000 - 85.0000

GS: LT-UNK

RC: None

NANO: Unknown

SUBSTANCE ROLE: Structure component

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: base material

#### STARCH ACRYLIC BINDER

ID: 60323-79-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-08-27

#: 5.0000 - 15.0000

GS: NoGS

RC: None

NANO: Unknown

SUBSTANCE ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Binder

#### CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-08-27

#: 5.0000 - 15.0000

GS: LT-UNK

RC: None

NANO: Unknown

SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: <b>Filler</b>		

### ALUMINUM HYDROXIDE

ID: **21645-51-2**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-08-27</b>		
%: <b>0.0000 - 10.0000</b>	GS: <b>BM-2</b>	RC: <b>None</b>	NANO: <b>Unknown</b>	SUBSTANCE ROLE: <b>Filler</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: <b>Filler</b>				

### MODIFIED VEGETABLE OIL

ID: **68918-91-2**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-08-27</b>		
%: <b>0.0000 - 10.0000</b>	GS: <b>NoGS</b>	RC: <b>None</b>	NANO: <b>Unknown</b>	SUBSTANCE ROLE: <b>Surface modifier</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: <b>Binder</b>				

### POLYVINYL ACETATE

ID: **9003-20-7**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-08-27</b>		
%: <b>0.0000 - 5.0000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>Unknown</b>	SUBSTANCE ROLE: <b>Binder</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: <b>Binder</b>				

### DIBENZOATE

ID: **27138-31-4**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-08-27</b>		
%: <b>0.0000 - 2.0000</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>Unknown</b>	SUBSTANCE ROLE: <b>Filler</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES: <b>Filler</b>				

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES: **Filler**

## QUARTZ

ID: **14808-60-7**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-08-27</b>		
%: <b>0.0000 - 2.0000</b>	GS: <b>LT-1</b>	RC: <b>None</b>	NANO: <b>Unknown</b>	SUBSTANCE ROLE: <b>Impurity</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man		
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens		
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]		
CANCER	GHS - Australia	H350i - May cause cancer by inhalation		

SUBSTANCE NOTES: It is bound by the adhesives within the coating. It is not in a respirable form in the final product. Accordingly, it is excluded from regulatory hazards list.

## POLYVINYL ALCOHOL

ID: **9002-89-5**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-08-27</b>		
%: <b>0.0000 - 1.0000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>Unknown</b>	SUBSTANCE ROLE: <b>Binder</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: **Binder**

## SILOXANE

ID: **63148-57-2**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2020-08-27</b>		
%: <b>0.0000 - 1.0000</b>	GS: <b>NoGS</b>	RC: <b>None</b>	NANO: <b>Unknown</b>	SUBSTANCE ROLE: <b>Surface modifier</b>

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: **Binder**

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

### UL/GreenGuard Gold Certified

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2018-**

EXPIRY DATE: **2021-**

CERTIFIER OR LAB: **UL**

APPLICABLE FACILITIES: **all**

**04-16**

**04-16**

**Environment**

CERTIFICATE URL:

<https://www.armstrongceilings.com/pdbupimages-clg/225352.pdf/download/lyra-pb-greenguard-certificate.pdf>

CERTIFICATION AND COMPLIANCE NOTES: **UL GreenGuard Gold**

### OTHER

### ILFI Declare - Red List Free

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2019-**

EXPIRY DATE: **2020-**

CERTIFIER OR LAB: **ILFI**

APPLICABLE FACILITIES: **all**

**10-01**

**10-01**

CERTIFICATE URL:

<https://www.armstrongceilings.com/pdbupimages-clg/224237.pdf/download/declare-label-lyra-pb-direct-apply-ceiling-panels-oh-.pdf>

CERTIFICATION AND COMPLIANCE NOTES: **ILFI Red List Approved**

### LCA

### Environmental Product Declaration (EPD) by UL

CERTIFYING PARTY: **Third Party**

ISSUE DATE: **2016-**

EXPIRY DATE: **2021-**

CERTIFIER OR LAB: **UI**

APPLICABLE FACILITIES: **all**

**03-31**

**03-31**

**Environment**

CERTIFICATE URL:

<https://www.armstrongceilings.com/pdbupimages-clg/221361.pdf/download/epd-lyra-pb-ceiling-panels.pdf>

CERTIFICATION AND COMPLIANCE NOTES: **Product Specific EPD**

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

See more information on this product at [https://www.armstrongceilings.com/commercial/en-us/commercial-ceilings-walls/lyra-ceiling-tiles.html#redirect\\_term=LYRA+Plant+Based+%28PB%29](https://www.armstrongceilings.com/commercial/en-us/commercial-ceilings-walls/lyra-ceiling-tiles.html#redirect_term=LYRA+Plant+Based+%28PB%29)



## MANUFACTURER INFORMATION

MANUFACTURER: **Armstrong World Industries**

ADDRESS: **2500 Columbia Avenue**

**Lancaster PA 17603, USA**

WEBSITE: **www.armstrongceilings.com**

CONTACT NAME: **Anita Snader**

TITLE: **Sustainability Manager**

PHONE: **1-877-276-7876**

EMAIL: **techline@armstrongceilings.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

## KEY

### Hazard Types

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**LAN** Land toxicity

**MAM** Mammalian/systemic/organ toxicity

**MUL** Multiple

**NEU** Neurotoxicity

**NF** Not found on Priority Hazard Lists

**OZO** Ozone depletion

**PBT** Persistent, bioaccumulative, and toxic

**PHY** Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

**SKI** Skin sensitization/irritation/corrosivity

**UNK** Unknown

### GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)

**BM-3** Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

**BM-1** Benchmark 1 (avoid - chemical of high concern)

**BM-U** Benchmark Unspecified (due to insufficient data)

**LT-P1** List Translator Possible 1 (Possible Benchmark-1)

**LT-1** List Translator 1 (Likely Benchmark-1)

**LT-UNK** List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

**NoGS** No GreenScreen.

### Recycled Types

**PreC** Pre-consumer recycled content

**PostC** Post-consumer recycled content

**UNK** Inclusion of recycled content is unknown

**None** Does not include recycled content

### Other Terms:

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Inventory Methods:

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material

**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this*

