

HPD UNIQUE IDENTIFIER: 29089

CLASSIFICATION: 07 06 10 Schedules for Dampproofing and Waterproofing

PRODUCT DESCRIPTION: Henry 201 Fibered Asphalt Roof Coating is a premium cold-applied, brush or spray-grade asphalt coating in a solvent system. It is a penetrating-type protective coating formulated to provide a tough, durable, weather-resistant film. The solvent system allows working at lower temperatures than with asphalt emulsions, and the coating won't wash off if unexpected rain occurs before curing.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold Level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

201 FIBERED BLACK ROOF COATING [ASPHALT LT-1 | CAN SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC LT-P1 | END | MAM PERLITE LT-UNK CELLULOSE, MICROCRYSTALLINE LT-UNK | RES ENGLISH FULLERS EARTH NoGS ALKYL(C12-16)DIMETHYLBENZYLAMMONIUM CHLORIDE BM-1 | RES | MUL 1,2,4-TRIMETHYLBENZENE BM-2 | MUL | SKI | EYE | AQU QUARTZ BM-1 | CAN]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 250 Regulatory (g/l): 250

Does the product contain exempt VOCs: No

Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Self-declared

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2022-07-02

PUBLISHED DATE: 2022-07-07

EXPIRY DATE: 2025-07-02

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

201 FIBERED BLACK ROOF COATING

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities considered.

OTHER PRODUCT NOTES: None

ASPHALT

ID: 8052-42-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-07-02 5:28:18

%: 60.0000 - 70.0000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Water resistance

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CAN	IARC	Group 2b - Possibly carcinogenic to humans

SUBSTANCE NOTES: IARC classifies asphalt as a carcinogen when used in road paving applications. This product is not used in this application.

SOLVENT NAPHTHA (PETROLEUM), MEDIUM ALIPHATIC

ID: 64742-88-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-07-02 5:28:19

%: 20.0000 - 30.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]

SUBSTANCE NOTES: Contains no benzene - not a carcinogen or mutagen

PERLITE

ID: 93763-70-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-07-02 5:28:19

%: 5.0000 - 10.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES: Not in respirable form		

CELLULOSE, MICROCRYSTALLINE

ID: 9004-34-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-02 5:28:19	
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: No
SUBSTANCE ROLE: Structure component			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced	
SUBSTANCE NOTES: Not in respirable form			

ENGLISH FULLERS EARTH

ID: 8031-18-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-02 5:28:20	
%: 1.0000 - 5.0000	GS: NoGS	RC: None	NANO: No
SUBSTANCE ROLE: Viscosity modifier			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	
SUBSTANCE NOTES: Not in respirable form			

ALKYL(C12-16)DIMETHYLBENZYLAMMONIUM CHLORIDE

ID: 68424-85-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-02 5:28:20	
%: 0.1000 - 1.0000	GS: BM-1	RC: None	NANO: No
SUBSTANCE ROLE: Antimicrobial Pesticide			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced	
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters	
SUBSTANCE NOTES: None			

1,2,4-TRIMETHYLBENZENE

ID: 95-63-6

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2022-07-02 5:28:21	
%: Impurity/Residual	GS: BM-2	RC: None	NANO: No
SUBSTANCE ROLE: Impurity/Residual			

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
SUBSTANCE NOTES: None		

QUARTZ

ID: 14808-60-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-07-02 5:28:21**

%: **Impurity/Residual** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - New Zealand	Carcinogenicity category 1

SUBSTANCE NOTES: Not available in respirable form.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Self-declared		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2020-04-	EXPIRY DATE:	CERTIFIER OR LAB: Henry
APPLICABLE FACILITIES: All Henry facilities	14		Company
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product			

VOC CONTENT	EPA Method 24 - Volatile Matter Content (EPA 24)		
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2020-04-	EXPIRY DATE:	CERTIFIER OR LAB: Henry
APPLICABLE FACILITIES: All Henry facilities	14		Company
CERTIFICATE URL:			
CERTIFICATION AND COMPLIANCE NOTES: Exterior use only product			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

No additional general notes for this product

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company
ADDRESS: 999 N. Pacific Coast Hwy
 Suite 800
 El Segundo CA 90245, USA
WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall
TITLE: Director, Regulatory Compliance Systems
PHONE: 484-557-1247
EMAIL: wrandall@henry.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.