**HPD UNIQUE IDENTIFIER:** 1774625792
**CLASSIFICATION:** 07 26 00 Vapor Retarders
**PRODUCT DESCRIPTION:** Kop-R-Lastic® Sealant is a one-part, highly elastic, high-performance thermoplastic sealant. The sealant exhibits excellent adhesion to a variety of construction materials. It can be applied to wet or dry surfaces and has excellent low temperature flexibility. It is non-staining, non-sagging and skins over, tack free within 30 minutes.

## Section 1: Summary

**Basic Method / Product Threshold**

### CONTENT INVENTORY

**Inventory Reporting Format**
- ○ Nested Materials Method
- ◉ Basic Method

**Threshold Disclosed Per**
- ○ Material
- ◉ Product

**Threshold Level**
- ◉ 100 ppm
- ○ 1,000 ppm
- ○ Per GHS SDS
- ○ Other

**Residuals/Impurities Evaluation**
- ◉ Completed
- ○ Partially Completed
- ○ Not Completed

**Explanation(s) provided :**
- ◉ Yes ○ No

*For all contents above the threshold, the manufacturer has:*

**Characterized** ◉ Yes ○ No
*Provided weight and role.*

**Screened** ◉ Yes ○ No
*Provided screening results using HPDC-approved methods.*

**Identified** ◉ Yes ○ No
*Provided name and CAS RN or other identifier.*

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**PRODUCT** | **MATERIAL OR SUBSTANCE** | *RESIDUAL OR IMPURITY* GREENSCREEN SCORE | HAZARD TYPE

**KOP-R-LASTIC [ XYLENES** BM-1 | END | MUL | REP | SKI | EYE | MAM | AQU **HYDROCARBONS, C6-20, POLYMERS, HYDROGENATED** LT-P1 | MUL **BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE, HYDROGENATED** LT-UNK **PARAFFIN OIL** LT-P1 | CAN | MAM | GEN **FUMED SILICA, CRYSTALLINE-FREE** BM-1 **TITANIUM DIOXIDE** BM-1 | CAN | END | MAM **BIS(2,2,6,6-TETRAMETHYL-4-PIPERIDINYL) SEBACATE** BM-1 | MUL | EYE | MAM | AQU **PHENOL, 2-(5-CHLORO-2H-BENZOTRIAZOL-2-YL)-4,6-BIS(1,1-DIMETHYLETHYL)-** LT-1 | MUL | PBT *ETHYLBENZENE* BM-1 | END | CAN | REP | PHY | MAM | EYE | SKI | AQU **]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-P1, LT-1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

Antimicrobial Pesticides Reporting: This product does not contain substance(s) that are intentionally added above the [Product - 100 ppm] threshold to act as antimicrobials.

No inventory and screening notes.

**PFAS DETAILS:**

This product does **not** contain intentionally added PFAS and materials and substances from suppliers are verified to **not** contain PFAS.

**Attestation:**

Whitney Randall

2025-06-17

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 350 Regulatory (g/l): 350
Does the product contain exempt VOCs: No
Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

### CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: Self-declared
VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

Third Party Verified?
- ○ Yes
- ◉ No

PREPARER: Self-Prepared
VERIFIER:
VERIFICATION #:

SCREENING DATE: 2025-06-17
PUBLISHED DATE: 2025-06-17
EXPIRY DATE: 2028-06-17

## Section 2: Content in Descending Order of Quantity

*This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:*

- *Basic Inventory method with Product-level threshold.*
- *Nested Material Inventory method with Product-level threshold*
- *Nested Material Inventory method with individual Material-level thresholds*

*Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard*

### KOP-R-LASTIC

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: No additional residuals and impurities notes available.

OTHER PRODUCT NOTES: Pigmented versions contain titanium dioxide and/or carbon black at various levels.

#### XYLENES ID: 1330-20-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-06-17 14:57:37**

%: **30.0000 - 40.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Solvent**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| MUL | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters |
| REP | GHS - Japan | H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B] |
| SKI | EU - GHS (H-Statements) Annex 6 Table 3-1 | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| SKI | GHS - New Zealand | Skin irritation category 2 |
| EYE | GHS - New Zealand | Eye irritation category 2 |
| SKI | GHS - Australia | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM | GHS - Japan | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] |
| SKI | GHS - Japan | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |
| REP | GHS - New Zealand | Reproductive toxicity category 2 |
| EYE | GHS - Korea | H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2] |
| SKI | GHS - Korea | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| MAM | GHS - Korea | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - Repeated exposure - Category 1] |
| AQU | GHS - Japan | H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2] |
| AQU | GHS - Japan | H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2] |
| SKI | GHS - Malaysia | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| MAM | GHS - Australia | H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List<br><br>Antimicrobials |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List<br><br>Some Solvents |

SUBSTANCE NOTES: None

## HYDROCARBONS, C6-20, POLYMERS, HYDROGENATED

ID: **69430-35-9**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-06-17 14:57:38**

%: **25.0000 - 30.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Adhesive**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| MUL | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: None

## BENZENE, ETHENYL-, POLYMER WITH 1,3-BUTADIENE, HYDROGENATED

ID: **66070-58-4**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-06-17 14:57:38**

%: **20.0000 - 25.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Polymer species**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| None found | | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: None

## PARAFFIN OIL

ID: **8012-95-1**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-06-17 14:57:39**

%: **15.0000 - 20.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Plasticizer**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| CAN | GHS - Japan | H350 - May cause cancer [Carcinogenicity - Category 1A] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| GEN | GHS - Japan | H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2] |
| MAM | GHS - Japan | H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List<br>Antimicrobials |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List<br>Some Solvents |

SUBSTANCE NOTES: None

## FUMED SILICA, CRYSTALLINE-FREE

ID: **112945-52-5**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-06-17 14:57:39**

%: **1.0000 - 5.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| None found | | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Not available in respirable form.

## TITANIUM DIOXIDE

ID: **13463-67-7**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-06-17 14:57:37**

%: **0.0000 - 5.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CAN | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources |
| CAN | MAK | Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value |
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| CAN | MAK | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels |
| CAN | IARC | Group 2b - Possibly carcinogenic to humans |
| CAN | EU - GHS (H-Statements) Annex 6 Table 3-1 | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |
| CAN | GHS - Japan | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Formulated Consumer Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Cosmetics & Personal Care Products |
| POSITIVE LIST | US Environmental Protection Agency (US EPA) | US EPA - DfE Safer Chemicals Ingredients list (SCIL)<br><br>Colorants - Green Circle (Verified Low Concern) |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024<br><br>Cosmetics and Personal Care Products |

SUBSTANCE NOTES: Pigmented versions of product contain up to 5% titanium dioxide. It is not present in a respirable form. Clear does not contain TiO2.

**BIS(2,2,6,6-TETRAMETHYL-4-PIPERIDINYL) SEBACATE** ID: **52829-07-9**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-06-17 14:57:38**

%: **0.1000 - 0.5000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Heat or UV stabilizer**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| MUL | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters |
| EYE | GHS - New Zealand | Eye irritation category 2 |
| MAM | GHS - Japan | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] |
| EYE | GHS - Japan | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1] |
| AQU | GHS - New Zealand | Hazardous to the aquatic environment - chronic category 2 |
| AQU | GHS - Japan | H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1] |
| AQU | GHS - Japan | H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2] |
| MAM | GHS - Australia | H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2] |
| EYE | GHS - Australia | H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1] |
| MAM | GHS - Japan | H330 - Fatal if inhaled [Acute toxicity (inhalation: dust, mist) - Category 2] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: No additional notes

**PHENOL, 2-(5-CHLORO-2H-BENZOTRIAZOL-2-YL)-4,6-BIS(1,1-DIMETHYLETHYL)-** ID: **3864-99-1**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-06-17 14:57:39**

%: **0.0500 - 0.2000** GreenScreen: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Antimicrobial Pesticide**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| MUL | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters |
| PBT | ChemSec - SIN List | PBT / vPvB (Persistent, Bioaccumulative, & Toxic / very Persistent & very Bioaccumulative) |
| PBT | EU - SVHC List | vPvB - Candidate list |
| PBT | EU - SVHC List | vPvB - Banned unless Authorised |
| PBT | EU - SVHC List | vPvB - Prioritized for listing |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Core Restrictions |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024<br><br>All Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024<br><br>Using Optimized Materials - Silver |

SUBSTANCE NOTES: None

**ETHYLBENZENE** ID: **100-41-4**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-06-17 14:57:39**

%: **0.0000 - 0.1000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| CAN | CA EPA - Prop 65 | Carcinogen |
| CAN | MAK | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels |
| CAN | IARC | Group 2b - Possibly carcinogenic to humans |
| REP | GHS - Japan | H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B] |
| PHY | EU - GHS (H-Statements) Annex 6 Table 3-1 | H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2] |
| MAM | GHS - Japan | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3] |
| EYE | GHS - New Zealand | Eye irritation category 2 |
| SKI | GHS - Australia | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| EYE | GHS - Australia | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A] |
| CAN | GHS - New Zealand | Carcinogenicity category 2 |
| CAN | GHS - Japan | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| REP | GHS - New Zealand | Reproductive toxicity category 2 |
| AQU | GHS - Japan | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
| AQU | GHS - Japan | H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2] |
| PHY | GHS - New Zealand | Flammable liquids category 2 |
| PHY | GHS - Japan | H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2] |
| PHY | GHS - Malaysia | H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2] |
| PHY | GHS - Australia | H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2] |
| MAM | EU - GHS (H-Statements) Annex 6 Table 3-1 | H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1] |
| MAM | GHS - Australia | H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| --- | --- | --- |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List<br><br>Some Solvents |

SUBSTANCE NOTES: Substance is an impurity and not intentionally added.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

**VOC EMISSIONS** **Self-declared**

CERTIFYING PARTY: Self-declared
APPLICABLE FACILITIES: All facilities
CERTIFICATE URL:

ISSUE DATE: 2020-01-29 00:00:00
EXPIRY DATE:

CERTIFIER OR LAB: Henry Company

CERTIFICATION AND COMPLIANCE NOTES: Exterior use product

**VOC CONTENT** **EPA Method 24 - Volatile Matter Content (EPA 24)**

CERTIFYING PARTY: Self-declared
APPLICABLE FACILITIES: All facilities
CERTIFICATE URL:

ISSUE DATE: 2020-01-29 00:00:00
EXPIRY DATE:

CERTIFIER OR LAB: Henry Company

CERTIFICATION AND COMPLIANCE NOTES: Exterior product

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

Some versions of this product are pigmented and contain up to 5% TiO2 as reported in "Substances."

# Section 6: References

**MANUFACTURER INFORMATION**

MANUFACTURER: **Henry Company**
ADDRESS: **336 Cold Stream Rd**
**Kimberton, PA 19460**
COUNTRY: **USA**

WEBSITE: **www.henry.com**
CONTACT NAME: **Whitney Randall**
TITLE: **Director, Regulatory Compliance Systems**
PHONE: **484-557-1247**
EMAIL: **wrandall@henry.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

**AQU** Aquatic toxicity
**CAN** Cancer
**DEV** Developmental toxicity
**END** Endocrine activity
**EYE** Eye irritation/corrosivity
**GEN** Gene mutation
**GLO** Global warming
**LAN** Land toxicity
**MAM** Mammalian/systemic/organ toxicity
**MUL** Multiple
**NEU** Neurotoxicity
**NF** Not found on Priority Hazard Lists
**OZO** Ozone depletion
**PBT** Persistent, bioaccumulative, and toxic
**PHY** Physical hazard (flammable or reactive)
**REP** Reproductive
**RES** Respiratory sensitization
**SKI** Skin sensitization/irritation/corrosivity
**UNK** Unknown

**GreenScreen (GS)**

**BM-4** Benchmark 4 (prefer-safer chemical)
**BM-3** Benchmark 3 (use but still opportunity for improvement)
**BM-2** Benchmark 2 (use but search for safer substitutes)
**BM-1** Benchmark 1 (avoid - chemical of high concern)
**BM-U** Benchmark Unspecified (due to insufficient data)
**LT-P1** List Translator Possible 1 (Possible Benchmark-1)
**LT-1** List Translator 1 (Likely Benchmark-1)
**LT-UNK** List Translator Benchmark Unknown
**NoGS** No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

**Recycled Types**

**PreC** Pre-consumer recycled content
**PostC** Post-consumer recycled content
**UNK** Inclusion of recycled content is unknown
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method** / **Material Threshold** Substances listed within each material per threshold indicated per material
**Nested Method** / **Product Threshold** Substances listed within each material per threshold indicated per product
**Basic Method** / **Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology
**Third Party Verified** Verification by independent certifier approved by HPDC
**Preparer** Third party preparer, if not self-prepared by manufacturer
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and*

*for compliance with the HPD standard noted.*