

HPD UNIQUE IDENTIFIER: 28853

CLASSIFICATION: 07 27 36 Sprayed Foam Air Barrier

PRODUCT DESCRIPTION: Part A of a two component, polyurethane, spray foam system.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold Level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?

- Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No

All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

PERMAX - A COMPONENT [POLYMERIC MDI (PMDI) LT-UNK | MUL | RES | CAN METHYLENE BISPHENYL DIISOCYANATE (PURE MDI) LT-UNK | MUL | RES | CAN | SKI | EYE DIPHENYLMETHANE DIISOCYANATE (MDI) - NON ISOMER SPECIFIC LT-UNK | MUL | RES | SKI | EYE | CAN]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

No additional notes

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Self-declared

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2022-06-22

PUBLISHED DATE: 2022-06-22

EXPIRY DATE: 2025-06-22

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

PERMAX - A COMPONENT

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities considered. All components in this part will fully react upon application.

OTHER PRODUCT NOTES: None

POLYMERIC MDI (PMDI)

ID: 9016-87-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-06-22 13:56:46

?: 50.0000 - 60.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Curing agent

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|------------------------------------|--|
| MUL | US EPA - PPT Chemical Action Plans | EPA Chemical of Concern - Action Plan published |
| RES | AOEC - Asthmagens | Asthmagen (G) - generally accepted |
| CAN | MAK | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels |
| RES | AOEC - Asthmagens | Asthmagen (Rs) - sensitizer-induced |
| RES | MAK | Sensitizing Substance Sah - Danger of airway & skin sensitization |
| RES | US EPA - PPT Chemical Action Plans | Inhalation sensitizer causing asthma and lung damage |

SUBSTANCE NOTES: Reacts with B Component upon application.

METHYLENE BISPHENYL DIISOCYANATE (PURE MDI)

ID: 101-68-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-06-22 13:56:47

?: 35.0000 - 45.0000

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Curing agent

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|---|---|
| MUL | US EPA - PPT Chemical Action Plans | EPA Chemical of Concern - Action Plan published |
| RES | AOEC - Asthmagens | Asthmagen (G) - generally accepted |
| CAN | MAK | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels |
| RES | AOEC - Asthmagens | Asthmagen (Rs) - sensitizer-induced |
| RES | MAK | Sensitizing Substance Sah - Danger of airway & skin sensitization |
| RES | US EPA - PPT Chemical Action Plans | Inhalation sensitizer causing asthma and lung damage |
| SKI | EU - GHS (H-Statements) Annex 6 Table 3-1 | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| SKI | EU - GHS (H-Statements) Annex 6 Table 3-1 | H317 - May cause an allergic skin reaction [Skin sensitization - Category 1] |
| EYE | EU - GHS (H-Statements) Annex 6 Table 3-1 | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A] |
| RES | EU - GHS (H-Statements) Annex 6 Table 3-1 | H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1] |
| CAN | EU - GHS (H-Statements) Annex 6 Table 3-1 | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |

SUBSTANCE NOTES: Reacts with B Component upon application

DIPHENYLMETHANE DIISOCYANATE (MDI) - NON ISOMER SPECIFIC

ID: 26447-40-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-06-22 13:56:47**

#: **1.0000 - 5.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Curing agent**

| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS |
|-------------|---|---|
| MUL | US EPA - PPT Chemical Action Plans | EPA Chemical of Concern - Action Plan published |
| RES | US EPA - PPT Chemical Action Plans | Inhalation sensitizer causing asthma and lung damage |
| SKI | EU - GHS (H-Statements) Annex 6 Table 3-1 | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| SKI | EU - GHS (H-Statements) Annex 6 Table 3-1 | H317 - May cause an allergic skin reaction [Skin sensitization - Category 1] |
| EYE | EU - GHS (H-Statements) Annex 6 Table 3-1 | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A] |
| RES | EU - GHS (H-Statements) Annex 6 Table 3-1 | H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1] |
| CAN | EU - GHS (H-Statements) Annex 6 Table 3-1 | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |

SUBSTANCE NOTES: Reacts with B Component upon application.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Self-declared

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-03-30 EXPIRY DATE:

CERTIFIER OR LAB: Henry Company

APPLICABLE FACILITIES: All Henry facilities

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: No additional notes

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

PERMAX - B COMPONENTS (ALL FOAM DENSITIES)

HPD URL: No HPD link provided

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Must be used in conjunction with B Component to form cured foam.

Section 5: General Notes

This product fully reacts with Part B components to form foams of various densities and cell structures.

MANUFACTURER INFORMATION

MANUFACTURER: Henry Company
ADDRESS: 999 N. Pacific Coast Hwy
 Suite 800
 El Segundo CA 90245, USA
WEBSITE: www.henry.com

CONTACT NAME: Whitney Randall
TITLE: Director, Regulatory Compliance Systems
PHONE: 484-557-1247
EMAIL: wrandall@henry.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

| | | |
|---------------------------------------|---|--|
| AQU Aquatic toxicity | LAN Land toxicity | PHY Physical hazard (flammable or reactive) |
| CAN Cancer | MAM Mammalian/systemic/organ toxicity | REP Reproductive |
| DEV Developmental toxicity | MUL Multiple | RES Respiratory sensitization |
| END Endocrine activity | NEU Neurotoxicity | SKI Skin sensitization/irritation/corrosivity |
| EYE Eye irritation/corrosivity | NF Not found on Priority Hazard Lists | UNK Unknown |
| GEN Gene mutation | OZO Ozone depletion | |
| GLO Global warming | PBT Persistent, bioaccumulative, and toxic | |

GreenScreen (GS)

| | |
|---|--|
| BM-4 Benchmark 4 (prefer-safer chemical) | LT-1 List Translator 1 (Likely Benchmark-1) |
| BM-3 Benchmark 3 (use but still opportunity for improvement) | LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) |
| BM-2 Benchmark 2 (use but search for safer substitutes) | |
| BM-1 Benchmark 1 (avoid - chemical of high concern) | |
| BM-U Benchmark Unspecified (due to insufficient data) | |
| LT-P1 List Translator Possible 1 (Possible Benchmark-1) | NoGS No GreenScreen. |

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.