



HPD UNIQUE IDENTIFIER: 677994281984

CLASSIFICATION: 09 26 13 Gypsum Veneer Plastering

PRODUCT TYPE: Abuse-Resistant (Gypsum Board)

PRODUCT DESCRIPTION: Turbo Gips Gypsum Binder for Direct Use: High quality white mortar with fast curing properties which makes a homogeneous mixture ready for immediate use and application without any other additives. Fuga Gips Jointing Treatment Plaster: Gypsum paste used for jointing between gypsum boards. Creating a homogeneous mortar ready for immediate use without any additives. Also can be used for repairing damaged concrete walls. Knauf Super AlAlmany Surface Coating and decoration putty: White putty for finishing rough surfaces of both masonry and drywall construction. Super AlAlmany creates a homogenous putty of final or sub coat ready for use without additives before paints or wallpaper.

**Section 1: Summary**

**Basic Method / Product Threshold**

**CONTENT INVENTORY**

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
<input type="radio"/> Nested Materials Method <input checked="" type="radio"/> Basic Method	<input type="radio"/> 100 ppm <input checked="" type="radio"/> 1,000 ppm <input type="radio"/> Per GHS SDS <input type="radio"/> Other	<input checked="" type="radio"/> Completed <input type="radio"/> Partially Completed <input type="radio"/> Not Completed  <b>Explanation(s) provided :</b> <input checked="" type="radio"/> Yes <input type="radio"/> No	<b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No <i>Provided weight and role.</i>  <b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No <i>Provided screening results using HPDC-approved methods.</i>  <b>Identified</b> <input type="radio"/> Yes <input checked="" type="radio"/> No <i>Provided name and CAS RN or other identifier.</i>

**CONTENT IN DESCENDING ORDER OF QUANTITY**

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY**

**GREENSCREEN SCORE | HAZARD TYPE**

**KNAUF GYPSUM POWDER PLASTER [ CALCIUM SULFATE**

**DIHYDRATE [LT-UNK] MAM PROPRIETARY BINDER [NoGS**

**POLYETHYLENE [LT-UNK]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

None

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

HPD prepared using a basis method Inventory with a product threshold at 1000 ppm. The content inventory includes Knauf ceiling tiles products. The product contain materials with Special Conditions (reaction products) as per the HPDC. Reporting of special conditions materials was done according to HPDC Guidelines. Guidelines for reporting reaction products are still under development by HPDC. Knauf Company will update the HPD accordingly once these guidelines get published. Chemicals substances at or above the threshold, have been declared as unreacted. Substances present in Knauf ceiling tiles, as well as known residuals and impurities, have been disclosed at 1000 ppm. Some ingredients are not disclosed because they are proprietaries. More details about how residuals and impurities were considered available in the appropriate sections.

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** *See Section 3 for additional listings.*

VOC emissions: Inherently non-emitting source per LEED

**CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER: Vertima

VERIFICATION #: Ute-20498

SCREENING DATE: 2024-09-05

PUBLISHED DATE: 2024-09-05

EXPIRY DATE: 2027-09-05

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### KNAUF GYPSUM POWDER PLASTER

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: The gypsum used is a naturally occurring mineral with minimal impurities. Additives: Trace amounts of additives such as cellulose fibers and starch are used. These residuals are well within acceptable limits and pose no known health risks.

OTHER PRODUCT NOTES: Knauf gypsum powder plaster products are mainly manufactured by geological material (gypsum).

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-09-05 6:17:27**

#: **99.4400** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Bleaching agent**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: According to the SDS datasheet, residual and impurity are below the threshold.

**PROPRIETARY BINDER**

ID: **Not registered**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-09-05 6:17:27**

#: **0.5000** GreenScreen: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: According to the SDS datasheet, residual and impurity are below the threshold.

**POLYETHYLENE**

ID: **9002-88-4**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-09-05 6:17:27**

#: **0.0600** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Reducing agent**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: According to the SDS datasheet, residual and impurity are below the threshold.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

VOC EMISSIONS	Inherently non-emitting source per LEED	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2024-02-14 00:00:00	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: na	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

The content within this HPD relies on data supplied by KNAUF and its suppliers, as of the HPD's date. In this context, KNAUF and the HPDC Approved Preparer have actively sought details from vendors concerning deliberately included components, residuals, and impurities, reaching the 1,000-ppm threshold.

**MANUFACTURER INFORMATION**

MANUFACTURER: **Knauf Egypt**  
 ADDRESS: **Al Semad, Attaka, Suez Governorate 8132540**  
**Knauf Plant, Suez**  
**Suez, Cairo 43511**  
 COUNTRY: **Egypt**

WEBSITE: **https://knaufegypt.com/en-us**  
 CONTACT NAME: **Said Hassan**  
 TITLE: **Company Quality Manager**  
 PHONE: **+2 010 24601247**  
 EMAIL: **Said.Hassan@knauf.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and*

