Manson AK Board™ - Unfaced
by Knauf Insulation North America

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 35671097344
CLASSIFICATION: 07 21 13 Board Insulation
PRODUCT DESCRIPTION: Manson AK Board™ is a thermal and acoustical insulation made from inorganic glass fibers preformed into boards bonded by a thermosetting resin. It's available plain, or with factory-applied FSK or ASJ facings.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format
- ○ Nested Materials Method
- ◉ Basic Method

Threshold Disclosed Per
- ○ Material
- ◉ Product

Threshold Level
- ◉ 100 ppm
- ○ 1,000 ppm
- ○ Per GHS SDS
- ○ Other

Residuals/Impurities Evaluation
- ○ Completed
- ◉ Partially Completed
- ○ Not Completed

Explanation(s) provided :
- ◉ Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized ◉ Yes ○ No
Provided weight and role.

Screened ◉ Yes ○ No
Provided screening results using HPDC-approved methods.

Identified ○ Yes ◉ No
Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | **MATERIAL OR SUBSTANCE** | *RESIDUAL OR IMPURITY* GREENSCREEN SCORE | HAZARD TYPE

MANSON AK BOARD™ - UNFACED [FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤18 % BY WEIGHT LT-UNK **CORN SYRUP** LT-UNK **UNDISCLOSED** LT-UNK | EYE **3-(TRIETHOXYSILYL)PROPYLAMINE** LT-UNK | SKI | MAM | EYE **]**

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... None

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Inventoried and screened to the 100ppm threshold.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: UL/GreenGuard Gold Certified
Recycled content: UL Environmental Claim Validation - Recycled content
Formaldehyde content: UL Environmental Claim Validation - Formaldehyde Free
LCA: Environmental Product Declaration (EPD) by Sustainable Minds

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?
- ○ Yes
- ◉ No

PREPARER: Self-Prepared
VERIFIER:
VERIFICATION #:

SCREENING DATE: 2024-12-30
PUBLISHED DATE: 2024-12-30
EXPIRY DATE: 2027-12-30

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- *Basic Inventory method with Product-level threshold.*
- *Nested Material Inventory method with Product-level threshold*
- *Nested Material Inventory method with individual Material-level thresholds*

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

MANSON AK BOARD™ - UNFACED

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Partially

RESIDUALS AND IMPURITIES NOTES: Trace levels of impurities can be found in the minerals used in the glass making process.

OTHER PRODUCT NOTES: There are potential trace level materials in mined materials used in glass making but the level is deminimis and can vary depending on where materials are mined or sourced.
There are possibly trace level materials in organic binder from agricultural impacts and perhaps appear for the same reason depending on its source.

FIBER GLASS, BIOSOLUBLE AND/OR WITH ALKALINE OXIDE AND ALKALI EARTH OXIDE CONTENT ≤18 % BY WEIGHT

ID: **65997-17-3**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-12-30 14:21:37**

%: **85.0000 - 95.0000** GreenScreen: **LT-UNK** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Insulator**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex V listing due to intrinsic safety

SUBSTANCE NOTES: All glass formulations used by Knauf Insulation are validated by the EUCEB screening and auditing process.
See UL Certified Recycled Glass document. Available here - https://spot.ul.com/

CORN SYRUP

ID: **8029-43-4**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-12-30 14:21:37**

%: **5.0000 - 15.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex IV listing due to intrinsic safety

SUBSTANCE NOTES: The thermoset binder that gives the product shape and color are derived from high fructose corn syrup.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-12-30 14:21:38**

%: **0.1000 - 5.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Catalyst**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
EYE	GHS - New Zealand	Eye irritation category 2

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024 All Products

SUBSTANCE NOTES: This is a proprietary ingredient that is part of the binder adhesive mixture, which is cured in the finished product.

3-(TRIETHOXYSILYL)PROPYLAMINE

ID: **919-30-2**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-12-30 14:21:38**

%: **0.0100 - 1.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
SKI	GHS - New Zealand	Skin corrosion category 1C
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Additive to promote adhesion of binder to the fiber. This is a cured coating and is not available as a liquid in the product.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS — **UL/GreenGuard Gold Certified**

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Shelbyville, IN
CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/5aeb785b55b0e82a30022f00?page_type=Products%20Catalog

ISSUE DATE: 2018-05-01 00:00:00
EXPIRY DATE: 2024-12-20 00:00:00

CERTIFIER OR LAB: UL Environmental

CERTIFICATION AND COMPLIANCE NOTES:

RECYCLED CONTENT — **UL Environmental Claim Validation - Recycled content**

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Shelbyville, IN
CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/5aeb785b55b0e82a30022f00?page_type=Products%20Catalog

ISSUE DATE: 2018-09-28 00:00:00
EXPIRY DATE: 2025-07-20 00:00:00

CERTIFIER OR LAB: UL Environmental

CERTIFICATION AND COMPLIANCE NOTES:

FORMALDEHYDE CONTENT — **UL Environmental Claim Validation - Formaldehyde Free**

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Shelbyville, IN
CERTIFICATE URL: https://spot.ul.com/main-app/products/detail/5aeb785b55b0e82a30022f00?page_type=Products%20Catalog

ISSUE DATE: 2018-05-01 00:00:00
EXPIRY DATE: 2025-12-20 00:00:00

CERTIFIER OR LAB: UL Environmental

CERTIFICATION AND COMPLIANCE NOTES:

LCA — **Environmental Product Declaration (EPD) by Sustainable Minds**

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Shelbyville, IN
CERTIFICATE URL: https://transparencycatalog.com/assets/uploads/pdf/AK-Board_EPD_Manson-Insulation_12222023.pdf

ISSUE DATE: 2023-12-12 00:00:00
EXPIRY DATE: 2028-12-12 00:00:00

CERTIFIER OR LAB: Sustainable Minds

CERTIFICATION AND COMPLIANCE NOTES: Third Party verified by Harmony Environmental, LLC

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

We rely on raw material information from our suppliers. This document is completed to the best of our knowledge as of the date of publication.

Section 6: References

MANUFACTURER INFORMATION

MANUFACTURER: **Knauf Insulation North America**
ADDRESS: **One Knauf Dr**
Shelbyville, Indiana 46176
COUNTRY: **USA**

WEBSITE: **www.knaufnorthamerica.com**
CONTACT NAME: **April Morris**
TITLE: **Sustainability Product Stewardship**
PHONE: **317-512-1016**
EMAIL: **info@us.knaufinsulation.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity
CAN Cancer
DEV Developmental toxicity
END Endocrine activity
EYE Eye irritation/corrosivity
GEN Gene mutation
GLO Global warming
LAN Land toxicity
MAM Mammalian/systemic/organ toxicity
MUL Multiple
NEU Neurotoxicity
NF Not found on Priority Hazard Lists
OZO Ozone depletion
PBT Persistent, bioaccumulative, and toxic
PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)
LT-1 List Translator 1 (Likely Benchmark-1)
LT-UNK List Translator Benchmark Unknown
NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / **Material Threshold** Substances listed within each material per threshold indicated per material
Nested Method / **Product Threshold** Substances listed within each material per threshold indicated per product
Basic Method / **Product Threshold** Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

for compliance with the HPD standard noted.