

HPD UNIQUE IDENTIFIER: 22974

CLASSIFICATION: 09 30 00 Tiling

PRODUCT DESCRIPTION: Our ceramic tile caulk is for caulking around sinks, tubs, showers and where tile meets tile or another surface. Also adheres bath fixtures and loose tile. Do not use to install grab bars. Maximum joint width and depth should not exceed 1/4" (6 mm). Do not use in areas with constant water exposure. For interior use only.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

<p>Inventory Reporting Format</p> <p><input type="radio"/> Nested Materials Method</p> <p><input checked="" type="radio"/> Basic Method</p> <p>Threshold Disclosed Per</p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p>Threshold level</p> <p><input type="radio"/> 100 ppm</p> <p><input checked="" type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p>Residuals/Impurities</p> <p><input checked="" type="radio"/> Considered</p> <p><input type="radio"/> Partially Considered</p> <p><input type="radio"/> Not Considered</p> <p>Explanation(s) provided for Residuals/Impurities?</p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p>Characterized <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p>Screened <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p>Identified <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No</p> <p><i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i></p>
--	--	--	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

CERAMIC TILE CAULK (NON-SANDED) [**LIMESTONE** LT-UNK
STYRENE ACRYLIC ACID COPOLYMER LT-UNK **WATER** BM-4
ETHYLENE GLYCOL BM-1 | DEV | END **TITANIUM DIOXIDE** LT-1 | CAN
| END **POLYETHYLENE GLYCOL MONO(OCTYLPHENYL) ETHER** LT-
P1 | END | MUL **FERRIC OXIDE** BM-1 | CAN **FERROSFERRIC OXIDE**
BM-1 | CAN **HYDRATED FERRIC OXIDE** LT-UNK **UNDISCLOSED** BM-1
QUARTZ LT-1 | CAN **AMMONIA** LT-P1 | RES | AQU | SKI | MAM | END |
MUL **UNDISCLOSED** LT-UNK | SKI **MINERAL SPIRITS** LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Manufacturer has opted for Basic Inventory Format; Substances are listed by weight in the entire product instead of by Material. All raw materials have been evaluated down to 0.01% of formula. Any CAS# or substance names are withheld due to CBI.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 48.3 Regulatory (g/l): 48.3
Does the product contain exempt VOCs: Yes
Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC Emissions
VOC content: VOC Content

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-11-12

PUBLISHED DATE: 2020-11-18

EXPIRY DATE: 2023-11-12

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

CERAMIC TILE CAULK (NON-SANDED)

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities have been considered and disclosed from available information. Outside chemical analysis has not been performed.

OTHER PRODUCT NOTES:

LIMESTONE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-11-12

#: 30.0000 - 60.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

STYRENE ACRYLIC ACID COPOLYMER

ID: 25085-34-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-11-12

#: 20.0000 - 35.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-11-12

#: 10.0000 - 30.0000 GS: BM-4 RC: None NANO: No SUBSTANCE ROLE: Diluent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

ETHYLENE GLYCOL

ID: 107-21-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-11-12

#: 1.0000 - 5.0000

GS: BM-1

RC: None

NANO: No

SUBSTANCE ROLE: Coalescent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
DEVELOPMENTAL	CA EPA - Prop 65	Developmental toxicity
DEVELOPMENTAL	US NIH - Reproductive & Developmental Monographs	Clear Evidence of Adverse Effects - Developmental Toxicity
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-11-12

#: 1.0000 - 5.0000

GS: LT-1

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

POLYETHYLENE GLYCOL MONO(OCTYLPHENYL) ETHER

ID: 9036-19-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-11-12

#: 1.0000 - 5.0000

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Surfactant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	ChemSec - SIN List	Endocrine Disruption
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

FERRIC OXIDE

ID: 1309-37-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-11-12

#: 1.0000 - 5.0000

GS: BM-1

RC: None

NANO: No

SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

FERROSFERRIC OXIDE

ID: 1317-61-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-11-12		
%: 1.0000 - 5.0000	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

HYDRATED FERRIC OXIDE

ID: 20344-49-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-11-12		
%: 1.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-11-12		
%: 0.7000 - 0.9000	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

QUARTZ

ID: 14808-60-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-11-12		
%: Impurity/Residual	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Impurity/Residual

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources
CANCER	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)
CANCER	MAK	Carcinogen Group 1 - Substances that cause cancer in man
CANCER	GHS - New Zealand	6.7A - Known or presumed human carcinogens
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

AMMONIA

ID: 7664-41-7

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-11-12	
%: 0.0000 - 0.1500	GS: LT-P1	RC: None NANO: No SUBSTANCE ROLE: Buffer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rr) - irritant-induced
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
MAMMALIAN	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

UNDISCLOSED

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-11-12	
%: 0.0000 - 0.1500	GS: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Biocide
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

MINERAL SPIRITS

ID: 64475-85-0

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2020-11-12**

%: **0.0000 - 0.3500** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Diluent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Ranges given due to batch to batch variability.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

VOC Emissions

CERTIFYING PARTY: Self-declared
APPLICABLE FACILITIES: All
CERTIFICATE URL:

ISSUE DATE: 2020-11-12 EXPIRY DATE:

CERTIFIER OR LAB: SELF-DECLARED

CERTIFICATION AND COMPLIANCE NOTES:

VOC CONTENT

VOC Content

CERTIFYING PARTY: Self-declared
APPLICABLE FACILITIES: All
CERTIFICATE URL:

ISSUE DATE: 2020-11-12 EXPIRY DATE:

CERTIFIER OR LAB: SELF-DECLARED

CERTIFICATION AND COMPLIANCE NOTES:

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: Custom Building Products
ADDRESS: 10400 Pioneer Blvd Unit #3
 Santa Fe Springs California 90670, United States
WEBSITE:
<https://www.custombuildingproducts.com/products/grout-materials/caulk-sealant/cermanic-tile-caulk.aspx>

CONTACT NAME: Tim Kennedy
TITLE: Compliance Manager
PHONE: 8002728786
EMAIL: technicalservicedepartment@cbpmail.net

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

