GenSPEED 10,000 Category 6A U/FTP (STP) Plenum Cable by Prysmian Group

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 21561

CLASSIFICATION: 27 10 00 Structured Cabling

PRODUCT DESCRIPTION: GenSPEED® 10,000 Category 6A U/FTP (STP), Part number: 7131786 The individually shielded pairs of GenSPEED 10,000 Category 6A U/FTP (STP) allow for maximum pair separation, increasing key electrical performance parameters. The electromagnetic interference (EMI) protection provided by the shielded design makes this an excellent product for digital video, broadband and baseband analog video applications.



Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format Nested Materials Method

C Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 100 ppm

① 1,000 ppm

Per GHS SDS

C Other

Residuals/Impurities

Residuals/Impurities

Considered in 11 of 11 Materials

Explanation(s) provided for Residuals/Impurities?

O Yes O No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened

O Yes Ex/SC O Yes O No

All substances screened using Priority Hazard Lists with results disclosed.

Identified

O Yes Ex/SC O Yes O No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

PLENUM JACKET [POLYVINYL CHLORIDE (PVC) LT-P1 | RES ALUMINA TRIHYDRATE BM-2 UNDISCLOSED LT-UNK | SKI UNDISCLOSED BM-2 | PBT | MUL UNDISCLOSED LT-UNK UNDISCLOSED BM-3 UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 UNDISCLOSED LT-1 | CAN | END ANTIMONY TRIOXIDE BM-1 | CAN | MUL UNDISCLOSED Nogs undisclosed BM-1 | AQU | MUL | RES | END undisclosed LT-P1 UNDISCLOSED LT-P1 | END] COPPER CONDUCTOR [COPPER LT-P1 | MUL] PLENUM WIRE INSULATION [1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE LT-UNK UNDISCLOSED LT-UNK | SKI BORON NITRIDE (BN) LT-UNK] ALUM/PET TAPE [POLYETHYLENE TEREPHTHALATE (PET) LT-UNK ALUMINUM BM-1 | RES | PHY | END] FIBERGLASS TAPE [GLASS / MINERAL FIBER LT-UNK UNDISCLOSED BM-3 | BLUE JACKETING PIGMENT [UNDISCLOSED BM-3 UNDISCLOSED BM-3dg UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | RES UNDISCLOSED BM-3 | UNDISCLOSED | SILICA, AMORPHOUS BM-1 | CAN TITANIUM DIOXIDE LT-1 | CAN | END UNDISCLOSED LT-P1 | CAN UNDISCLOSED BM-2 | RES 1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE LT-UNK] UNDISCLOSED [1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE LT-UNK C.I. PIGMENT BLUE 28 LT-1 | RES | CAN | GEN TITANIUM DIOXIDE LT-1 | CAN | END SILICA, AMORPHOUS BM-1 | CAN UNDISCLOSED LT-P1 | CAN UNDISCLOSED BM-2 | RES] UNDISCLOSED [1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE LT-UNK BISMUTH VANADIUM TETRAOXIDE BM-1 | MUL UNDISCLOSED LT-P1 | AQU | MUL UNDISCLOSED LT-P1]

Number of Greenscreen BM-4/BM3 contents ... 4

Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

Nanomaterial No.

INVENTORY AND SCREENING NOTES:

The product was disclosed at 1000 parts per million or 0.1%

UNDISCLOSED [1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE LT-UNK SILICA, AMORPHOUS BM-1 | CAN TITANIUM DIOXIDE LT-1 | CAN | END UNDISCLOSED LT-P1 | CAN UNDISCLOSED BM-2 | RES UNDISCLOSED BM-2 | CAN UNDISCLOSED LT-1 | RES | CAN | FEP BROWN COLOR CONCENTRATE [1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE LT-UNK C.I. PIGMENT BROWN 33 LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK SILICA, AMORPHOUS BM-1 | CAN TITANIUM DIOXIDE LT-1 | CAN | END UNDISCLOSED LT-P1 | CAN UNDISCLOSED BM-2 | RES]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC Emissions

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

PREPARER: Self-Prepared

C Yes
No

VERIFIER: VERIFICATION #: SCREENING DATE: 2020-09-01 PUBLISHED DATE: 2020-09-01

EXPIRY DATE: 2023-09-01



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

PLENUM JACKET %: 32.0500

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

POLYVINYL CHLORIDE (PVC) ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREEN	NING DATE: 2020	-09-01
%: 40.0000 - 50.0000	gs: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Insulator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS	
RESPIRATORY	AOEC - Asthmagens	Asthm	agen (Rs) - sens	itizer-induced

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

ALUMINA TRIHYDRATE ID: 21645-51-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-01 %: 20.0000 - 40.0000 SUBSTANCE ROLE: Flame retardant GS: BM-2 **BC:** None NANO: NO HAZARD TYPE AGENCY AND LIST TITLES WARNINGS None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

HAZARD SCREENING METHOD: Pharos C	nemical and Materials Library	HAZARD SCREENING DATE: 2020-09-01		
%: 5.0000 - 25.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Flame retardant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation

UNDISCLOSED

HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCF	REENING DATE: 20	20-09-01
%: 1.0000 - 15.0000	GS: BM-2	RC: None	nano: No	SUBSTANCE ROLE: Flame retardant
HAZARD TYPE	AGENCY AND LIST TITLES	,	WARNINGS	
PBT	EU - ESIS PBT	ا	Fulfills PBT Crite	ria - Action Deferred
РВТ	ChemSec - SIN List		•	sistent, Bioaccumulative, & Toxic / very Bioaccumulative)
MULTIPLE	German FEA - Substances Hazardor Waters	us to	Class 2 - Hazard	to Waters
РВТ	EHP - San Antonio Statement on BF		Flame retardant : long range trans	substance class of concern for PB&T & port
RESTRICTED LIST	US EPA - PPT Chemical Action Plan	_	TSCA Work Plan assessment	chemical - ongoing chemical (risk)
PBT	OSPAR - Priority PBTs & EDs & equi	ivalent	PBT - Chemical f	or Priority Action

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-09-01		
%: 1.0000 - 10.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Plasticizer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNII	NGS		
None found			No warni	ngs found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

HAZARD SCREENING METHOD: Pharos C	IG METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-01		20-09-01	
%: 1.0000 - 5.0000	GS: BM-3	RC: None	nano: No	SUBSTANCE ROLE: Flame retardant

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-01		
%: 0.1000 - 5.0000	GS: LT-UNK	RC: None NAN	o: No SUBSTANCE ROLE: Flame retardant	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-09-01		
%: 0.1000 - 5.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Stabilizer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS		
None found			No warnin	gs found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Ph	SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-01		
%: 0.0000 - 5.0000	gs: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Stabilizer	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS		
None found			No warnin	gs found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREEN	NING DATE: 2020-0	99-01
%: 0.0000 - 5.0000	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Dye

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

ANTIMONY TRIOXIDE ID: 1309-64-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-01			
%: 0.0000 - 10.0000	GS: BM-1	RC: None	nano: No	SUBSTANCE ROLE: Flame retardant	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CANCER	IARC		Group 2b - Poss	sibly carcinogenic to humans	
CANCER	EU - GHS (H-Statements)		H351 - Suspecte	ed of causing cancer	
MULTIPLE	ChemSec - SIN List		CMR - Carcinog	en, Mutagen &/or Reproductive Toxicant	
CANCER	MAK		Carcinogen Gro man	up 2 - Considered to be carcinogenic for	
CANCER	US NIH - Report on Carcinogens		Reasonably Anti	icipated to be Human Carcinogen	
CANCER	CA EPA - Prop 65		Carcinogen		
CANCER	GHS - Japan		Carcinogenicity	- Category 1B [H350]	

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020	0-09-01
%: 0.0000 - 1.0000	GS: NoGS	RC: None	nano: No	SUBSTANCE ROLE: Lubricant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	NGS	
None found			No warnir	ngs found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SC	REENING DATE: 202	20-09-01
%: 0.0000 - 5.0000	GS: BM-1	RC: None	nano: No	SUBSTANCE ROLE: Flame retardant
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
ACUTE AQUATIC	EU - GHS (H-Statements)		H400 - Very toxic	to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)		H410 - Very toxic	to aquatic life with long lasting effects
MULTIPLE	German FEA - Substances Hazardor Waters	us to	Class 2 - Hazard	to Waters
RESPIRATORY	AOEC - Asthmagens		Asthmagen (Rs)	- sensitizer-induced
ENDOCRINE	TEDX - Potential Endocrine Disrupto	ors	Potential Endocr	ine Disruptor

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Ph	naros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020	0-09-01
%: 0.0000 - 5.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Lubricant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNII	NGS	
None found			No warnir	ngs found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos C	Chemical and Materials Library	HAZARD SC	REENING DATE: 2020	0-09-01
%: 0.0000 - 5.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Lubricant
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Po	tential Endocrine [Disruptor

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

COPPER CONDUCTOR %: 30.5700

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

ZARD SCREENING METHOD: Phar	ros Chemical and Materials Library	HAZARD SCREE	ENING DATE: 2020	0-09-01
: 100.0000 - 100.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Conductor
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	IINGS	
MULTIPLE	German FEA - Substances Hazardous Waters	s to Clas	s 2 - Hazard to	Waters

PLENUM WIRE INSULATION %: 23.7600

each substance have been disclosed.

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCRE	ENING DATE: 20	20-09-01
%: 95.0000 - 100.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Insulator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings fo	ound on HPD Priority Hazard Lists

UNDISCLOSED

HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCRE	ENING DATE: 20	20-09-01
%: 0.8000 - 25.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Flame retardant
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
SKIN IRRITATION	EU - GHS (H-Statements)	НЗ	15 - Causes s	kin irritation

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

BORON NITRIDE (BN)

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-01

%: 0.0000 - 5.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Blowing agent

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

ALUM/PET TAPE %: 6.8300

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREE	NING DATE: 202	0-09-01
%: 60.0000 - 70.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Film former
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS	
None found			No warn	ings found on HPD Priority Hazard Lists

ALUMINUM 1D: 7429-90-5

HAZARD SCREENING METHOD: Pharos (Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020	-09-01
%: 30.0000 - 40.0000	GS: BM-1	RC: None	nano: No	SUBSTANCE ROLE: Insulator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS	
RESPIRATORY	AOEC - Asthmagens	Asthm	nagen (Rs) - sens	sitizer-induced
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250	- Catches fire sp	ontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H261	- In contact with	water releases flammable gases
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Poten	tial Endocrine Di	sruptor

SUBSTANCE NOTES: This substance is an alloyed metal so the exposure and risk of these hazards is significantly lower than the pure elemental form. The HPDC is currently developing guidance on the special conditions on alloyed metals.

FIBERGLASS TAPE %: 2.6300

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

GLASS / MINERAL FIBER ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

MEDIANO SCREENING DATE: 2020-09-01

MEDIANO SUBSTANCE ROLE: Textile component

MAZARD TYPE

AGENCY AND LIST TITLES

MARNINGS

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREI	ENING DATE: 20	20-09-01
%: 30.0000 - 40.0000	gs: BM-3	RC: None	nano: No	SUBSTANCE ROLE: Flame retardant
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS	
None found			No w	varnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance is proprietary to the supplier; however, the supplier has disclosed that there are no associated health hazards based on the HPD Priority lists from this substance.

BLUE JACKETING PIGMENT %: 0.2800

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

UNDISCLOSED

HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020	-09-01
%: 0.0000 - 100.0000	GS: BM-3	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS	
None found			No warnin	gs found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The substance and its formulation ranges in this material is considered proprietary to the supplier; however, this substance has been screened against the relevant HPD hazard lists.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-01

MATERIAL TYPE: Polymeric Material

%: 0.0000 - 100.0000	GS: BM-3dg	RC: None NANO: No SUBSTANCE ROLE: Plasticizer	izer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Hazard Lists	lazard Lists

SUBSTANCE NOTES: The substance and its formulation ranges in this material is considered proprietary to the supplier; however, this substance has been screened against the relevant HPD hazard lists.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-09-01			
%: 0.0000 - 100.0000	gs: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	NGS			
None found			No warnir	ngs found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: The substance and its formulation ranges in this material is considered proprietary to the supplier; however, this substance has been screened against the relevant HPD hazard lists.

UNDISCLOSED

HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREEN	IING DATE: 2020 -	-09-01
%: 0.0000 - 100.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Carrier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	S	
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced		

SUBSTANCE NOTES: The substance and its formulation ranges in this material is considered proprietary to the supplier; however, this substance has been screened against the relevant HPD hazard lists.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-01		
%: 0.0000 - 100.0000	GS: BM-3	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The substance and its formulation ranges in this material is considered proprietary to the supplier; however, this substance has been screened against the relevant HPD hazard lists.

UNDISCLOSED %: 0.1000

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES: This material and its formulation is considered proprietary to the supplier; however, this material has been fully screened and the health hazards have been fully disclosed.

SILICA, AMORPHOUS ID: 7631-86-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-01			
%: 0.0000 - 100.0000	GS: BM-1	RC: None	nano: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS		
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]			
CANCER	GHS - Australia	H350i - May cause cancer by inhalation			

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-01			
%: 0.0000 - 100.0000	GS: LT-1	RC: No	one	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNING	S	
CANCER	US CDC - Occupational Carcinogens		Occupa	ational Carcinog	en
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effection but not sufficient to establish MAK/BAT value			<u> </u>
CANCER	CA EPA - Prop 65		Carcino	ogen - specific to	o chemical form or exposure route
CANCER	IARC		•	2B - Possibly ca itional sources	rcinogenic to humans - inhaled from
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potenti	al Endocrine Dis	sruptor
CANCER	MAK			ogen Group 4 - N der MAK/BAT lev	Non-genotoxic carcinogen with low vels

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-09-01		
%: 0.0000 - 100.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Pigment	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-09-01			
%: 0.0000 - 100.0000	GS: BM-2	RC: None	nano: No	SUBSTANCE ROLE: Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	WARNINGS			
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced				

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE

ID: 25067-11-2

HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREI	ENING DATE: 202	20-09-01
%: 0.0000 - 100.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Carrier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		N	o warnings fou	nd on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED %: 0.0500

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold

OTHER MATERIAL NOTES: This material and its formulation is considered proprietary to the supplier; however, this material has been fully screened and the health hazards have been fully disclosed.

1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE

ID: 25067-11-2

HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREI	ENING DATE: 202	20-09-01
%: 0.0000 - 100.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Carrier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		N	o warnings fou	nd on HPD Priority Hazard Lists

C.I. PIGMENT BLUE 28 ID: 1345-16-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-01			
%: 0.0000 - 100.0000	GS: LT-1	RC: None	nano: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
RESPIRATORY	AOEC - Asthmagens	Asthmagen (G) - generally accepted			
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic f man			
RESPIRATORY	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization			
GENE MUTATION	MAK	Germ Cell Mutagen 3a			

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-01			
%: 0.0000 - 100.0000	GS: LT-1	RC: No	one	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNIN	GS	
CANCER	US CDC - Occupational Carcinogens		Occup	oational Carcino	gen
CANCER	MAK			•	- Evidence of carcinogenic effects stablish MAK/BAT value
CANCER	CA EPA - Prop 65		Carcir	nogen - specific	to chemical form or exposure route
CANCER	IARC			2B - Possibly ca pational sources	arcinogenic to humans - inhaled from
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Poten	tial Endocrine Di	sruptor
CANCER	MAK			nogen Group 4 - nder MAK/BAT le	Non-genotoxic carcinogen with low evels

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

SILICA, AMORPHOUS ID: 7631-86-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-01		
%: 0.0000 - 100.0000	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	NING DATE: 2020	-09-01
%: 0.0000 - 100.0000	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	gs	
CANCER	MAK		ogen Group 4 - I nder MAK/BAT le	Non-genotoxic carcinogen with low evels

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	NING DATE: 2020	-09-01
%: 0.0000 - 100.0000	GS: BM-2	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS	
RESPIRATORY	AOEC - Asthmagens	Asthm	nagen (Rs) - sens	itizer-induced

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED %: 0.0500

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES: This material and its formulation is considered proprietary to the supplier; however, this material has been fully screened and the health hazards have been fully disclosed.

1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE

ID: 25067-11-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCRE	ENING DATE: 202	20-09-01
%: 0.0000 - 100.0000	gs: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Carrier

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

BISMUTH VANADIUM TETRAOXIDE

ID: 14059-33-7

HAZARD SCREENING METHOD: Pharos (Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020	-09-01
%: 0.0000 - 100.0000	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
MULTIPLE	German FEA - Substances Hazardous to Waters	Class	3 - Severe Hazaı	rd to Waters

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-01		
%: 0.0000 - 100.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
ACUTE AQUATIC	EU - GHS (H-Statements)	H400) - Very toxic to a	quatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410) - Very toxic to a	quatic life with long lasting effects
MULTIPLE	German FEA - Substances Hazardous to Waters	Clas	s 2 - Hazard to Wa	aters

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-09-01		
%: 0.0000 - 100.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS		
None found			No warning	gs found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold

OTHER MATERIAL NOTES: This material and its formulation is considered proprietary to the supplier; however, this material has been fully screened and the health hazards have been fully disclosed.

1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE

ID: 25067-11-2

HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREE	ENING DATE: 202	20-09-01
%: 0.0000 - 100.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Carrier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		N	o warnings fou	nd on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

SILICA, AMORPHOUS ID: 7631-86-9

HAZARD SCREENING METHOD: Pharos	s Chemical and Materials Library	HAZARD SCREENING DATE: 2020-09-01
%: 0.0000 - 100.0000	GS: BM-1	RC: None NANO: No SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	ENING DATE: 2020	-09-01
%: 0.0000 - 100.0000	GS: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-01		
%: 0.0000 - 100.0000	gs: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN		
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with lorisk under MAK/BAT levels		

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-09-01			
%: 0.0000 - 100.0000	GS: BM-2	RC: None	nano: No	SUBSTANCE ROLE: Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	WARNINGS			
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced				

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-01		
%: 0.0000 - 100.0000	GS: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-01			
%: 0.0000 - 100.0000	gs: LT-1	RC: None	SUBSTANCE ROLE: Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN			
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced			
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans			
CANCER	US NIH - Report on Carcinogens	Know	n to be a human	Carcinogen	
CANCER	CA EPA - Prop 65	Carcir	nogen		

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

FEP BROWN COLOR CONCENTRATE %: 0.0500

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES: This material and its formulation is considered proprietary to the supplier; however, this material has been fully screened and the health hazards have been fully disclosed.

1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE

ID: 25067-11-2

HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREE	NING DATE: 202	20-09-01
%: 0.0000 - 100.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Carrier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	warnings fou	nd on HPD Priority Hazard Lists

SUBSTANCE NOTES:

C.I. PIGMENT BROWN 33

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-01			
%: 0.0000 - 100.0000	gs: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S		
None found			No warning	gs found on HPD Priority Hazard Lists	
SUBSTANCE NOTES:					

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-01		
%: 0.0000 - 100.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S	
None found			No warning	gs found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-01			
%: 0.0000 - 100.0000	GS: LT-1	RC: No	one	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNING	GS	
CANCER	EU - GHS (H-Statements)		H350 -	May cause cand	eer
CANCER	EU - REACH Annex XVII CMRs				- Substances which should be Carcinogenic to man
MULTIPLE	ChemSec - SIN List		CMR -	Carcinogen, Mu	tagen &/or Reproductive Toxicant
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2	2 - Hazard to Wa	ters
CANCER	EU - Annex VI CMRs			ogen Category 1 evidence	B - Presumed Carcinogen based on
CANCER	GHS - Australia		H350 -	May cause cand	eer

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-01		
%: 0.0000 - 100.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Pigment

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

SILICA, AMORPHOUS ID: 7631-86-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-01			
%: 0.0000 - 100.0000	GS: BM-1	RC: None NANO: No SUBSTANCE ROLE: Pigment			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]			
CANCER	GHS - Australia	H350i - May cause cancer by inhalation			

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-01				
%: 0.0000 - 100.0000	gs: LT-1	RC: No	SUBSTANCE ROLE: Pigment			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen				
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value				
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure rout				
CANCER	IARC			2B - Possibly ca ational sources	arcinogenic to humans - inhaled from	
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potent	ial Endocrine Di	sruptor	
CANCER	MAK			ogen Group 4 - der MAK/BAT le	Non-genotoxic carcinogen with low evels	

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREET	HAZARD SCREENING DATE: 2020-09-01		
%: 0.0000 - 100.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Pigment	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-09-01		
%: 0.0000 - 100.0000	GS: BM-2	RC: None	nano: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthm	Asthmagen (Rs) - sensitizer-induced		

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

VOC Emissions

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All facilities ISSUE DATE: 2019-

06-26

EXPIRY DATE:

CERTIFIER OR LAB: Self-declared

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Not applicable for product type



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

This Health Product Declaration was prepared by Sustainable Solutions Corporation of Royersford, PA on behalf of General Cable.

MANUFACTURER INFORMATION

MANUFACTURER: Prysmian Group

ADDRESS: 4 Tesseneer Rd

Highland Heights KY 41076, United States

WEBSITE: https://www.prysmiangroup.com/en

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or

reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

CONTACT NAME: Matt Marcus

PHONE: 859-386-9781

TITLE: Product Line Management

EMAIL: matt.marcus@prysmiangroup.com

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.