## GenSPEED® 10 Category 6A CMP Cable by Prysmian Group

**Health Product** Declaration v2.2

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 22070** 

CLASSIFICATION: 27 10 00 Structured Cabling

PRODUCT DESCRIPTION: GenSPEED® 10 Category 6A, Part number: 7141819 This Category 6A standards-compliant cable utilizes a crossweb separator with patented design which locks the pairs into a systematic orientation within the cable providing superior internal electrical characteristics. An ideal product for high-power PoE applications, rated to 90°C GenSPEED 10 UTP is UL Listed CMP-LP (0.6A) and able to support up to 120 watts using 50 volts over all four

## Section 1: Summary

## **Nested Method / Product Threshold**

### **CONTENT INVENTORY**

Inventory Reporting Format

Nested Materials Method

C Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

C 100 ppm € 1.000 ppm

C Per GHS SDS

C Other

Residuals/Impurities

Residuals/Impurities

Considered in 11 of 11 Materials

Explanation(s) provided for Residuals/Impurities?

Yes ○ No.

All Substances Above the Threshold Indicated Are:

Characterized

O Yes Ex/SC @ Yes O No. % weight and role provided for all substances.

O Yes Ex/SC @ Yes O No. Screened All substances screened using Priority Hazard Lists with results disclosed.

O Yes Ex/SC O Yes O No. Identified

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

COPPER CONDUCTOR [ COPPER LT-P1 | MUL ] PLENUM INSULATION [ 1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE LT-UNK UNDISCLOSED LT-UNK | SKI BORON NITRIDE (BN) LT-UNK ] PLENUM JACKET [ POLYVINYL CHLORIDE (PVC) LT-P1 | RES ALUMINA TRIHYDRATE BM-2 UNDISCLOSED LT-UNK | SKI UNDISCLOSED LT-UNK UNDISCLOSED BM-3 UNDISCLOSED BM-2 | PBT | MUL UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 UNDISCLOSED LT-1 | CAN | END ANTIMONY TRIOXIDE BM-1 |
CAN | MUL UNDISCLOSED NoGS UNDISCLOSED BM-1 | RES | AQU | END | MUL UNDISCLOSED
LT-P1 UNDISCLOSED LT-P1 | END ] MYLAR/ALUM SHIELD [ ALUMINUM BM-1 | RES | PHY | END POLYETHYLENE TEREPHTHALATE (PET) LT-UNK ] FOAM PES CROSSWEB [ POLYETHER SULFONE NoGS | UNDISCLOSED | SILICA, AMORPHOUS BM-1 | CAN TITANIUM DIOXIDE LT-1 | CAN | END UNDISCLOSED LT-P1 | CAN UNDISCLOSED BM-2 | RES 1-PROPENE, 1,1,2,3,3,3 HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE LT-UNK ] BLUE JACKETING PIGMENT [ UNDISCLOSED BM-3 UNDISCLOSED BM-3dg UNDISCLOSED LT-UNK POLYVINYL CHLORIDE (PVC) LT-P1 | RES LIMESTONE; CALCIUM CARBONATE LT-UNK ] UNDISCLOSED [ 1-PROPENE, 3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE LT-UNK C.I. PIGMENT BLUE 28 LT-1 | RES | CAN | GEN TITANIUM DIOXIDE LT-1 | CAN | END SILICA, AMORPHOUS BM-1 | CAN UNDISCLOSED LT-P1 | CAN UNDISCLOSED BM-2 | RES ] UNDISCLOSED [1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE T-UNK SILICA, AMORPHOUS BM-1 | CAN TITANIUM DIOXIDE LT-1 | CAN | END UNDISCLOSED LT-P1 | CAN UNDISCLOSED BM-2 | RES UNDISCLOSED BM-2 | CAN UNDISCLOSED LT-1 | RES | CAN ] UNDISCLOSED [1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE LT-UNK BISMUTH VANADIUM TETRAOXIDE BM-1 | MUL UNDISCLOSED LT-P1 | AQU | MUL UNDISCLOSED LT-P1 | UNDISCLOSED [1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE LT-UNK C.I. PIGMENT BROWN 33 LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN | MUL UNDISCLOSED LT-UNK SILICA, AMORPHOUS BM-1 | CAN TITANIUM DIOXIDE LT-1 | CAN | END UNDISCLOSED LT-P1 | CAN UNDISCLOSED BM-2 | RES ]

Number of Greenscreen BM-4/BM3 contents ... 2 Contents highest concern GreenScreen

Benchmark or List translator Score ... BM-1

INVENTORY AND SCREENING NOTES:

The product was disclosed to 1000 parts per million or 0.1%

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC Emissions

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

C Yes No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

SCREENING DATE: 2020-10-02 PUBLISHED DATE: 2020-10-02 EXPIRY DATE: 2023-10-02



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

(	COPPER CONDUCTOR	%: 37.9100						
F	PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CONSID	ERED: Yes			MATERIAL TYPE: Metal		
F	RESIDUALS AND IMPURITIES NOTES: Residuals are considered and are below the 1000ppm reporting threshold.							
C	OTHER MATERIAL NOTES:							
	COPPER						ID: <b>7440-50-8</b>	
	HAZARD SCREENING METHOD: Pharos Chemical at	nd Materials Library	HAZARD SCREENING DATE: 2020-10-02					
	%: 100.0000	gs: <b>LT-P1</b>	RC: None		nano: <b>No</b>	SUBSTANCE ROLE: Conductor		
	HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS				
	MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 -	Hazard to Waters			
	SUBSTANCE NOTES:							

### PLENUM INSULATION %: 25.6600

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02
%: 95.0000 - 100.0000	GS: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Insulator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:		

### UNDISCLOSED

		HAZARD SCREENING DATE: 2020-10-02				
		RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Flame retardant		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
SKIN IRRITATION	EU - GHS (H-Statements)	EU - GHS (H-Statements)		H315 - Causes skin irritation		

SUBSTANCE NOTES: This substance is proprietary but the health hazards have been disclosed.

BORON NITRIDE (BN)

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

MID: 10043-11-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

MID: 10043-11-5

HAZARD SCREENING DATE: 2020-10-02

MID: 10043-11-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

MID: 10043-11-5

HAZARD SCREENING DATE: 2020-10-02

MANO: No
SUBSTANCE ROLE: Blowing agent

Mone found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

PLENUM JACKET %: 23.8500

PRODUCT THRESHOLD: 1000 ppm RESIDUALS A

RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

POLYVII	POLYVINYL CHLORIDE (PVC)					
HAZARD SO	HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02			
%: 40.000	00 - 50.0000	GS: LT-P1	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Insulator	
HAZARD T	YPE	AGENCY AND LIST TITLES	WARNINGS Asthmagen (Rs) - sensitizer-induced			
RESPIR	RATORY	AOEC - Asthmagens				

ALUMINA TRIHYDRATE	ALUMINA TRIHYDRATE						
HAZARD SCREENING METHOD: I	RD SCREENING METHOD: Pharos Chemical and Materials Library		NG DATE: <b>2020-10-02</b>				
%: 20.0000 - 40.0000	GS: <b>BM-2</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Flame retardant			
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS				
None found				No warnings found on HPD Priority Hazard Lists			

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02			
%: <b>5.0000 - 25.0000</b> GS: <b>LT-UNK</b>		RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Flame retardant	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
SKIN IRRITATION	EU - GHS (H-Statements)		H315 - Causes skin irritation		

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

### UNDISCLOSED

· · · · · · · · · · · · · · · · · · ·		HAZARD SCREENING	HAZARD SCREENING DATE: 2020-10-02			
		RC: None	nano: <b>No</b>	SUBSTANCE ROLE: <b>Plasticizer</b>		
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS			
None found				No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

### UNDISCLOSED

		HAZARD SCREENIN	HAZARD SCREENING DATE: 2020-10-02			
		RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Flame retardant		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
None found				No warnings found on HPD Priority Hazard Lists		

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02			
%: <b>1.0000 - 15.0000</b>	GS: <b>BM-2</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Flame retardant	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
PBT	OSPAR - Priority PBTs & EDs & equivalent concern		PBT - Chemical for Priority Action		
PBT	EU - ESIS PBT		Fulfills PBT Criteria - Action Deferred		
РВТ	ChemSec - SIN List		PBT / vPvB (Persistent, Bioaccumulative, & Toxic / very Persistent & very Bioaccumulative)		
MULTIPLE	German FEA - Substances Hazardous to	o Waters	Class 2 - Hazard to Waters		
PBT	EHP - San Antonio Statement on BFRs & CFRs		Flame retardant substance class of concern for PB&T & long range transport		
RESTRICTED LIST	US EPA - PPT Chemical Action Plans		TSCA Work Plan chemical - ongoing chemical (risk) assessment		

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02				
%: 0.1000 - 5.0000	GS: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Flame retardant		

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02		
%: <b>0.1000 - 5.0000</b>	GS: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02			
	%: <b>0.0000 - 5.0000</b>	GS: <b>LT-P1</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Stabilizer
	HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02				
%: <b>0.0000 - 5.0000</b>	GS: <b>LT-1</b>	RC: None		nano: <b>No</b>	SUBSTANCE ROLE: <b>Dye</b>	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNING	S		
CANCER	US CDC - Occupational Carcinogens		Occupa	Occupational Carcinogen		
CANCER	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route			
CANCER	IARC		Group 2		nic to humans - inhaled from occupational	
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potenti	al Endocrine Disruptor		
CANCER	MAK			ogen Group 3A - Evidenc sh MAK/BAT value	ee of carcinogenic effects but not sufficient to	
CANCER	MAK		Carcino	ogen Group 4 - Non-geno	otoxic carcinogen with low risk under MAK/BAT	

%: 0.0000 - 10.0000	GS: <b>BM-1</b>	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Flame retardant	
HAZARD SCREENING METHOD: Pharos Che	emical and Materials Library	HAZARD SCREENING	DATE: <b>2020-10-02</b>		
ANTIMONY TRIOXIDE					ID: <b>1309-64-4</b>

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CANCER	GHS - Japan	Carcinogenicity - Category 1B [H350]

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2020-10-02		
%: <b>0.0000 - 1.0000</b>	gs: <b>NoGS</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Lubricant	
HAZARD TYPE	AGENCY AND LIST TITLES	,	WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02			
%: 0.0000 - 5.0000	GS: <b>BM-1</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Flame retardant	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
RESPIRATORY	AOEC - Asthmagens		Asthmagen (Rs) - sensitizer-induced		
ACUTE AQUATIC	EU - GHS (H-Statements)		H400 - Very toxic to aquatic life		
CHRON AQUATIC	EU - GHS (H-Statements)		H410 - Very toxic to aquatic life with long lasting effects		
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters		

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2020-10-02		
%: <b>0.0000 - 5.0000</b>	GS: LT-P1	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Lubricant	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02			
%: 0.0000 - 5.0000	GS: LT-P1	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Lubricant	

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

ENDOCRINE TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

### MYLAR/ALUM SHIELD

%: 8.4000

PRODUCT THRESHOLD: 1000 ppm

residuals and impurities considered: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

ALUMINUM					ID: <b>7429-90-5</b>
HAZARD SCREENING METHOD: Pharos Chem	nical and Materials Library	HAZARD SCREEN	ING DATE: 2020-10-02		
%: 25.0000 - 70.0000	gs: <b>BM-1</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Insulator	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
RESPIRATORY	AOEC - Asthmagens		Asthmagen (Rs) - ser	nsitizer-induced	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H250 - Catches fire s	pontaneously if exposed to air	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H261 - In contact with	h water releases flammable gases	
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine [	Disruptor	
STIRSTANCE NOTES:					

POLYETHYLENE TEREPHTHALATE (PET)				
HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREENI	NG DATE: 2020-10-0	2
%: 0.0000 - 30.0000	gs: <b>LT-UNK</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found				No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

FOAM PES CROSSWEB

%: 3.2600

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals are considered and are below the 1000ppm reporting threshold.

OTHER MATERIAL NOTES:

POLYETHER SULFONE				ID: 25667-42-9
HAZARD SCREENING METHOD: Pharos C	Chemical and Materials Library	HAZARD SCREENING	DATE: <b>2020-10-02</b>	
%: 80.0000 - 100.0000	GS: NoGS	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found				No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Other: Colorant

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES: This material and its formulation is considered proprietary to the supplier; however, this material has been fully screened and the health hazards have been fully disclosed.

SILICA, AMORPHOUS					ID: <b>7631-86-9</b>
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	HAZARD SCREENING DATE: 2020-10-02		
%: 0.0000 - 100.0000	GS: <b>BM-1</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CANCER	GHS - Japan		Carcinogenicity - Ca	tegory 1A [H350]	
CANCER	GHS - Australia		H350i - May cause c	ancer by inhalation	

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

TITANIUM DIOXIDE				ID: <b>13463-67</b> -		
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	IG DATE: 2020-10-02			
%: 0.0000 - 100.0000	GS: <b>LT-1</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: <b>Pigment</b>		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
CANCER	US CDC - Occupational Carcinog	ens	Occupational Carcin	nogen		
CANCER	CA EPA - Prop 65	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CANCER	IARC		Group 2B - Possibly sources	carcinogenic to humans - inhaled from occupational		
ENDOCRINE	TEDX - Potential Endocrine Disru	ptors	Potential Endocrine	Disruptor		
CANCER	MAK		Carcinogen Group 3 establish MAK/BAT	A - Evidence of carcinogenic effects but not sufficient to value		
CANCER	MAK		Carcinogen Group 4 levels	- Non-genotoxic carcinogen with low risk under MAK/BAT		

UN	DI	S	CI	LO	S	Εľ	כ

HAZARD SCREENING METHOD: Pharos Chemical a	and Materials Library	HAZARD SCREENING	à DATE: <b>2020-10-02</b>	
%: <b>0.0000 - 100.0000</b>	GS: LT-P1	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CANCER	MAK		Carcinogen Group 4 - Non levels	-genotoxic carcinogen with low risk under MAK/BAT

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical	and Materials Library	HAZARD SCREENING	DATE: <b>2020-10-02</b>	
%: 0.0000 - 100.0000	GS: <b>BM-2</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
RESPIRATORY	AOEC - Asthmagens		Asthmagen (Rs) - sensitizer-induced	

### **BLUE JACKETING PIGMENT**

%: 0.3800

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

\*\*\*: 0.0000 - 100.0000

GS: BM-3

RC: None

NANO: No

SUBSTANCE ROLE: Dye

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

NO warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

%: 0.0000 - 100.0000

GS: BM-3dg

RC: None

NANO: No

SUBSTANCE ROLE: Plasticizer

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

**POLYVINYL CHLORIDE (PVC)** ID: 9002-86-2 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-02 %: 0.0000 - 100.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Carrier HAZARD TYPE AGENCY AND LIST TITLES WARNINGS RESPIRATORY AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

Materials Library

Mazard Screening Date: 2020-10-02

Mazard Screening Method: Pharos Chemical and Materials Library

Mazard Screening Date: 2020-10-02

Mazard Type

AGENCY AND LIST TITLES

Marnings

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED %: 0.0400

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Other: Colorant

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES: This material and its formulation is considered proprietary to the supplier; however, this material has been fully screened and the health hazards have been fully disclosed.

### 1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE

ID: 25067-11-2

HAZARD SCREENING METHOD: Pharos Cher	nical and Materials Library	HAZARD SCREENING	DATE: <b>2020-10-</b> 0	02
%: 0.0000 - 100.0000	GS: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Carrier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

C.I. PIGMENT BLUE 28					ID: 1345-16-0
HAZARD SCREENING METHOD: Pharos Chemical a	and Materials Library	HAZARD SCREENING D	DATE: <b>2020-10-02</b>		
%: 0.0000 - 100.0000	GS: <b>LT-1</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
RESPIRATORY	AOEC - Asthmagens		Asthmagen (G) - generall	ly accepted	
CANCER	MAK		Carcinogen Group 2 - Co	onsidered to be carcinogenic for man	
RESPIRATORY	MAK		Sensitizing Substance Sa	ah - Danger of airway & skin sensitization	
GENE MUTATION	MAK		Germ Cell Mutagen 3a		

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

ITANIUM DIOXIDE				ID: <b>13463-</b>
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	A DATE: 2020-10-02	
: 0.0000 - 100.0000	GS: <b>LT-1</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CANCER	US CDC - Occupational Carcinogens		Occupational Carcino	ogen
CANCER	CA EPA - Prop 65		Carcinogen - specific	c to chemical form or exposure route
CANCER	IARC		Group 2B - Possibly sources	carcinogenic to humans - inhaled from occupational
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine I	Disruptor
CANCER	MAK		Carcinogen Group 3A establish MAK/BAT	A - Evidence of carcinogenic effects but not sufficient to value
CANCER	MAK		Carcinogen Group 4 levels	- Non-genotoxic carcinogen with low risk under MAK/B
CANCER	MAK			- Non-genotoxic carcinogen with low risk under N

	<u>,</u>
HAZARD SCREENING DATE: 2020-10-02	
RC: None NANO: No SUBSTANCE ROLE: Pigment	
WARNINGS	
Carcinogenicity - Category 1A [H350]	
H350i - May cause cancer by inhalation	
	RC: None NANO: No SUBSTANCE ROLE: Pigment  WARNINGS  Carcinogenicity - Category 1A [H350]

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

# HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-02 %: 0.0000 - 100.0000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Pigment WARNINGS

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

### UNDISCLOSED

CANCER

HAZARD SCREENING METHOD: Pharos Chemical a	and Materials Library	HAZARD SCREENING D	DATE: <b>2020-10-02</b>	
%: 0.0000 - 100.0000	GS: <b>BM-2</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
RESPIRATORY	AOEC - Asthmagens		Asthmagen (Rs) - sensitiz	er-induced

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

### UNDISCLOSED %: 0.0400

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES: This material and its formulation is considered proprietary to the supplier; however, this material has been fully screened and the health hazards have been fully disclosed.

### 1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE

MAK

ID: 25067-11-2

Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT

MATERIAL TYPE: Other: Colorant

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02		
%: 0.0000 - 100.0000	GS: LT-UNK	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Carrier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

TITANIUM DIOXIDE					ID: <b>13463-67-7</b>
HAZARD SCREENING METHOD: Pharos Chemical	and Materials Library	HAZARD SCREENING DATE	E: 2020-10-02		
%: 0.0000 - 100.0000	GS: <b>LT-1</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Pigment	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical	and Materials Library	HAZARD SCREENING I	DATE: <b>2020-10-02</b>	
%: 0.0000 - 100.0000	GS: LT-P1	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CANCER	MAK		Carcinogen Group 4 - Nor levels	n-genotoxic carcinogen with low risk under MAK/BAT

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical	and Materials Library	HAZARD SCREENING I	DATE: <b>2020-10-02</b>	
%: 0.0000 - 100.0000	GS: <b>BM-2</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
RESPIRATORY	AOEC - Asthmagens		Asthmagen (Rs) - sensitiz	rer-induced

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

## UNDISCLOSED

HAZARD SCREENING METHOD: Pharos C	nemical and Materials Library	HAZARD SCREENING	G DATE: <b>2020-10-02</b>	
%: 0.0000 - 100.0000	GS: <b>BM-2</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CANCER	MAK		Carcinogen Group 4 levels	- Non-genotoxic carcinogen with low risk under MAK/BAT

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical a	nd Materials Library	HAZARD SCREENING DATE	: 2020-10-02	
%: 0.0000 - 100.0000	GS: <b>LT-1</b>	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen

### **UNDISCLOSED**

%: 0.0400

PRODUCT THRESHOLD: 1000 ppm

residuals and impurities considered: Yes

MATERIAL TYPE: Other: Colorant

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES: This material and its formulation is considered proprietary to the supplier; however, this material has been fully screened and the health hazards have been fully disclosed.

HAZARD SCREENING METHOD: Pharos Chemical a	and Materials Library	HAZARD SCREENING I	DATE: <b>2020-10</b> -	02
%: 0.0000 - 100.0000	GS: LT-UNK	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Carrier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists

BISMUTH VANADIUM TETRAOXIDE

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-10-02

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-02
%: 0.0000 - 100.0000 gs: BM-1 RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

MULTIPLE German FEA - Substances Hazardous to Waters Class 3 - Severe Hazard to Waters

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical a	and Materials Library	HAZARD SCREENIN	G DATE: <b>2020-10-02</b>	
%: 0.0000 - 100.0000	gs: LT-P1	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
ACUTE AQUATIC	EU - GHS (H-Statements)		H400 - Very toxic to aqua	atic life
CHRON AQUATIC	EU - GHS (H-Statements)		H410 - Very toxic to aqua	atic life with long lasting effects
MULTIPLE	German FEA - Substances Hazardous to Wa	aters	Class 2 - Hazard to Wate	rs

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos (	Chemical and Materials Library	HAZARD SCREENING	DATE: <b>2020-10-02</b>	
%: 0.0000 - 100.0000	GS: <b>LT-P1</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: <b>Pigment</b>
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED %: 0.0400

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Other: Colorant

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES: This material and its formulation is considered proprietary to the supplier; however, this material has been fully screened and the health hazards have been fully disclosed.

1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE

ID: 25067-11-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-10-02

%: 0.0000 - 100.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Carrier

HAZARD TYPE None found No warnings found on HPD Priority Hazard Lists

WARNINGS

AGENCY AND LIST TITLES

SUBSTANCE NOTES:

**C.I. PIGMENT BROWN 33** ID: 68186-88-9

HAZARD SCREENING METHOD: Pharos C	hemical and Materials Library	HAZARD SCREENING	DATE: <b>2020-10-02</b>	
%: 0.0000 - 100.0000	GS: LT-UNK	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS	
None found				No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemica	al and Materials Library	HAZARD SCREENING	DATE: <b>2020-10-02</b>	
%: 0.0000 - 100.0000	GS: LT-UNK	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WAI	RNINGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos C	hemical and Materials Library	HAZARD SCREENIN	IG DATE: 2020-10-02	
%: 0.0000 - 100.0000	GS: <b>LT-1</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: <b>Pigment</b>
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CANCER	EU - GHS (H-Statements)		H350 - May cause ca	ancer
CANCER	EU - REACH Annex XVII CMRs		Carcinogen Categor Carcinogenic to mar	y 2 - Substances which should be regarded as if they are n
MULTIPLE	ChemSec - SIN List		CMR - Carcinogen, I	Mutagen &/or Reproductive Toxicant
MULTIPLE	German FEA - Substances Hazar	dous to Waters	Class 2 - Hazard to	Waters
CANCER	EU - Annex VI CMRs		Carcinogen Categor	y 1B - Presumed Carcinogen based on animal evidence
CANCER	GHS - Australia		H350 - May cause ca	ancer

Substance Notes: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

### UNDISCLOSED

%: 0.0000 - 100.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Pigment  HAZARD TYPE AGENCY AND LIST TITLES WARNINGS	
HAZARD TYPE AGENCY AND LIST TITLES WARNINGS	
None found No warnings found on HPD Price	iority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

**SILICA, AMORPHOUS** ID: 7631-86-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-02

%: 0.0000 - 100.0000	GS: <b>BM-1</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CANCER	GHS - Japan		Carcinogenicity - Category 1A [H350]	
CANCER	GHS - Australia		H350i - May cause cancer by inhalation	

TITANIUM DIOXIDE ID: 13463-67-7

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	HAZARD SCREENING DATE: 2020-10-02			
%: 0.0000 - 100.0000	GS: <b>LT-1</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
CANCER	US CDC - Occupational Carcino	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CANCER	CA EPA - Prop 65	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
ENDOCRINE	TEDX - Potential Endocrine Dis	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
CANCER	MAK		Carcinogen Group 3A - Evidence of carcinogenic eff establish MAK/BAT value			
CANCER	MAK		Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels			

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02			
%: <b>0.0000 - 100.0000</b>	GS: <b>LT-P1</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CANCER	MAK		Carcinogen Group 4 - Nor levels	rcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT rels	

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02		
%: 0.0000 - 100.0000	GS: <b>BM-2</b>	RC: None	nano: <b>No</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
RESPIRATORY	AOEC - Asthmagens		Asthmagen (Rs) - sensitiz	er-induced



## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

**VOC EMISSIONS** 

**VOC Emissions** 

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All facilities CERTIFICATE URL:

ISSUE DATE: 2020-09-15

EXPIRY DATE:

CERTIFIER OR LAB: Self-declared

CERTIFICATION AND COMPLIANCE NOTES: Not applicable to product type



## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available. No accessories are required for this product.



## Section 5: General Notes

This Health Product Declaration was prepared by Sustainable Solutions Corporation of Royersford, PA on behalf of General Cable.

### MANUFACTURER INFORMATION

MANUFACTURER: Prysmian Group ADDRESS: 4 Tesseneer Rd

Highland Heights KY 41076, United States WEBSITE: https://www.prysmiangroup.com/en

CONTACT NAME: Matt Marcus
TITLE: Product Line Management

PHONE: 859-386-9781

EMAIL: matt.marcus@prysmiangroup.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge

### **KEY**

**Hazard Types** 

**AQU** Aquatic toxicity

CAN Cancer

**DEV** Developmental toxicity

END Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

# Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for enduse.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.