GenSPEED® 10 MTP™ Category 6A CMP Cable by Prysmian Group

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 22072

CLASSIFICATION: 27 10 00 Structured Cabling

PRODUCT DESCRIPTION: GenSPEED® 10 MTP™ Category 6A, Part number: 7151849. GenSPEED 10 MTP unshielded twisted-pair (UTP), utilizing innovative Mosaic™ Variable Cut Tape to provide industry-leading protection from alien crosstalk with guaranteed 8 dB of headroom over the ANSI/TIA 568.2-D standard for alien crosstalk (PSANEXT and PSAACRF). Mosaic Variable Laser Cut Tape is a thin metallic tape of segmented sections separated by an insulating layer. Since there is no metal-to-metal contact, there is no path for current to flow longitudinally, and thus, no need for grounding. An ideal product for high-power PoE applications, rated to 105°C GenSPEED 10 MTP is UL Listed CMP-LP (0.7A) and able to support up to 140 watts using 50 volts over all four pairs.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- C Basic Method
- Threshold Disclosed Per
- Material
- Product

Threshold level

- C 100 ppm
- € 1,000 ppm C Per GHS SDS
- C Other

Residuals/Impurities

- Residuals/Impurities Considered in 10 of 10 Materials
- Explanation(s) provided for Residuals/Impurities? O Yes O No

- All Substances Above the Threshold Indicated Are:
- Characterized ○ Yes Ex/SC Yes No
- % weight and role provided for all substances.
- Yes Ex/SC Yes No Screened
- All substances screened using Priority Hazard Lists with results disclosed.
- Identified ○ Yes Ex/SC ○ Yes ○ No.
- One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

COPPER CONDUCTOR [COPPER LT-P1 | MUL] PLENUM INSULATION [1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE LT-UNK UNDISCLOSED LT-UNK | SKI BORON NITRIDE (BN) LT-UNK] PLENUM JACKET [POLYVINYL CHLORIDE (PVC) LT-P1 | RES ALUMINA TRIHYDRATE BM-2 UNDISCLOSED LT-UNK | SKI UNDISCLOSED BM-2 | PBT | MUL
UNDISCLOSED LT-UNK UNDISCLOSED BM-3 UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 UNDISCLOSED LT-1 | CAN | END ANTIMONY TRIOXIDE BM-1 | CAN | MUL UNDISCLOSED NoGS UNDISCLOSED BM-1 | RES | AQU | END | MUL UNDISCLOSED LT-P1 UNDISCLOSED LT-P1 | END | MYLAR/ALUM SHIELD | ALUMINUM BM-1 | RES | PHY | END POLYETHYLENE TEREPHTHALATE (PET) LT-UNK] UNDISCLOSED [SILICA, AMORPHOUS BM-1 | CAN TITANIUM DIOXIDE LT-1 | CAN | END UNDISCLOSED LT-P1 | CAN UNDISCLOSED BM-2 | RES 1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE LT-UNK BLUE JACKETING PIGMENT [UNDISCLOSED BM-3 UNDISCLOSED BM-3dg UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | RES UNDISCLOSED BM-3] UNDISCLOSED [1-PROPENE, 3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE LT-UNK C.I. PIGME 28 LT-1 | RES | CAN | GEN TITANIUM DIOXIDE LT-1 | CAN | END SILICA, AMORPHOUS BM-1 | CAN UNDISCLOSED LT-P1 | CAN UNDISCLOSED BM-2 | RES] UNDISCLOSED [1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE T-UNK SILICA, AMORPHOUS BM-1 | CAN TITANIUM DIOXIDE LT-1 | CAN | END UNDISCLOS UNDISCLOSED BM-2 | RES UNDISCLOSED BM-2 | CAN UNDISCLOSED LT-1 | RES | CAN] UNDISCLOSED [1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER W TETRAFLUOROETHENE LT-UNK BISMUTH VANADIUM TETRAOXIDE BM-1 | MUL UNDISCLOSED LT-P1 | AQU | MUL UNDISCLOSED LT-P1 | UNDISCLOSED [1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE LT-UNK C.I. PIGMENT BROWN 33 LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-1 | CAN | MUL UNDISCLOSED LT-UNK SILICA,

AMORPHOUS BM-1 | CAN TITANIUM DIOXIDE LT-1 | CAN | END UNDISCLOSED LT-P1 | CAN

Number of Greenscreen BM-4/BM3 contents ... 3 Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

The product was screened to 1000 parts per million or 0.1%

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC Emissions

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

O Yes No

UNDISCLOSED BM-2 | RES]

PREPARER: Self-Prepared VFRIFIFR: VERIFICATION #:

SCREENING DATE: 2020-10-02 PUBLISHED DATE: 2020-10-02 EXPIRY DATE: 2023-10-02



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

(COPPER CONDUCTOR	%: 39.3000					
PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDER			DERED: Yes		MATERIAL TYPE: Metal		
RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.							
C	OTHER MATERIAL NOTES:						
	COPPER					ID: 7440-50-8	
	HAZARD SCREENING METHOD: Pharos Chemical and	nd Materials Library	HAZARD SCREEN	IING DATE: 2020-10-02	2		
	%: 100.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Conductor		
	HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS			
	MULTIPLE	German FEA - Substances Hazardous to Waters	Cla	ss 2 - Hazard to Waters			
	SUBSTANCE NOTES:						

PLENUM INSULATION %: 26.6000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02			
%: 95.0000 - 100.0000	GS: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Insulator			
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found		No warnings found on HPD Priority Hazard Lists			
SUBSTANCE NOTES:					

UNDISCLOSED

,		HAZARD SCREENING DATE: 2020-10-02		
		RC: None	nano: No	SUBSTANCE ROLE: Flame retardant
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
SKIN IRRITATION	EU - GHS (H-Statements)		H315 - Causes skin irritation	

 $\hbox{\scriptsize {\tt SUBSTANCE\ NOTES:}}\ \textbf{This\ substance\ is\ proprietary\ but\ the\ health\ hazards\ have\ been\ disclosed.}$

BORON NITRIDE (BN)	RON NITRIDE (BN) ID: 10043-11-5				
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020)-10-02		
%: 0.0000 - 5.0000	GS: LT-UNK	RC: None NANO: N	o SUBSTANCE ROLE: Blowing agent		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings found on HPD Priority Hazard Lists		
SUBSTANCE NOTES:					

PLENUM JACKET %: 24.7200

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

POLYVII	POLYVINYL CHLORIDE (PVC)					
HAZARD SO	HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02			
%: 40.000	00 - 50.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Insulator	
HAZARD T	HAZARD TYPE AGENCY AND LIST TITLES		WARNINGS			
RESPIRATORY AOEC - Asthmagens		Asthmagen (Rs) - sensitizer-induced				

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

ALUMINA TRIHYDRATE	UMINA TRIHYDRATE ID: 21645					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	IG DATE: 2020-10-02			
%: 20.0000 - 40.0000	GS: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Flame retardant		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
None found				No warnings found on HPD Priority Hazard Lists		

MATERIAL TYPE: Polymeric Material

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02			
%: 5.0000 - 25.0000 GS: LT-UNK		RC: None	nano: No	SUBSTANCE ROLE: Flame retardant	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
SKIN IRRITATION	RITATION EU - GHS (H-Statements)		H315 - Causes skin irritation		

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02				
%: 1.0000 - 15.0000	GS: BM-2	RC: None	nano: No	SUBSTANCE ROLE: Flame retardant		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
PBT	OSPAR - Priority PBTs & EDs & equival	OSPAR - Priority PBTs & EDs & equivalent concern		PBT - Chemical for Priority Action		
РВТ	EU - ESIS PBT	EU - ESIS PBT		Fulfills PBT Criteria - Action Deferred		
РВТ	ChemSec - SIN List	ChemSec - SIN List		sistent, Bioaccumulative, & Toxic / very Persistent & very		
MULTIPLE	German FEA - Substances Hazardous t	to Waters	Class 2 - Hazard	Class 2 - Hazard to Waters		
PBT	EHP - San Antonio Statement on BFRs & CFRs US EPA - PPT Chemical Action Plans		Flame retardant substance class of concern for PB&T & long range transport			
RESTRICTED LIST			TSCA Work Plan chemical - ongoing chemical (risk) assessment			

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2020-10-02		
%: 1.0000 - 10.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Plasticizer	
HAZARD TYPE	AGENCY AND LIST TITLES	W	/ARNINGS		
None found				No warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	IG DATE: 2020-10-02	
%: 1.0000 - 5.0000 GS: BM-3		RC: None	nano: No	SUBSTANCE ROLE: Flame retardant
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2020-10-02			
%: 0.1000 - 5.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Flame retardant		

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02		
%: 0.1000 - 5.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARN	INGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02			
	%: 0.0000 - 5.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Stabilizer
	HAZARD TYPE	AGENCY AND LIST TITLES	WAF	ININGS	
	None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02			
%: 0.0000 - 5.0000	GS: LT-1	RC: None	NANO:	o: No	SUBSTANCE ROLE: Dye
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CANCER	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CANCER	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources			
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
CANCER	MAK		Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
CANCER	MAK		Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		

 ${\tt SUBSTANCE\ NOTES:} \textbf{The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.}$

%: 0.0000 - 10.0000	GS: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Flame retardant	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2020-10-02		
ANTIMONY TRIOXIDE					ID: 1309-64-4

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	IARC	Group 2b - Possibly carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer
MULTIPLE	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CANCER	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man
CANCER	GHS - Japan	Carcinogenicity - Category 1B [H350]

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2020-10-02		
%: 0.0000 - 1.0000	GS: NoGS	RC: None	nano: No	SUBSTANCE ROLE: Lubricant	
HAZARD TYPE	AGENCY AND LIST TITLES	,	WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02				
%: 0.0000 - 5.0000	GS: BM-1	RC: None	nano: No	SUBSTANCE ROLE: Flame retardant		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
RESPIRATORY	AOEC - Asthmagens		Asthmagen (Rs) - sensitizer-induced			
ACUTE AQUATIC	EU - GHS (H-Statements)	EU - GHS (H-Statements)		H400 - Very toxic to aquatic life		
CHRON AQUATIC	EU - GHS (H-Statements)		H410 - Very toxic to aquatic life with long lasting effects			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	TEDX - Potential Endocrine Disruptors		ine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters			

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2020-10-02		
%: 0.0000 - 5.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Lubricant	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02		
%: 0.0000 - 5.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Lubricant

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

ENDOCRINE TEDX - Potential Endocrine Disruptors Potential Endocrine Disruptor

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

MYLAR/ALUM SHIELD

%: 8.4200

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

ALUMINUM					ID: 7429-90-5
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENII	NG DATE: 2020-10-02		
%: 25.0000 - 70.0000	GS: BM-1	RC: None	nano: No	SUBSTANCE ROLE: Insulator	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
RESPIRATORY	AOEC - Asthmagens		Asthmagen (Rs) - ser	nsitizer-induced	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H250 - Catches fire s	spontaneously if exposed to air	
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)		H261 - In contact wit	h water releases flammable gases	
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine	Disruptor	
SUBSTANCE NOTES:					

POLYETHYLENE TEREPHTHALATE (PET)				
HAZARD SCREENING METHOD: Pharos	HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		ATE: 2020-10-0 2	2
%: 0.0000 - 30.0000	gs: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None found				No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

UNDISCLOSED %: 0.4100

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Other: Colorant

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES: This material and its formulation is considered proprietary to the supplier; however, this material has been fully screened and the health hazards have been fully disclosed.

	SILICA, AMORPHOUS					ID: 7631-86-9
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02				
	%: 0.0000 - 100.0000	gs: BM-1	RC: None	nano: No	SUBSTANCE ROLE: Pigment	
	HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
	CANCER GHS - Japan		Carcinogenicity - Category 1A [H350]			
	CANCER	GHS - Australia		H350i - May cause cancer	by inhalation	
	SUBSTANCE NOTES: The formulation range an	d the material content is proprietary to the	supplier; however th	ne known health hazards	of each substance have been dis	sclosed.

TITANIUM DIOXIDE				ıD: 13463-67-7
HAZARD SCREENING METHOD: Pharos Ch	HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		NG DATE: 2020-10-02	
%: 0.0000 - 100.0000	GS: LT-1	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CANCER	US CDC - Occupational Carcinogens	US CDC - Occupational Carcinogens		nogen
CANCER	CA EPA - Prop 65	CA EPA - Prop 65		c to chemical form or exposure route
CANCER	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupations sources	
ENDOCRINE	TEDX - Potential Endocrine Disruptor	r's	Potential Endocrine	Disruptor
CANCER	MAK		Carcinogen Group 3 establish MAK/BAT	A - Evidence of carcinogenic effects but not sufficient to value
CANCER	MAK		Carcinogen Group 4	- Non-genotoxic carcinogen with low risk under MAK/BAT

levels

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	A DATE: 2020-10-02	
%: 0.0000 - 100.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CANCER	MAK		Carcinogen Group 4 - Nor levels	genotoxic carcinogen with low risk under MAK/BAT

 ${\tt SUBSTANCE\ NOTES:} \ The\ formulation\ range\ and\ the\ material\ content\ is\ proprietary\ to\ the\ supplier;\ however\ the\ known\ health\ hazards\ of\ each\ substance\ have\ been\ disclosed.$

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DA	ATE: 2020-10-02	
%: 0.0000 - 100.0000	GS: BM-2	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
RESPIRATORY	AOEC - Asthmagens		Asthmagen (Rs) - sensitizer-induced	

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE

ID: **25067-11-2**

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		НА	HAZARD SCREENING DATE: 2020-10-02		
%: 0.0000 - 100.0000	GS: LT-UNK	RC	c: None	NANO: No	SUBSTANCE ROLE: Carrier
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found					No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

BLUE JACKETING PIGMENT

%: 0.3900

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2020-10-02		
%: 0.0000 - 100.0000	gs: BM-3	RC: None	nano: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The substance and its formulation ranges in this material is considered proprietary to the supplier; however, this substance has been screened against the relevant HPD hazard lists.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02			
	%: 0.0000 - 100.0000	GS: BM-3dg	RC: None	nano: No	SUBSTANCE ROLE: Plasticizer
	HAZARD TYPE	AGENCY AND LIST TITLES	WARI	NINGS	
	None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The substance and its formulation ranges in this material is considered proprietary to the supplier; however, this substance has been screened against the relevant HPD hazard lists.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2020-10-02		
%: 0.0000 - 100.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Stabilizer	
HAZARD TYPE	AGENCY AND LIST TITLES	W	/ARNINGS		
None found				No warnings found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: The substance and its formulation ranges in this material is considered proprietary to the supplier; however, this substance has been screened against the relevant HPD hazard lists.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02		
%: 0.0000 - 100.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Carrier
HAZARD TYPE	AGENCY AND LIST TITLES	1	WARNINGS	
RESPIRATORY	AOEC - Asthmagens		Asthmagen (Rs) - sensitizer-	induced

SUBSTANCE NOTES: The substance and its formulation ranges in this material is considered proprietary to the supplier; however, this substance has been screened against the relevant HPD hazard lists.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2020-10-02	
%: 0.0000 - 100.0000	GS: BM-3	RC: None	nano: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	,	WARNINGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The substance and its formulation ranges in this material is considered proprietary to the supplier; however, this substance has been screened against the relevant HPD hazard lists.

PRODUCT THRESHOLD: 1000 ppm

TITANIUM DIOXIDE

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Other: Colorant

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES: This material and its formulation is considered proprietary to the supplier; however, this material has been fully screened and the health hazards have been fully disclosed.

1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE

ID: 25067-11-2

ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING	HAZARD SCREENING DATE: 2020-10-02	
%: 0.0000 - 100.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Carrier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

C.I. PIGMENT BLUE 28 ID: 1345-16-0 HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-02 %: 0.0000 - 100.0000 GS: **LT-1** RC: None NANO: **No** SUBSTANCE ROLE: Pigment HAZARD TYPE AGENCY AND LIST TITLES RESPIRATORY AOEC - Asthmagens Asthmagen (G) - generally accepted CANCER Carcinogen Group 2 - Considered to be carcinogenic for man MAK RESPIRATORY MAK Sensitizing Substance Sah - Danger of airway & skin sensitization GENE MUTATION MAK Germ Cell Mutagen 3a

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	HAZARD SCREENING DATE: 2020-10-02			
%: 0.0000 - 100.0000	gs: LT-1	RC: None	nano: No	SUBSTANCE ROLE: Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
CANCER	US CDC - Occupational Carc	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CANCER	CA EPA - Prop 65	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
ENDOCRINE	TEDX - Potential Endocrine D	Disruptors	Potential Endocrine Disruptor			
CANCER	MAK	MAK		Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
CANCER	MAK	MAK		- Non-genotoxic carcinogen with low risk under MAK/BAT		

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

SILICA, AMORPHOUS					ID: 7631-86-9
HAZARD SCREENING METHOD: Pharos Chemical a	and Materials Library	HAZARD SCREENING DATE	E: 2020-10-02		
%: 0.0000 - 100.0000	GS: BM-1	RC: None	nano: No	SUBSTANCE ROLE: Pigment	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	GHS - Japan	Carcinogenicity - Category 1A [H350]
CANCER	GHS - Australia	H350i - May cause cancer by inhalation

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical	and Materials Library	HAZARD SCREENING	DATE: 2020-10-02	
%: 0.0000 - 100.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CANCER	MAK		Carcinogen Group 4 - Nor levels	n-genotoxic carcinogen with low risk under MAK/BAT

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DA	ATE: 2020-10-02	
%: 0.0000 - 100.0000 gs	ss: BM-2	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE A	AGENCY AND LIST TITLES		WARNINGS	
RESPIRATORY A	AOEC - Asthmagens		Asthmagen (Rs) - sensitize	er-induced

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

%: 0.0400

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Other: Colorant

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES: This material and its formulation is considered proprietary to the supplier; however, this material has been fully screened and the health hazards have been fully disclosed.

1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE

ID: 25067-11-2

	•		
HAZARD SCREENING METHOD: Pharos C	Chemical and Materials Library	HAZARD SCREENING DATE: 2020-10-02	
%: 0.0000 - 100.0000	GS: LT-UNK	RC: None NANO: No SUBSTANCE ROLE: Carrier	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
None found		No warnings found on HPD Priority Haz	ard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

SILICA, AMORPHOUS ID: 7631-86-9

HAZARD SCREENING METHOD: Pharos Chemical	and Materials Library	HAZARD SCREENING	DATE: 2020-10-02	
%: 0.0000 - 100.0000	GS: BM-1	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CANCER	GHS - Japan		Carcinogenicity - Categor	ry 1A [H350]
CANCER	GHS - Australia		H350i - May cause cance	r by inhalation

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

TITANIUM DIOXIDE ID: 13463-67-7

AZARD SCREENING METHOD: Pharos Chemical and Materials Library : 0.0000 - 100.0000 GS: LT-1		HAZARD SCREENING	B DATE: 2020-10-02			
%: 0.0000 - 100.0000	GS: LT-1	RC: None	nano: No	SUBSTANCE ROLE: Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
CANCER	US CDC - Occupational Carcinogens	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CANCER	CA EPA - Prop 65	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CANCER	IARC		Group 2B - Possibly of sources	carcinogenic to humans - inhaled from occupational		
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential Endocrine [Disruptor		
CANCER	MAK		Carcinogen Group 3A - Evidence of carcinogenic effects but not sur establish MAK/BAT value			
CANCER	MAK		Carcinogen Group 4 - Non-genotoxic carcinogen with low risk u levels			

Substance Notes: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical a	and Materials Library	HAZARD SCREENING	A DATE: 2020-10-02	
%: 0.0000 - 100.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CANCER	MAK		Carcinogen Group 4 - Non levels	-genotoxic carcinogen with low risk under MAK/BAT

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical	and Materials Library	HAZARD SCREENING I	DATE: 2020-10-02	
%: 0.0000 - 100.0000	GS: BM-2	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
RESPIRATORY	AOEC - Asthmagens		Asthmagen (Rs) - sensitiz	er-induced

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02		
%: 0.0000 - 100.0000	GS: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CANCER	MAK		Carcinogen Group 4 - Not levels	n-genotoxic carcinogen with low risk under MAK/BAT

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-10-02			
%: 0.0000 - 100.0000	GS: LT-1	RC: None	nano: No	SUBSTANCE ROLE: Pigment	

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
CANCER	IARC	Group 1 - Agent is Carcinogenic to humans
CANCER	CA EPA - Prop 65	Carcinogen
CANCER	US NIH - Report on Carcinogens	Known to be a human Carcinogen

UNDISCLOSED %: 0.0400

PRODUCT THRESHOLD: 1000 ppm

residuals and impurities considered: Yes

MATERIAL TYPE: Other: Colorant

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES: This material and its formulation is considered proprietary to the supplier; however, this material has been fully screened and the health hazards have been fully disclosed.

HAZARD SCREENING METHOD: Pharos Chemical	and Materials Library	HAZARD SCREENING D	ATE: 2020-10	-02
%: 0.0000 - 100.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Carrier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found				No warnings found on HPD Priority Hazard Lists

BISMUTH VANADIUM TETRAOXIDE					
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	HAZARD SCREENING DATE: 2020-10-02		
%: 0.0000 - 100.0000	GS: BM-1	RC: None	nano: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
MULTIPLE	LE German FEA - Substances Hazardous to Wa		Class 3 - Severe Haz	ard to Waters	

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical a	cal and Materials Library HAZARD SCREENING D		DATE: 2020-10-02	
%: 0.0000 - 100.0000	gs: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
ACUTE AQUATIC	EU - GHS (H-Statements)		H400 - Very toxic to aqua	atic life
CHRON AQUATIC	EU - GHS (H-Statements)		H410 - Very toxic to aqua	atic life with long lasting effects
MULTIPLE	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical	and Materials Library	HAZARD SCREENING DAT	E: 2020-10-02	
%: 0.0000 - 100.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WA	ARNINGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED %: 0.0400

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Other: Colorant

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES: This material and its formulation is considered proprietary to the supplier; however, this material has been fully screened and the health hazards have been fully disclosed.

1-PROPENE, 1,1,2,3,3,3-HEXAFLUORO-, POLYMER WITH TETRAFLUOROETHENE

ID: 25067-11-2

HAZA	ARD SCREENING METHOD: Pharos Chemical a	nd Materials Library	Н	AZARD SCREENING	DATE: 2020-10-02	
%: 0	0.0000 - 100.0000	GS: LT-UNK	R	c: None	nano: No	SUBSTANCE ROLE: Carrier

HAZARD TYPE None found No warnings found on HPD Priority Hazard Lists

WARNINGS

AGENCY AND LIST TITLES

SUBSTANCE NOTES:

C.I. PIGMENT BROWN 33 ID: 68186-88-9

HAZARD SCREENING METHOD: Pharos (Chemical and Materials Library	HAZARD SCREENING	G DATE: 2020-10-02	
%: 0.0000 - 100.0000	gs: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS	
None found				No warnings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemica	al and Materials Library	HAZARD SCREENING I	DATE: 2020-10-02	
%: 0.0000 - 100.0000	GS: LT-UNK	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS	
None found				No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING D		IG DATE: 2020-10-02				
%: 0.0000 - 100.0000	GS: LT-1	GS: LT-1 RC: None		SUBSTANCE ROLE: Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
CANCER	EU - GHS (H-Statements)	EU - GHS (H-Statements)		H350 - May cause cancer		
CANCER	EU - REACH Annex XVII CMRs	EU - REACH Annex XVII CMRs		Carcinogen Category 2 - Substances which should be regarded as if they are Carcinogenic to man		
MULTIPLE	ChemSec - SIN List	ChemSec - SIN List		Mutagen &/or Reproductive Toxicant		
MULTIPLE	German FEA - Substances Hazard	German FEA - Substances Hazardous to Waters		Waters		
CANCER	EU - Annex VI CMRs	EU - Annex VI CMRs		y 1B - Presumed Carcinogen based on animal evidence		
CANCER	GHS - Australia	GHS - Australia		ancer		

Substance Notes: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

%: 0.0000 - 100.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Pigment HAZARD TYPE AGENCY AND LIST TITLES WARNINGS	
HAZARD TYPE AGENCY AND LIST TITLES WARNINGS	
None found No warnings found on HPD Price	iority Hazard Lists

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

SILICA, AMORPHOUS ID: 7631-86-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-10-02

%: 0.0000 - 100.0000	GS: BM-1	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CANCER	GHS - Japan		Carcinogenicity - Catego	ry 1A [H350]
CANCER	GHS - Australia		H350i - May cause cancer by inhalation	

TITANIUM DIOXIDE ID: 13463-67-7

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENIN	HAZARD SCREENING DATE: 2020-10-02			
%: 0.0000 - 100.0000	GS: LT-1	GS: LT-1 RC: None		SUBSTANCE ROLE: Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS			
CANCER	US CDC - Occupational Carcino	US CDC - Occupational Carcinogens		Occupational Carcinogen		
CANCER	CA EPA - Prop 65	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	IARC		Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
ENDOCRINE	TEDX - Potential Endocrine Dist	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
CANCER	MAK	MAK		A - Evidence of carcinogenic effects but not sufficient to value		
CANCER	MAK	MAK		- Non-genotoxic carcinogen with low risk under MAK/BAT		

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING D		B DATE: 2020-10-02		
%: 0.0000 - 100.0000	GS: LT-P1	RC: None	nano: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CANCER	MAK		Carcinogen Group 4 - Nor levels	n-genotoxic carcinogen with low risk under MAK/BAT

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical a	G METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DA		NATE: 2020-10-02		
%: 0.0000 - 100.0000	GS: BM-2	RC: None	nano: No	SUBSTANCE ROLE: Pigment	
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
RESPIRATORY	AOEC - Asthmagens		Asthmagen (Rs) - sensitize	er-induced	

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

VOC Emissions

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All facilities CERTIFICATE URL:

ISSUE DATE: 2020-09-15

EXPIRY DATE:

CERTIFIER OR LAB: Self-declared

CERTIFICATION AND COMPLIANCE NOTES: Not applicable for product type



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available. No accessories are required for this product.



Section 5: General Notes

This Health Product Declaration was prepared by Sustainable Solutions Corporation of Royersford, PA on behalf of General Cable.

MANUFACTURER INFORMATION

MANUFACTURER: Prysmian Group ADDRESS: 4 Tesseneer Rd

Highland Heights KY 41076, United States WEBSITE: https://www.prysmiangroup.com/en

CONTACT NAME: Matt Marcus
TITLE: Product Line Management

PHONE: **859-386-9781**

NoGS No GreenScreen.

EMAIL: matt.marcus@prysmiangroup.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge

LAN Land toxicity

NEU Neurotoxicity

OZO Ozone depletion

MUL Multiple

MAM Mammalian/systemic/organ toxicity

PBT Persistent, bioaccumulative, and toxic

NF Not found on Priority Hazard Lists

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

LT-1 List Translator 1 (Likely Benchmark-1)
LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one
GreenScreen Specified List, but the information contained within the list did not result in
a clear mapping to a LT-1 or LTP1 score.)

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for enduse.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.