# GenSPEED® 6 Category 6 CMR Cable by Prysmian Group

# Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 21563

CLASSIFICATION: 27 10 00 Structured Cabling

PRODUCT DESCRIPTION: GenSPEED® 6 Category 6, Part number: 7133800. Standards-compliant with performance guaranteed to 350 MHz, GenSPEED 6 Category 6 utilizes 23 AWG copper and a unique separator design engineered for consistent electrical performance. The TRU-Mark® print legend contains footage markings from 1000' to 0', making usage easier to track.

## Section 1: Summary

## **Nested Method / Material Threshold**

### **CONTENT INVENTORY**

### **Inventory Reporting Format**

Nested Materials Method
 Basic Method

### **Threshold Disclosed Per**

Material

C Product

Threshold level C 100 ppm O 1,000 ppm O Per GHS SDS C Other

### **Residuals/Impurities**

Residuals/Impurities Considered in 11 of 11 Materials

Explanation(s) provided for Residuals/Impurities? All Substances Above the Threshold Indicated Are:

Characterized O Yes Ex/SC O Yes O No % weight and role provided for all substances.

Screened O Yes Ex/SC O Yes O No All substances screened using Priority Hazard Lists with results disclosed.

Identified

### C Yes Ex/SC C Yes 🖸 No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

### MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

COPPER CONDUCTOR [ COPPER LT-P1 | MUL ] RISER JACKET 1 [ POLYVINYL CHLORIDE (PVC) LT-P1 | RES ALUMINA TRIHYDRATE BM-2 UNDISCLOSED LT-UNK LIMESTONE; CALCIUM CARBONATE LT-UNK UNDISCLOSED LT-P1 | PBT | AQU | CAN ZINC COMPOUNDS LT-UNK ANTIMONY TRIOXIDE BM-1 | CAN | MUL ] RISER CABLE INSULATION [ 1-HEXENE, POLYMER WITH ETHENE LT-UNK ] FOAM PP TAPE [ POLYPROPYLENE LT-UNK ] POLY 1000D N/W RIPCORD [ POLYETHYLENE TEREPHTHALATE (PET) LT-UNK ] BLUE JACKETING PIGMENT [ UNDISCLOSED BM-3 UNDISCLOSED BM-3dg UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | RES UNDISCLOSED BM-3 ] WHITE COLOR CONCENTRATE HDPE [ UNDISCLOSED LT-1 | CAN | END POLYETHYLENE LT-UNK UNDISCLOSED BM-3 UNDISCLOSED LT-UNK ] BLUE COLOR CONCENTRATION HDPE [ POLYETHYLENE LT-UNK UNDISCLOSED BM-3 UNDISCLOSED LT-1 CAN | END ] ORANGE COLOR CONCENTRATE HDPE UNDISCLOSED BM-3 POLYETHYLENE LT-UNK UNDISCLOSED LT-1 CAN | END UNDISCLOSED LT-P1 | RES ] GREEN COLOR CONCENTRATE HDPE [ UNDISCLOSED LT-1 | CAN | END POLYETHYLENE LT-UNK UNDISCLOSED BM-3 UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK ] BROWN COLOR CONCENTRATE HDPE [ POLYETHYLENE LT-UNK UNDISCLOSED BM-3 UNDISCLOSED BM-1 | CAN UNDISCLOSED LT-1 | CAN | END UNDISCLOSED LT-P1 | MUL UNDISCLOSED BM-1 | CAN UNDISCLOSED LT-UNK ]

Number of Greenscreen BM-4/BM3 contents ... 7

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

The product was screened to 1000 parts per million or 0.1%

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: VOC Emissions

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

C Yes • No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2020-09-02 PUBLISHED DATE: 2020-09-02 EXPIRY DATE: 2023-09-02 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

COPPER CONDUCTOR	%: 50.5600 - 50.69	00		
MATERIAL THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITI	es considered: Yes	MATE	RIAL TYPE: Metal
RESIDUALS AND IMPURITIES NOTES: <b>R</b>	esiduals and Impurities were co	onsidered and determ	ined to below th	e 1000 ppm
OTHER MATERIAL NOTES:				
COPPER				ID: <b>7440-50-8</b>
HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREENING DATE	2020-09-02	
%: 100.0000 - 100.0000	GS: LT-P1	RC: None NANO:	No SUBSTANCE	ROLE: Conductor
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
MULTIPLE	German FEA - Substances Hazardou Waters	s to Class 2 - Haza	ard to Waters	
RISER JACKET 1	%: 33.5100 - 34.1100			
MATERIAL THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES CON	isidered: Yes	MATERIAL TYPE: Pol	ymeric Material
RESIDUALS AND IMPURITIES NOTES: <b>R</b> threshold.	esiduals and Impurities were co	onsidered and determ	ined to below th	e 1000 ppm
OTHER MATERIAL NOTES:				
POLYVINYL CHLORIDE (PVC)				ID: 9002-86-2
HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREENING DAT	E: 2020-09-02	
%: 40.0000 - 50.0000	GS: LT-P1	RC: None NANC	: No SUBSTANC	CE ROLE: Insulator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmagen (R	s) - sensitizer-induce	
				d

AZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENIN	IG DATE: 2020-	-09-02
6: <b>10.0000 - 20.0000</b>	GS: <b>BM-2</b>	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Flame retardant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS	
None found			No warr	nings found on HPD Priority Hazard Li
SUBSTANCE NOTES:				
JNDISCLOSED				
IAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREE	ENING DATE: 20	20-09-02
6: <b>10.0000 - 20.0000</b>	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	NGS	
None found			No warr	nings found on HPD Priority Hazard Li
each substance have				- 4047
IMESTONE; CALCIUM		HAZARD SC	REENING DATE:	ID: <b>1317-</b> 1 2020-09-02
IMESTONE; CALCIUM	CARBONATE	HAZARD SC RC: <b>None</b>		2020-09-02
IMESTONE; CALCIUM	CARBONATE Pharos Chemical and Materials Library		NANO:	2020-09-02
IMESTONE; CALCIUM	CARBONATE Pharos Chemical and Materials Library GS: LT-UNK	RC: None	NANO: I	2020-09-02
IMESTONE; CALCIUM	CARBONATE Pharos Chemical and Materials Library GS: LT-UNK	RC: None	NANO: I	2020-09-02 No SUBSTANCE ROLE: Filler
IMESTONE; CALCIUM	CARBONATE Pharos Chemical and Materials Library GS: LT-UNK	RC: None	NANO: I	2020-09-02 No SUBSTANCE ROLE: Filler
IMESTONE; CALCIUM	CARBONATE Pharos Chemical and Materials Library GS: LT-UNK	RC: <b>None</b> Warni	NANO: I	2020-09-02 No SUBSTANCE ROLE: Filler
IMESTONE; CALCIUM AZARD SCREENING METHOD: 6: 5.0000 - 15.0000 HAZARD TYPE None found SUBSTANCE NOTES: INDISCLOSED AZARD SCREENING METHOD:	CARBONATE Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES	RC: <b>None</b> Warni	NANO: I	2020-09-02 No SUBSTANCE ROLE: Filler
LIMESTONE; CALCIUM	CARBONATE Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES Pharos Chemical and Materials Library	RC: None WARNI	NANO: I NGS No warr	2020-09-02 No SUBSTANCE ROLE: Filler nings found on HPD Priority Hazard Li
IMESTONE; CALCIUM AZARD SCREENING METHOD: 6: 5.0000 - 15.0000 HAZARD TYPE None found SUBSTANCE NOTES: INDISCLOSED AZARD SCREENING METHOD: 6: 5.0000 - 15.0000	CARBONATE Pharos Chemical and Materials Library GS: LT-UNK Pharos Chemical and Materials Library GS: LT-P1	RC: None WARNI HAZARD SCREE RC: None WARNI Persi	NANO: I NGS No warr	2020-09-02 No SUBSTANCE ROLE: Filler nings found on HPD Priority Hazard Li
IMESTONE; CALCIUM AZARD SCREENING METHOD: :: 5.0000 - 15.0000 HAZARD TYPE None found SUBSTANCE NOTES: INDISCLOSED AZARD SCREENING METHOD: :: 5.0000 - 15.0000 HAZARD TYPE	CARBONATE Pharos Chemical and Materials Library GS: LT-UNK AGENCY AND LIST TITLES Pharos Chemical and Materials Library GS: LT-P1 AGENCY AND LIST TITLES	RC: None WARNI HAZARD SCREE RC: None WARNI Persi the E	NANO: I NGS No warr NING DATE: 202 NANO: NO NGS stent, Bioaccu nvironment (ba	2020-09-02 No SUBSTANCE ROLE: Filler  inings found on HPD Priority Hazard Li  20-09-02  SUBSTANCE ROLE: Plasticizer  imulative and inherently Toxic (PBiTE)

SUBSTANCE NOTES: The formulation range and the material content is proprietary to the supplier; however the known health hazards of each substance have been disclosed.

AZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCR	20-09-02		
6: 0.0000 - 5.0000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Flame retardant	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No wa	arnings found on HPD Priority Hazard List	
SUBSTANCE NOTES:					
ANTIMONY TRIOXIDE				ıd: <b>1309-64</b>	
AZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCRE	ENING DATE: 20	20-09-02	
6: <b>0.0000 - 5.0000</b>	GS: <b>BM-1</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Flame retardant	
HAZARD TYPE	AGENCY AND LIST TITLES	W	ARNINGS		
CANCER	IARC	G	roup 2b - Possi	bly carcinogenic to humans	
CANCER	EU - GHS (H-Statements)	н	351 - Suspected	d of causing cancer	
MULTIPLE	ChemSec - SIN List	с	MR - Carcinoge	n, Mutagen &/or Reproductive Toxicant	
CANCER	МАК		arcinogen Grou an	p 2 - Considered to be carcinogenic for	
CANCER	CA EPA - Prop 65	С	arcinogen		
CANCER	US NIH - Report on Carcinogens	R	easonably Antic	pated to be Human Carcinogen	

SUBSTANCE NOTES:

### RISER CABLE INSULATION

%: 12.0200 - 12.4800

MATERIAL THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

	TH ETHENE			ID: <b>25213-02-</b>
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020	-09-02
%: 99.5000 - 100.0000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Insulator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
None found			No warning	gs found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				
OAM PP TAPE	%: 2.3500 - 2.4400			
ATERIAL THRESHOLD: 1000	RESIDUALS AND IMPURITIES CO	NSIDERED: Yes	MATERIA	L TYPE: Polymeric Material
ESIDUALS AND IMPURITIES NOT	ES: Residuals and Impurities were c	onsidered and d	etermined to	below the 1000 ppm
THER MATERIAL NOTES:				
POLYPROPYLENE				ID: <b>9003-07-</b>
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREEM	NING DATE: 2020	-09-02
%: 100.0000 - 100.0000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
None found			No warning	gs found on HPD Priority Hazard Lists
SUBSTANCE NOTES: The forn each substance have be	nulation range and the material content is en disclosed.	proprietary to the s	upplier; howev	er the known health hazards of
OLY 1000D N/W RIPC	ORD %: 0.3200 - 0.3400			
		ONSIDERED: Yes	MATERIA	AL TYPE: Polymeric Material
ATERIAL THRESHOLD: 1000				-
POLY 1000D N/W RIPCO IATERIAL THRESHOLD: 1000 p ESIDUALS AND IMPURITIES NOT hreshold.	OPM RESIDUALS AND IMPURITIES CO			-
ATERIAL THRESHOLD: 1000 period sector for the secto	OPM RESIDUALS AND IMPURITIES CO			-
ATERIAL THRESHOLD: 1000 period sector of the	OPM RESIDUALS AND IMPURITIES CO			-
ATERIAL THRESHOLD: 1000 period sector of the	OPM RESIDUALS AND IMPURITIES CO			-

POLYETHYLENE TERE	PHTHALATE (PET)			ID: <b>25038-59-</b>
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREENIN	NG DATE: 2020-	09-02
%: 0.0000 - 80.0000	GS: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	NGS	
None found			No warn	ings found on HPD Priority Hazard Lists
SUBSTANCE NOTES:				
LUE JACKETING PIO	GMENT %: 0.2700 - 0.4300			
ATERIAL THRESHOLD: 100	0 ppm RESIDUALS AND IMPURITIES CC	DNSIDERED: Yes	MATE	RIAL TYPE: Polymeric Material
ESIDUALS AND IMPURITIES N	NOTES: Residuals and Impurities were co	onsidered and o	determined	to below the 1000 ppm
THER MATERIAL NOTES:				
UNDISCLOSED				
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREE	NING DATE: 202	20-09-02
%: 0.0000 - 100.0000	GS: <b>BM-3</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	NGS	
None found			No warn	ings found on HPD Priority Hazard Lists
	ubstance and its formulation ranges in this ma creened against the relevant HPD hazard lists		ed proprietary	<i>t</i> to the supplier; however, this
UNDISCLOSED				
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREE	NING DATE: 202	20-09-02
%: 0.0000 - 100.0000	GS: <b>BM-3dg</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Plasticizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	NGS	
None found			No warn	ings found on HPD Priority Hazard Lists
	ubstance and its formulation ranges in this ma creened against the relevant HPD hazard lists		ed proprietary	/ to the supplier; however, this
UNDISCLOSED				

HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SCREEN	IING DATE: 2020-	-09-02
%: 0.0000 - 100.0000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S	
None found			No warning	gs found on HPD Priority Hazard Lists
	ubstance and its formulation ranges in this mate screened against the relevant HPD hazard lists.	rial is considered	d proprietary to	o the supplier; however, this
UNDISCLOSED				
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020	-09-02
%: 0.0000 - 100.0000	GS: <b>LT-P1</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Carrier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	iS	
RESPIRATORY	AOEC - Asthmagens	Asthma	agen (Rs) - sens	itizer-induced
	ubstance and its formulation ranges in this mate screened against the relevant HPD hazard lists.	rial is considered	d proprietary to	o the supplier; however, this
UNDISCLOSED				
HAZARD SCREENING METHOD	Pharos Chemical and Materials Library	HAZARD SCREE	ENING DATE: 202	0-09-02
%: <b>0.0000 - 100.0000</b>	GS: <b>BM-3</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	S	
None found			No warning	gs found on HPD Priority Hazard Lists
	ubstance and its formulation ranges in this mate screened against the relevant HPD hazard lists.	rial is considered	d proprietary to	o the supplier; however, this
WHITE COLOR CONC	CENTRATE HDPE %: 0.1000 - 0.1100	0		

MATERIAL THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

# UNDISCLOSED HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-02 %: 0.0000 - 100.0000 GS: LT-1 RC: None NANO: NO SUBSTANCE ROLE: Dye

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	МАК	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

POLYETHYLENE				ID: <b>9002-88-4</b>
HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREEN	IING DATE: 2020-	09-02
%: 0.0000 - 100.0000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Carrier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES: This subst	ance and its formulation ranges is conside	ered proprietary to	the supplier.	
UNDISCLOSED				
HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020	-09-02
%: 0.0000 - 100.0000	GS: <b>BM-3</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Dye
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES: This subst	ance and its formulation ranges is conside	ered proprietary to	the supplier.	
UNDISCLOSED				
HAZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREI	ENING DATE: 2020	0-09-02
%: 0.0000 - 100.0000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Dye
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES: This subst	ance and its formulation ranges is conside	ered proprietary to	the supplier.	

GenSPEED 6 Category 6 CMR Cable hpdrepository.hpd-collaborative.org

### BLUE COLOR CONCENTRATION HDPE %: 0.0300 - 0.0300

MATERIAL THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

POLYETHYLENE				ID: <b>9002-88-4</b>
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREEN	ING DATE: 2020-	09-02
%: 0.0000 - 100.0000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Carrier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES: This S	ubstance and its formulation ranges is considered	proprietary to t	he supplier.	
UNDISCLOSED				
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020-	-09-02
%: 0.0000 - 100.0000	GS: <b>BM-3</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Dye
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES: This S	ubstance and its formulation ranges is considered	proprietary to t	he supplier.	
-				
UNDISCLOSED				

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-09-02

%: 0.0000 - 100.0000

GS: **LT-1** 

RC: None

NANO: NO SUBSTANCE ROLE: Dye

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	МАК	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

#### ORANGE COLOR CONCENTRATE HDPE %: 0.0300 - 0.0300

MATERIAL THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

UNDISCLOSED				
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020-	-09-02
%: 0.0000 - 100.0000	GS: <b>BM-3</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Dye
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	;	
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES: This S	ubstance and its formulation ranges is conside	ered proprietary to	the supplier.	
POLYETHYLENE				ID: <b>9002-88-4</b>
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREEM	NING DATE: 2020-	09-02
%: 0.0000 - 100.0000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Carrier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	:	
None found			No warnings	found on HPD Priority Hazard Lists
SUBSTANCE NOTES: This S	ubstance's formulation range is considered pro	oprietary to the sup	oplier.	
•				
UNDISCLOSED				

HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-09-0	2
%: 0.0000 - 100.0000	GS: <b>LT-1</b>	RC: None NANO: No	SUBSTANCE ROLE: Dye
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen	
CANCER	МАК	Carcinogen Group 3A - Evider but not sufficient to establish	•
CANCER	CA EPA - Prop 65	Carcinogen - specific to chem	ical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogo occupational sources	enic to humans - inhaled from
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor	
CANCER	МАК	Carcinogen Group 4 - Non-ge risk under MAK/BAT levels	notoxic carcinogen with low

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-02			
%: 0.0000 - 100.0000	GS: <b>LT-P1</b>	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Dye	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
RESPIRATORY AOEC - Asthmagens		Asthmager	ı (Rs) - sensitizer-	induced	

SUBSTANCE NOTES: This substance and its formulation ranges is considered proprietary to the supplier.

### GREEN COLOR CONCENTRATE HDPE %: 0.0300 - 0.0300

MATERIAL THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes MAT

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

# UNDISCLOSED HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-09-02 %: 0.0000 - 100.0000 GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Dye

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	МАК	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CANCER	МАК	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

ZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCREEN	IING DATE: 2020-	09-02
: 0.0000 - 100.0000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Carrier
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Li
SUBSTANCE NOTES: This subst	ance and its formulation ranges is conside	red proprietary to	the supplier.	
INDISCLOSED				
AZARD SCREENING METHOD: Pha	rros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020	-09-02
6: <b>0.0000 - 100.0000</b>	GS: <b>BM-3</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Dye
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings	found on HPD Priority Hazard Li
SUBSTANCE NOTES: This subst	ance and its formulation ranges is conside	red proprietary to	the supplier.	
JNDISCLOSED				
AZARD SCREENING METHOD: Pha	ros Chemical and Materials Library	HAZARD SCRE	ENING DATE: 2020	)-09-02
	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Dye
o: <b>0.0000 - 100.0000</b>				
: <b>0.0000 - 100.0000</b> HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		

		0	$\sim$		0		
UN	111	5	C 11		5	-	
<b>U</b> 14		$\mathbf{v}$	$\mathbf{v}$	$\sim$	9		

HAZARD SCREENING METHOD: Pha	aros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020	0-09-02
%: 0.0000 - 100.0000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Lubricant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	GS	
None found			No warnin	gs found on HPD Priority Hazard Lists
SUBSTANCE NOTES: This subst	tance and its formulation ranges is consid	ered proprietary to	o the supplier.	

### BROWN COLOR CONCENTRATE HDPE %

%: 0.0200 - 0.0300

MATERIAL THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities were considered and determined to below the 1000 ppm threshold.

OTHER MATERIAL NOTES:

POLYETHYLENE				ID: <b>9002-88-4</b>	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-09-02		
%: 0.0000 - 100.0000	%: 0.0000 - 100.0000 GS: LT-UNK		NANO: <b>NO</b>	SUBSTANCE ROLE: Carrier	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS	3		
None found			No warnings	found on HPD Priority Hazard Lists	

SUBSTANCE NOTES: This substance and its formulation ranges is considered proprietary to the supplier.

HAZARD SCREENING METHOD: Ph	aros Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020-0	09-02
%: <b>0.0000 - 100.0000</b>	GS: <b>BM-3</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Dye
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found	AGENCY AND LIST TITLES			ound on HPD Priority Hazard Lis
None found				ound on HPD Priority Hazard Lis
None found SUBSTANCE NOTES: This subs		red proprietary to		-

CANCER

AGENCY AND LIST TITLES

MAK

WARNINGS

Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: This substance and its formulation ranges is considered proprietary to the supplier.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZA	ARD SCREENI	NG DATE: 2020-0	9-02
%: 0.0000 - 100.0000	GS: <b>LT-1</b>	RC:	None	NANO: <b>NO</b>	SUBSTANCE ROLE: Dye
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS		
CANCER	US CDC - Occupational Carcinogens		Occupatio	onal Carcinogen	
CANCER	МАК		•		idence of carcinogenic effects ish MAK/BAT value
CANCER	CA EPA - Prop 65		Carcinoge	en - specific to cł	nemical form or exposure route
CANCER	IARC			- Possibly carcir anal sources	nogenic to humans - inhaled from
ENDOCRINE	TEDX - Potential Endocrine Disruptors		Potential	Endocrine Disrup	tor
CANCER	МАК		•	en Group 4 - Non <sup>-</sup> MAK/BAT levels	-genotoxic carcinogen with low

SUBSTANCE NOTES: This substance and its formulation ranges is considered proprietary to the supplier.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2020-09-02			
%: 0.0000 - 100.0000	GS: LT-P1	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Dye		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 -	Severe Hazard to	Waters		

SUBSTANCE NOTES: This substance and its formulation ranges is considered proprietary to the supplier.

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREE	NING DATE: 2020-0	09-02
%: 0.0000 - 100.0000	GS: <b>BM-1</b>	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: <b>DVE</b>

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen
CANCER	МАК	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

### UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-09-02		
%: 0.0000 - 100.0000	GS: LT-UNK	RC: None	NANO: <b>NO</b>	SUBSTANCE ROLE: Dye
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings fo	ound on HPD Priority Hazard Lists

SUBSTANCE NOTES: This substance and its formulation ranges is considered proprietary to the supplier.

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	VOC Emissions		
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All Facilities	ISSUE DATE: 2019- 06-26	EXPIRY DATE:	CERTIFIER OR LAB: Self Declared
CERTIFICATE URL:			

CERTIFICATION AND COMPLIANCE NOTES:

### 😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

### Section 5: General Notes

This Health Product Declaration was prepared by Sustainable Solutions Corporation of Royersford, PA on behalf of General Cable.

### MANUFACTURER INFORMATION

MANUFACTURER: **Prysmian Group** ADDRESS: **4 Tesseneer Rd Highland Heights KY 41076, United States** WEBSITE: **https://www.prysmiangroup.com/en**  CONTACT NAME: Matt Marcus TITLE: Product Line Management PHONE: 859-386-9781 EMAIL: matt.marcus@prysmiangroup.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

### **KEY**

### **Hazard Types**

- AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming
- LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic

### PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.) NoGS No GreenScreen.

### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)
LT-P1 List Translator Possible 1 (Possible Benchmark-1)

### **Recycled Types**

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

### **Other Terms:**

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.