

HPD UNIQUE IDENTIFIER: 197791540224

CLASSIFICATION: 09 83 00 Acoustic Finishes

PRODUCT DESCRIPTION: FlexiFelt by Linea is perfect for enhancing both aesthetic appeal and acoustic performance in any space. Its ability to absorb sound effectively makes it ideal for offices, studios, and other noise-sensitive areas, while its rich palette allows for endless creative possibilities. Made from recycled PET water bottles and available in three sound absorbing thicknesses (9mm, 12mm, 24mm), FlexiFelt can transform your surroundings into a harmonious and visually captivating space. Fire-Rated FlexiFelt products include: FlexiFit System, Baffles, Beams, Clouds, Folds, Screens, Panels, and Wall Tiles.

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities Evaluation, and Explanation(s) provided for Residuals/Impurities? Each column contains radio button options and descriptive text.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Number of Greenscreen BM-4/BM3 contents ... 0  
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1  
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.3, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished product, along with the role and percent weight.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY  
GREENSCREEN SCORE | HAZARD TYPE  
FLEXIFELT (FIRE-RATED) [ POLYETHYLENE TEREPHTHALATE (PET) LT-P1 N,N'-ETHYLENE DISTEARYLAMIDE LT-UNK STEARIC ACID LT-P1 ] END UNDISCLOSED [ LT-UNK ] EYE TITANIUM DIOXIDE [ BM-1 \* ] CAN | END | MAM ]

\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.  
Pre-checked for LEED v4 Option 2.  
Pre-checked for LEED v4.1 Option 1.

Summary table with 3 columns: Third Party Verified? (radio buttons), PREPARER: Self-Prepared, VERIFIER: VERIFICATION #: SCREENING DATE: 2025-01-14, PUBLISHED DATE: 2025-01-14, EXPIRY DATE: 2028-01-14



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### FLEXIFELT (FIRE-RATED)

#: 100.0000 - 100.0000

MATERIAL THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Meets ASTM E84 Class A requirement. Percent by weight of substances given as ranges to account for potential variations in manufacturing and due to the various colors available. PET felt supplier has the following available: Product-Specific Environmental Product Declaration (EPD); OEKO-TEX Standard 100 (Class I); Recycled Content Certification; SVHC and ROHS testing. Please contact manufacturer if more information is required.

### POLYETHYLENE TEREPHTHALATE (PET)

ID: 25038-59-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-01-14 13:38:53

#: 97.5000 - 99.5000 GreenScreen: LT-P1 RC: PostC NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Minimum 60% post-consumer recycled PET bottles.

### N,N'-ETHYLENE DISTEARYLAMIDE

ID: 110-30-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2025-01-14 13:38:53

#: 0.1000 - 1.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Lubricant

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

**STEARIC ACID**

ID: 57-11-4

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2025-01-14 13:38:54</b>		
%: <b>0.1000 - 1.0000</b>	GreenScreen: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Lubricant</b>
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES:				

**UNDISCLOSED**ID: **Undisclosed**

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2025-01-14 13:38:54</b>		
%: <b>0.1000 - 1.0000</b>	GreenScreen: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Flame retardant</b>
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]		
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		
SUBSTANCE NOTES: Substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed.				

**TITANIUM DIOXIDE**

ID: 13463-67-7

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2025-01-14 13:38:54</b>		
%: <b>0.1000 - 1.0000</b>	GreenScreen: <b>BM-1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Pigment</b>

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources**
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value**
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor**
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels**
CAN	IARC	Group 2b - Possibly carcinogenic to humans**
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL)  Colorants - Green Circle (Verified Low Concern)
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024  Cosmetics and Personal Care Products

SUBSTANCE NOTES: \*\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

### VOC EMISSIONS

### CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party  
APPLICABLE FACILITIES: Abbotsford, BC CANADA  
CERTIFICATE URL:  
ISSUE DATE: 2024-11-26 00:00:00  
EXPIRY DATE:  
CERTIFIER OR LAB: Berkeley Analytical  
CERTIFICATION AND COMPLIANCE NOTES: Certificate Number: 241126-07. Individual VOCs of Concern: Compliant for School Classroom and Private Office. Formaldehyde: Compliant for School Classroom and Private Office. TVOC Range for School Classroom and Private Office: <0.5 mg/m3.

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

### ADHESIVE

MANUFACTURER (OR GENERIC): **Generic**

HPD URL: No HPD available  
ACCESSORY TYPE: Installation Accessory  
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Adhesive as appropriate for installation.

### MECHANICAL FASTENERS

MANUFACTURER (OR GENERIC): **Generic**

HPD URL: No HPD available  
ACCESSORY TYPE: Installation Accessory  
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Mechanical fasteners as appropriate for installation.

## Section 5: General Notes

FlexiFelt is intended for use in a wide range of applications, including:

- Performing Arts Centers and Lecture Halls
- Government and Corporate Offices
- Airports and Travel Hubs
- Schools and Education Facilities
- Casinos and Entertainment Venues
- Churches and Places of Worship
- Museums and Libraries
- Hospitals and Health Care Facilities
- Restaurants and Cafeterias
- Commercial/Industrial Buildings
- Multiplex / Theatre
- Video and Teleconference Rooms
- Recording Studios
- Home Theatres

**MANUFACTURER INFORMATION**

MANUFACTURER: **Linea Ceiling & Wall Systems**  
 ADDRESS: **2320 Peardonville Road**  
**Abbotsford, BC V2T 6J8**  
 COUNTRY: **CANADA**

WEBSITE: **https://www.LineaCeilings.com**  
 CONTACT NAME: **Tim Peters**  
 TITLE: **Sales Manager**  
 PHONE: **(604) 776-2265 x101**  
 EMAIL: **tim.peters@lineaceilings.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and*

