

HPD UNIQUE IDENTIFIER: 5893372533760

CLASSIFICATION: 09 74 13 Wood Wall Coverings

PRODUCT TYPE: Reclaimed (Wood Flooring)

PRODUCT DESCRIPTION: Good Neighbor-Driftwood is a coastal-inspired wood paneling that brings the soothing hues of nature into your commercial and residential spaces. FSC Certified Reclaimed, this paneling captures the rustic elegance of driftwood, creating a tranquil ambiance reminiscent of coastal beach communities. The silver-grey tones of the Driftwood paneling echo the calming shades found along the coastline, adding a serene and sophisticated touch to any room. The natural, weathered look of the wood enhances the feeling of being by the sea, making it perfect for those who want to bring a bit of the coast into their home.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold Level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Other

Residuals/Impurities Evaluation

- Completed
- Partially Completed
- Not Completed

Explanation(s) provided :

- Yes No

For all contents above the threshold, the manufacturer has:

Characterized Yes No

Provided weight and role.

Screened Yes No

Provided screening results using HPDC-approved methods.

Identified Yes No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

GOOD NEIGHBOR DRIFTWOOD [REDWOOD UNDISCLOSED Not Screened]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... None

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [GeologicalMaterial]

Special Conditions applied: [BiologicalMaterial]

No inventory or screening notes

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

Recycled content: FSC Certification - Recycled

Testing using European Standards: Danish Indoor Climate Label

Emissions: EMI CODE EC1 PLUS

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2024-10-10

PUBLISHED DATE: 2024-10-10

EXPIRY DATE: 2027-10-10

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

GOOD NEIGHBOR DRIFTWOOD

PRODUCT THRESHOLD: Other

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: No Residuals and Impurities Evaluation done

OTHER PRODUCT NOTES: No other product notes

HAZARD DATA SOURCE: **HPDC Special Conditions Policy**

#: **99.0000 - 99.0000** GreenScreen: **Not Required** RC: **PostC** NANO: **No** MATERIAL ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening is not applicable to this Special Condition

BIOLOGICAL MATERIALS CATEGORY: Tree-based materials

INGREDIENT DESCRIPTION: Reclaimed Redwood

MATERIAL CONTENT NOTES: Post Consumer FSC Certified Reclaimed Redwood

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **Not Screened**

#: **1.0000 - 1.0000** GreenScreen: **Not Screened** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

Hazard Screening not performed

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

Additional Hazard Screening not performed

SUBSTANCE NOTES: WOCA Danish Plant Based Oil Finish.
 Indoor Climate Label Certified
 VOC Directive Certified for safe indoor air quality.
 Safe for food contact.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: All Facilities CERTIFICATE URL:	ISSUE DATE: 2024-01-01 00:00:00 EXPIRY DATE: 2026-01-01 00:00:00	CERTIFIER OR LAB: European Standards
CERTIFICATION AND COMPLIANCE NOTES: Meets more stringent European Standards.		
RECYCLED CONTENT	FSC Certification - Recycled	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL:	ISSUE DATE: 2023-01-01 00:00:00 EXPIRY DATE: 2025-01-01 00:00:00	CERTIFIER OR LAB: Sustainable Northwest
CERTIFICATION AND COMPLIANCE NOTES: FSC Certified Reclaimed 100% C041262		
TESTING USING EUROPEAN STANDARDS	Danish Indoor Climate Label	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL:	ISSUE DATE: 2022-01-01 00:00:00 EXPIRY DATE: 2025-01-01 00:00:00	CERTIFIER OR LAB: Danish Indoor Climate Label
CERTIFICATION AND COMPLIANCE NOTES: Danish Indoor Climate Label is a voluntary labeling system for products and materials which can document the effect of off gassing. Indoor climate labeled materials are a natural component in sustainable construction, where a good indoor air quality contributes to social sustainability.		
EMISSIONS	EMICODE EC1 PLUS	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL:	ISSUE DATE: 2021-01-01 00:00:00 EXPIRY DATE: 2026-01-01 00:00:00	CERTIFIER OR LAB: EMICODE EC1 PLUS
CERTIFICATION AND COMPLIANCE NOTES: EMICODE®EC1PLUS is the premium class defined by very low emission. Based on scientifically determined test results, EMICODE® categorizes flooring installation materials, adhesives and construction products into three emission classes. Only products complying with the most stringent emission limits are awarded the EMICODE® label.		
METAL MIGRATION	EN 71-3	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL:	ISSUE DATE: 2020-01-01 00:00:00 EXPIRY DATE: 2026-01-01 00:00:00	CERTIFIER OR LAB: EN 71-3
CERTIFICATION AND COMPLIANCE NOTES: The migration of metals (As, Hg, Se, Cr, Sb, Cd, Pb, Ba) of the sample was tested according EN 71 Part 3 1995. There was no evidence for migration of the named metals above the limit of detection (10-50 ppm). All interior WOCA products are correspondingly suitable for toys.		
HUMAN HEALTH IMPACT	IBR (Institute of Biological Building Materials in Rosenheim)	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL:	ISSUE DATE: 2020-01-01 00:00:00 EXPIRY DATE: 2027-01-01 00:00:00	CERTIFIER OR LAB: IBR (Institute of Biological Building Materials in Rosenheim)
CERTIFICATION AND COMPLIANCE NOTES: WOCA Denmark's products are tested in neutral laboratories, e.g. by the Institute of Biological Building Materials in Rosenheim and are approved and certified. The impact on the health of people and environment of the methods of production and the products that are used for building, furnishing and living is examined.		
VOC EMISSION TESTING- EUROPEAN STANDARDS	VOC Directive	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All Facilities CERTIFICATE URL:	ISSUE DATE: 2024-10-01 00:00:00 EXPIRY DATE: 2026-01-01 00:00:00	CERTIFIER OR LAB: VOC Directive

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

No general Notes to report for this section

MANUFACTURER INFORMATION

MANUFACTURER: **WD Walls**
 ADDRESS: **PO Box 2222**
Lake Oswego, Oregon 97035
 COUNTRY: **United States**
 LATITUDE: **45.4193000**
 LONGITUDE: **122.6630000**

WEBSITE: **www.WdWalls.com**
 CONTACT NAME: **Pierce Henley**
 TITLE: **Owner**
 PHONE: **5034683539**
 EMAIL: **Pierce@WDwalls.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.