

HPD UNIQUE IDENTIFIER: 912757760

CLASSIFICATION: 06 42 00 Wood Paneling

PRODUCT TYPE: Accessories (Wall Covering)

PRODUCT DESCRIPTION: Jakarta Market Blend wood paneling perfectly combines sustainability and luxury. Crafted from reclaimed shipping crates from Asia, each piece resonates with authenticity and unique tropical charm. This rustic reclaimed tropical wood paneling features vivid colors and unique textures that bring energy and warmth to any space. FSC Certified Reclaimed.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i>
<input type="radio"/> Nested Materials Method	<input type="radio"/> 100 ppm	<input type="radio"/> Completed	Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No
<input checked="" type="radio"/> Basic Method	<input checked="" type="radio"/> 1,000 ppm	<input type="radio"/> Partially Completed	<i>Provided weight and role.</i>
Threshold Disclosed Per	<input type="radio"/> Per GHS SDS	<input checked="" type="radio"/> Not Completed	Screened <input type="radio"/> Yes <input checked="" type="radio"/> No
<input type="radio"/> Material	<input type="radio"/> Other	Explanation(s) provided :	<i>Provided screening results using HPDC-approved methods.</i>
<input checked="" type="radio"/> Product		<input checked="" type="radio"/> Yes <input type="radio"/> No	Identified <input type="radio"/> Yes <input checked="" type="radio"/> No
			<i>Provided name and CAS RN or other identifier.</i>

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

JAKARTA RUSTIC WALL CLADDING [MIXED TROPICAL SPECIES
(RECLAIMED) UNDISCLOSED Not Screened]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...
None
Nanomaterial ... No
INVENTORY AND SCREENING NOTES:
Special Conditions applied: [BiologicalMaterial]
100 % FSC Certified Reclaimed Post Consumer Content

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested
Recycled content: FSC Certification - Recycled
VOC Directive: VOC Directive
EMICODE EC1 PLUS: EMICODE EC1 PLUS

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared
VERIFIER:
VERIFICATION #:

SCREENING DATE: 2024-10-10
PUBLISHED DATE: 2024-10-10
EXPIRY DATE: 2027-10-10

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

JAKARTA RUSTIC WALL CLADDING

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: Residuals and Impurities Evaluation Notes have not been completed.

OTHER PRODUCT NOTES:

MIXED TROPICAL SPECIES (RECLAIMED)

ID: **Biological Material**

HAZARD DATA SOURCE: **HPDC Special Conditions Policy**

%: **100.0000 - 100.0000**

GreenScreen: **Not Required**

RC: **PostC**

NANO: **No**

MATERIAL ROLE: **Structure component**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

Hazard Screening is not applicable to this Special Condition

BIOLOGICAL MATERIALS CATEGORY: Tree-based materials

INGREDIENT DESCRIPTION: Reclaimed from Mixed Tropical Species

MATERIAL CONTENT NOTES: 100% FSC Certified Post Consumer Content C041262

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **Not Screened**

%: **1.0000 - 1.0000**

GreenScreen: **Not Screened**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Coating**

HAZARD TYPE

LIST NAME AND SOURCE

WARNINGS

Hazard Screening not performed

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

Additional Hazard Screening not performed

SUBSTANCE NOTES: Woca Danish Coatings. Ultra Low VOC. See Certifications

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method - Not tested	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2024-10-10 00:00:00	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: All Facilities	EXPIRY DATE: 2026-10-10 00:00:00	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: Please see other VOC certifications not covered by this version of HPD		

RECYCLED CONTENT	FSC Certification - Recycled	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2021-01-01 00:00:00	CERTIFIER OR LAB: Sustainable Northwest
APPLICABLE FACILITIES: All Facilities	EXPIRY DATE: 2027-01-01 00:00:00	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: FSC Certified 100% Post Consumer Reclaimed		

VOC DIRECTIVE	VOC Directive	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2024-10-01 00:00:00	CERTIFIER OR LAB: VOC Directive
APPLICABLE FACILITIES: All Facilities	EXPIRY DATE: 2027-01-01 00:00:00	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: The VOC Directive, devised by the European Parliament and the Council of Europe, defines the directive limiting emissions for certain pollution causing volatile organic compounds, called VOCs. All WOCA Denmark products meet the VOC Directives for 2007 and 2010.		

EMICODE EC1 PLUS	EMICODE EC1 PLUS	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2024-10-10 00:00:00	CERTIFIER OR LAB: EMICODE EC1 PLUS
APPLICABLE FACILITIES: All facilities	EXPIRY DATE: 2026-02-01 00:00:00	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: EMICODE®EC1PLUS is the premium class defined by very low emission. Based on scientifically determined test results, EMICODE® categorizes flooring installation materials, adhesives and construction products into three emission classes. Only products complying with the most stringent emission limits are awarded the EMICODE® label.		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

MANUFACTURER INFORMATION

MANUFACTURER: **WD Walls**
 ADDRESS: **PO Box 2222**
Lake Oswego, Oregon 97035
 COUNTRY: **United States**
 LATITUDE: **45.4193000**
 LONGITUDE: **122.6630000**

WEBSITE: **www.WdWalls.com**
 CONTACT NAME: **Pierce Henley**
 TITLE: **Owner**
 PHONE: **5034683539**
 EMAIL: **Pierce@WDwalls.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.