created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 23410

CLASSIFICATION: 09 83 00 Acoustic Finishes

PRODUCT DESCRIPTION: Pyrok's StarSilent® Acoustical Plaster System consists of acoustical panels manufactured from recycled crushed glass finished with a thin, two-coat acoustical plaster finish. StarSilent Base Coat Plaster is applied first, followed by StarSilent Finish Coat Plaster. The result is a smooth, seamless, sound absorbing, durable plaster finish system for walls and ceilings. This HPD covers StarSilent Base Coat Plaster in natural white. StarSilent Acoustical Plaster System may also include the following MasterFormats: 09 51 00 Acoustical Ceilings; 09 51 13 Acoustical Panel Ceilings.

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Inventory Reporting Format Nested Materials Method

C Basic Method

Threshold Disclosed Per

Material

Product

Threshold level

© 100 ppm C 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities

Residuals/Impurities

Considered in 1 of 1 Materials

Explanation(s) provided for Residuals/Impurities?

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC ⊙ Yes ○ No

% weight and role provided for all substances.

Screened

All substances screened using Priority Hazard Lists with

results disclosed.

Identified

○ Yes Ex/SC ○ Yes ⊙ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

STARSILENT BASE COAT PLASTER [CALCIUM CARBONATE BM-3 WATER BM-4 CALCIUM SILICATE LT-UNK UNDISCLOSED LT-UNK PERLITE LT-UNK QUARTZ LT-1 | CAN UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | SKI]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.2, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished product, along with the role and percent weight.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): <1 g/l Regulatory (g/l): <1 g/l Does the product contain exempt VOCs: No Are ultra-low VOC tints available: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listings.

VOC emissions: CDPH Standard Method V1.1 (Section 01350/CHPS) -

Classroom & Office scenario

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** SCREENING DATE: 2021-01-13 PUBLISHED DATE: 2021-01-13 EXPIRY DATE: 2024-01-13

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

STARSILENT BASE COAT PLASTER %: 100,0000 - 100,0000

MATERIAL THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS that are not otherwise disclosed as intentionally added ingredients (e.g. Quartz/Silica), based on information provided in supplier disclosures, and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of substances reported as range in order to protect the proprietary nature of this formulation.

CALCIUM CARBONATE

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-13

%: 42.5000 - 47.5000 GS: BM-3 RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). GreenScreen Benchmark® assessment score of BM-3 was provided by the HPD Builder Tool.

WATER ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-13

%: 30.0000 - 35.0000 GS: BM-4 RC: None NANO: No SUBSTANCE ROLE: Solvent

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-4 was provided by the HPD Builder Tool.

CALCIUM SILICATE ID: 1344-95-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-13

%: 7.5000 - 10.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern).

UNDISCLOSED ID: Undisclosed

| HAZARD SCREENING METHOD: | Pharos Chemical and Materials Library | HAZARD SCREENING DATE: 2021-01-13 | | | |
|---|---------------------------------------|-----------------------------------|-----------------|------------------------|--|
| %: 2.5000 - 5.0000 | GS: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Binder | |
| HAZARD TYPE | AGENCY AND LIST TITLES | WARNINGS | | | |
| None found No warnings found on HPD Priority Hazard Lists | | | | | |

SUBSTANCE NOTES: Supplier has shared substance identity in confidentiality; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-13

%: 1.0000 - 5.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern).

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-13 %: Impurity/Residual GS: LT-1 RC: None NANO: No SUBSTANCE ROLE: Impurity/Residual **HAZARD TYPE** AGENCY AND LIST TITLES **WARNINGS** CAN **IARC** Group 1 - Agent is Carcinogenic to humans CAN **US CDC - Occupational Carcinogens** Occupational Carcinogen CAN CA EPA - Prop 65 Carcinogen - specific to chemical form or exposure route CAN **IARC** Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources CAN **US NIH - Report on Carcinogens** Known to be Human Carcinogen (respirable size occupational setting) Carcinogen Group 1 - Substances that cause cancer in CAN MAK CAN GHS - New Zealand 6.7A - Known or presumed human carcinogens Carcinogenicity - Category 1A [H350] CAN GHS - Japan CAN GHS - Australia H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Quartz is one of several compounds with warnings restricted to respirable forms; i.e. "Silica, crystalline (airborne particles of respirable size)." Supplier confirms that particles <12 um in size account for <1% of the substance, which equates to <0.01% of the product. May also represent possible impurity present in other raw materials.

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-13

QUARTZ

ID: 14808-60-7

| %: 0.1000 - 1.0000 | GS: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Surfactant |
|---|------------------------|----------|----------|----------------------------|
| HAZARD TYPE | AGENCY AND LIST TITLES | WAR | NINGS | |
| None found No warnings found on HPD Priority Hazard | | | | |

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). Supplier has shared substance identity in confidentiality; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-13
%: 0.1000 - 1.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Supplier has shared substance identity in confidentiality; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-13

%: 0.0100 - 0.1000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Dispersant

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Supplier has shared substance identity in confidentiality; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.

UNDISCLOSED ID: Undisclosed

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). Supplier has shared substance identity in confidentiality; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method V1.1 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2016-04- EXPIRY DATE:

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: StarSilent System:

Environment

Mamaroneck, New York, USA

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: StarSilent Smooth Acoustical System using StarSilent 25mm Acoustic Board; StarSilent Base Coat Plaster not independently tested. System in compliance for Classroom, Office, and Residential scenarios. Meets 1/2 CREL for all CA Section 01350 Target CRELs, including Formaldehyde.

VOC CONTENT

EPA Method 24 - Volatile Matter Content (EPA 24)

CERTIFYING PARTY: Third Party

ISSUE DATE: 2016-05- EXPIRY DATE:

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: Stuhligen, Germany

Environment

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: Chemical Test Report (Ref. C253474-2) by Applied Technical Services, Inc. Volatile Content of Coatings by EPA 24. Material VOC: 0 g/L. Product complies with SCAQMD Rule 1113 for "Default" coatings.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

STARSILENT PANEL (25 MM)

HPD URL: https://www.hpd-collaborative.org/hpd-public-repository/

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Required for installation of StarSilent Smooth Acoustical System.

STARSILENT FIX ADHESIVE

HPD URL: https://www.hpd-collaborative.org/hpd-public-repository/

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Required for installation of StarSilent Smooth Acoustical System.

STARSILENT FINISH COAT PLASTER

HPD URL: https://www.hpd-collaborative.org/hpd-public-repository/

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Required for installation of StarSilent Smooth Acoustical System.



Section 5: General Notes

Pyrok's StarSilent® Acoustical Plaster System is a smooth, seamless, sound absorbing, durable plaster finish system for walls and ceilings. The StarSilent System utilizes sound panels composed of up to 96% post-consumer recycled crushed glass bottles. The panels are attached to rigid metal framing with zinc coated drywall screws, and the edges of the panels are glued together using the StarSilent Adhesive, which is also spread over the screw heads. The StarSilent Adhesive requires overnight drying, with minimum temperatures maintained at 50 degrees Fahrenheit or higher. After light sanding, the panels are coated first with the StarSilent Base Coat Plaster, and then the StarSilent Finish Coat Plaster is applied to achieve smooth, seamless, sound absorbing, durable plaster finish system for walls and ceilings.

MANUFACTURER INFORMATION

MANUFACTURER: Pyrok, Inc. ADDRESS: 121 Sunset Road

Mamaroneck NY 10543, USA WEBSITE: www.starsilent.com

CONTACT NAME: Howard Podolsky

TITLE: Owner

PHONE: 914-777-7070 EMAIL: howard@pyrok.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)
NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.