

HPD UNIQUE IDENTIFIER: 23602

CLASSIFICATION: 09 83 00 Acoustic Finishes

PRODUCT DESCRIPTION: Pyrok's StarSilent® Superfine Acoustical Plaster System consists of acoustical panels manufactured from recycled crushed glass that are finished with StarSilent Superfine Plaster, which is spray applied to a light superfine texture in several thin coats. The Superfine finish appears smooth when applied at heights above 18 feet, and thus is especially recommended with high ceiling heights where critical light may highlight the hand troweling limitations of the smooth system. When this finish is desired, specify StarSilent "Superfine". The result is a smooth, seamless, sound absorbing, durable plaster finish system for walls and ceilings. This HPD covers StarSilent Superfine Plaster in natural white. StarSilent Superfine Acoustical Plaster System may also include the following MasterFormats: 09 51 00.00 Finishes: Acoustical Ceilings; 09 51 13 Finishes: Acoustical Panel Ceilings.

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

<p><b>Inventory Reporting Format</b></p> <p><input checked="" type="radio"/> Nested Materials Method</p> <p><input type="radio"/> Basic Method</p> <p><b>Threshold Disclosed Per</b></p> <p><input checked="" type="radio"/> Material</p> <p><input type="radio"/> Product</p>	<p><b>Threshold level</b></p> <p><input checked="" type="radio"/> 100 ppm</p> <p><input type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p><b>Residuals/Impurities</b></p> <p>Residuals/Impurities Considered in 1 of 1 Materials</p> <p><b>Explanation(s) provided for Residuals/Impurities?</b></p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>All Substances Above the Threshold Indicated Are:</i></p> <p><b>Characterized</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>% weight and role provided for all substances.</i></p> <p><b>Screened</b> <input type="radio"/> Yes Ex/SC <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>All substances screened using Priority Hazard Lists with results disclosed.</i></p> <p><b>Identified</b> <input type="radio"/> Yes Ex/SC <input type="radio"/> Yes <input checked="" type="radio"/> No</p> <p><i>One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.</i></p>
--	--	--	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY**  
**GREENSCREEN SCORE | HAZARD TYPE**  
**STARSILENT SUPERFINE PLASTER [ WATER BM-4 CALCIUM SILICATE LT-UNK BARIUM SULFATE BM-2 | CAN QUARTZ LT-1 | CAN TITANIUM DIOXIDE LT-1 | CAN | END UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | END UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | SKI ]**

Number of Greenscreen BM-4/BM3 contents ... 1  
 Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1  
 Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.2, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished product, along with the role and percent weight. Substances not "Identified" are those considered proprietary to suppliers, and therefore are "Undisclosed" in this HPD.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): <1 g/l Regulatory (g/l): <1 g/l  
 Does the product contain exempt VOCs: No  
 Are ultra-low VOC tints available: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario  
 VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

<p>Third Party Verified?</p> <p><input type="radio"/> Yes</p> <p><input checked="" type="radio"/> No</p>	<p>PREPARER: Self-Prepared</p> <p>VERIFIER:</p> <p>VERIFICATION #:</p>	<p>SCREENING DATE: 2021-01-19</p> <p>PUBLISHED DATE: 2021-01-26</p> <p>EXPIRY DATE: 2024-01-19</p>
--	--	--

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-2-standard](http://www.hpd-collaborative.org/hpd-2-2-standard)

### STARSILENT SUPERFINE PLASTER %: 100.0000 - 100.0000

MATERIAL THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES CONSIDERED: Yes MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS that are not otherwise disclosed as intentionally added ingredients (e.g. Quartz/Silica), based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of substances reported as range in order to further protect the proprietary nature of this formulation.

#### WATER

ID: 7732-18-5

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 40.0000 - 50.0000 GS: BM-4 RC: None NANO: No SUBSTANCE ROLE: Solvent

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-4 was provided by the HPD Builder Tool.

#### CALCIUM SILICATE

ID: 1344-95-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 12.5000 - 15.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern).

#### BARIUM SULFATE

ID: 7727-43-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

%: 12.5000 - 15.0000 GS: BM-2 RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-2 was provided by the HPD Builder Tool.

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-01-19</b>		
%: <b>12.5000 - 15.0000</b>		GS: <b>LT-1</b>	RC: <b>None</b>	NANO: <b>No</b>
		SUBSTANCE ROLE: <b>Filler</b>		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	IARC	Group 1 - Agent is Carcinogenic to humans		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources		
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)		
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man		
CAN	GHS - New Zealand	6.7A - Known or presumed human carcinogens		
CAN	GHS - Japan	Carcinogenicity - Category 1A [H350]		
CAN	GHS - Australia	H350i - May cause cancer by inhalation		

SUBSTANCE NOTES: Quartz is one of several compounds with warnings restricted to respirable forms; i.e. "Silica, crystalline (airborne particles of respirable size)." Supplier confirms that particles <12 um in size account for <1% of the substance, which equates to <0.2% of the product. May also represent possible impurity present in other raw materials.

TITANIUM DIOXIDE

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-01-19</b>		
%: <b>5.0000 - 10.0000</b>		GS: <b>LT-1</b>	RC: <b>None</b>	NANO: <b>No</b>
		SUBSTANCE ROLE: <b>Pigment</b>		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		
CAN	EU - GHS (H-Statements)	H351 - Suspected of causing cancer		

SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). Form-specific hazards: airborne particles of respirable size – occupational setting.

UNDISCLOSED

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-01-19</b>		
#: <b>1.0000 - 5.0000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Filler</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
<p>SUBSTANCE NOTES: Supplier has shared substance identity under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.</p>				

**UNDISCLOSED** ID: **Undisclosed**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-01-19</b>		
#: <b>1.0000 - 5.0000</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Binder</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
<p>SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). Supplier has shared substance identity under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.</p>				

**UNDISCLOSED** ID: **Undisclosed**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-01-19</b>		
#: <b>1.0000 - 5.0000</b>	GS: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Binder</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
<p>SUBSTANCE NOTES: Supplier has shared substance identity under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.</p>				

**UNDISCLOSED** ID: **Undisclosed**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-01-19</b>		
#: <b>0.1000 - 1.0000</b>	GS: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Viscosity modifier</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
<p>SUBSTANCE NOTES: Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). Supplier has shared substance identity under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.</p>				

**UNDISCLOSED** ID: **Undisclosed**

HAZARD SCREENING METHOD: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2021-01-19</b>		
---	--	--	--	--

#: 0.0100 - 0.1000

GS: LT-UNK

RC: None NANO: No SUBSTANCE ROLE: Viscosity modifier

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

**SUBSTANCE NOTES:** Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). Supplier has shared substance identity under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.

**UNDISCLOSED**

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

#: 0.0100 - 0.1000

GS: LT-UNK

RC: None NANO: No SUBSTANCE ROLE: Surfactant

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

**SUBSTANCE NOTES:** Identified on the US EPA Safer Chemical Ingredient List (Green Circle - Verified Low Concern). Supplier has shared substance identity under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.

**UNDISCLOSED**

ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2021-01-19

#: 0.0100 - 0.0500

GS: LT-P1

RC: None NANO: No SUBSTANCE ROLE: Buffer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage

**SUBSTANCE NOTES:** Supplier has shared substance identity under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed. Substance is not included on the Living Building Challenge (LBC) Red List Chemical Guide Version 4.0.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

### VOC EMISSIONS

CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

CERTIFYING PARTY: Third Party  
APPLICABLE FACILITIES: All  
CERTIFICATE URL:

ISSUE DATE: 2020-10-30 EXPIRY DATE:

CERTIFIER OR LAB: UL  
Environment

CERTIFICATION AND COMPLIANCE NOTES: StarSilent Acoustical System using StarSilent 25mm Acoustic Board with Superfine Finish; StarSilent Superfine Finish not independently tested. System meets criteria for TVOC, Formaldehyde, Total Aldehydes, and CREL/TLV for both Office and Classroom scenarios.

### VOC CONTENT

EPA Method 24 - Volatile Matter Content (EPA 24)

CERTIFYING PARTY: Self-declared  
APPLICABLE FACILITIES: All  
CERTIFICATE URL:

ISSUE DATE: 2021-01-15 EXPIRY DATE:

CERTIFIER OR LAB: N/A

CERTIFICATION AND COMPLIANCE NOTES: VOC Content reported as calculated from formulation.

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

### STARSILENT PANEL (25 MM)

HPD URL: <https://www.hpd-collaborative.org/hpd-public-repository/>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:  
Required for installation of StarSilent Acoustical Systems.

### STARSILENT PLAN

HPD URL: <https://www.hpd-collaborative.org/hpd-public-repository/>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:  
Required for installation of StarSilent Superfine Acoustical System.

### STARSILENT FIX

HPD URL: <https://www.hpd-collaborative.org/hpd-public-repository/>

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:  
Required for installation of StarSilent Acoustical Systems.

## Section 5: General Notes

Pyrok's StarSilent® Superfine Acoustical Plaster System is comprised of a sound absorbing board that allows jointless areas of up to 1800 square feet. StarSilent boards are installed in a staggered pattern and are joined together with StarSilent Fix adhesive. StarSilent Plan is used to mud the screw heads, and a light coat is applied over the StarSilent Fix on the panel joints. The StarSilent Superfine finish is then applied in 3-4 light coats. Each coat requires 12 hours for drying. Minimum temperatures should be maintained at 50 degrees Fahrenheit or higher. The Superfine finish is especially recommended when there are high ceiling heights, and where critical light may highlight the hand troweling limitations of the Smooth system.

**MANUFACTURER INFORMATION**

MANUFACTURER: **Pyrok, Inc.**  
 ADDRESS: **121 Sunset Road**  
**Mamaroneck NY 10543, USA**  
 WEBSITE: **www.starsilent.com**

CONTACT NAME: **Howard Podolsky**  
 TITLE: **Owner**  
 PHONE: **914-777-7070**  
 EMAIL: **howard@pyrok.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-UNK</b> List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	
<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)	<b>NoGS</b> No GreenScreen.

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*