

HPD UNIQUE IDENTIFIER: 231474321408

CLASSIFICATION: 09 67 23 Resinous Flooring

PRODUCT DESCRIPTION: A High-performance, 100% solids, low odor, environmentally safe novolac epoxy coating. Protecto-Coat 105XT uses a moisture-tolerant primer and two coats of low temperature cure, graphite flake-filled novolac epoxy resin to protect concrete and metal substrates. The novolac epoxy binder and overlapping flake filler provide the low permeability, high film integrity, and excellent chemical resistance required for prolonged substrate protection.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	<i>For all contents above the threshold, the manufacturer has:</i> Characterized ☒ Yes ☐ No <i>Provided weight and role.</i> Screened ☐ Yes ☒ No <i>Provided screening results using HPDC-approved methods.</i> Identified ☐ Yes ☒ No <i>Provided name and CAS RN or other identifier.</i>
☐ Nested Materials Method	☒ 100 ppm	☐ Completed	
☒ Basic Method	☐ 1,000 ppm	☐ Partially Completed	
Threshold Disclosed Per	☐ Per GHS SDS	☒ Not Completed	
☐ Material	☐ Other	Explanation(s) provided :	
☒ Product		☒ Yes ☐ No	

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

[PRODUCT](#) | [MATERIAL OR SUBSTANCE](#) | [RESIDUAL OR IMPURITY](#)
[GREENSCREEN SCORE](#) | HAZARD TYPE

[PROTECTO-COAT 105XT](#) | [PHENOL, POLYMER WITH FORMALDEHYDE, GLYCIDYL ETHER](#) [BM-1](#) | MUL [DIGLYCIDYL RESORCINOL ETHER](#) [LT-1](#) | CAN | SKI | MUL | EYE | MAM | GEN | AQU [CERAMIC MATERIALS AND WARES, CHEMICALS](#) [LT-UNK](#) | MUL [BISPHENOL A EPICHLOROHYDRIN POLYMER](#) [LT-P1](#) | MUL | SKI | EYE | AQU [1,2-ETHANEDIAMINE, N1,N2-BIS\(1,3-DIMETHYLBUTYLIDENE\)-](#) [LT-UNK](#) [ISOPHORONE DIAMINE](#) [LT-P1](#) | SKI | MUL | EYE | AQU [BENZYL ALCOHOL](#) [BM-2](#) | EYE | MAM | SKI | AQU [TRIETHYLENETETRAMINE](#) [LT-P1](#) | SKI | MUL | MAM | EYE | AQU | REP [TITANIUM DIOXIDE](#) [BM-1](#) | CAN | END | MAM [\(\(2-METHYLPHENOXY\)METHYL\)OXIRANE](#) [LT-P1](#) | MUL | SKI | AQU | GEN | MAM [ALIPHATIC AMINE](#) Not Screened [XYLENES](#) [BM-1](#) | END | MUL | REP | SKI | EYE | MAM | AQU [AMINOETHYL ETHANOLAMINE](#) [LT-1](#) | REP | MUL | DEV | SKI | EYE [1,3-BENZENEDIMETHANAMINE](#) [LT-P1](#) | SKI | MUL | MAM | EYE [ETHYLENEDIAMINE](#) [LT-UNK](#) | RES | MAM | SKI | EYE | AQU | REP [METHYL ISOBUTYL KETONE](#) [LT-1](#) | CAN | DEV | EYE | PHY | MAM [CARBON BLACK](#) [BM-1](#) | CAN | EYE | MAM | PHY [ETHYLBENZENE](#) [BM-1](#) | END | SKI | CAN | REP | PHY | MAM | EYE | AQU [BENZALDEHYDE](#) [LT-P1](#) | END | MAM | EYE | AQU [QUARTZ](#) [BM-1](#) | CAN | MAM | GEN |

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-1, LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was generated with basic inventory information.

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 20 Regulatory (g/l): 20

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method - Not tested

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

LCA: Environmental Product Declaration (EPD) by NSF

CONSISTENCY WITH OTHER PROGRAMS

Third Party Verified?

☐ Yes

☒ No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2024-10-08

PUBLISHED DATE: 2024-10-08

EXPIRY DATE: 2027-10-08

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

PROTECTO-COAT 105XT

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: Protecto-Coat 105XT has no known residuals or impurities.

OTHER PRODUCT NOTES: N/A

PHENOL, POLYMER WITH FORMALDEHYDE, GLYCIDYL ETHERID: 28064-14-4

HAZARD DATA SOURCE: Pharos Chemical and Materials LibraryHAZARD SCREENING DATE: 2024-10-08 9:49:38

%: 20.0000 - 40.0000GreenScreen: BM-1RC: NoneNANO: NoSUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

ADDITIONAL LISTINGS

RESTRICTED LIST	LIST NAME AND SOURCE	NOTIFICATION
	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024
		Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES:

DIGLYCIDYL RESORCINOL ETHERID: 101-90-6

HAZARD DATA SOURCE: Pharos Chemical and Materials LibraryHAZARD SCREENING DATE: 2024-10-08 9:49:39

%: 5.0000 - 15.0000GreenScreen: LT-1RC: NoneNANO: NoSUBSTANCE ROLE: Diluent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CAN	CA EPA - Prop 65	Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	MAK	Carcinogen Group 2 - Considered to be carcinogenic for man

CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1B]
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
GEN	EU - GHS (H-Statements) Annex 6 Table 3-1	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	GHS - New Zealand	Carcinogenicity category 2
GEN	GHS - Australia	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
SKI	GHS - New Zealand	Skin sensitisation category 1
EYE	GHS - Korea	H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]
SKI	GHS - Korea	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
GEN	GHS - Korea	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
GEN	EU - Annex VI CMRs	Mutagen - Category 2
GEN	GHS - New Zealand	Germ cell mutagenicity category 2
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Korea	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	EU - REACH Annex XVII CMRs	Carcinogens: Category 1B

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products

SUBSTANCE NOTES:

CERAMIC MATERIALS AND WARES, CHEMICALS

ID: 66402-68-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-10-08 9:49:30		
%: 5.0000 - 15.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Hazardous to Waters		Class 2 - Hazard to Waters	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Commission (EU EC)		EU - REACH Exemptions Exempted from REACH Annex V listing due to intrinsic safety	

SUBSTANCE NOTES:

BISPHENOL A EPICHLOROHYDRIN POLYMER

ID: 25068-38-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-10-08 9:49:40	
%: 1.0000 - 10.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024 Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES:

1,2-ETHANEDIAMINE, N1,N2-BIS(1,3-DIMETHYLBUTYLIDENE)-				ID: 25707-70-4
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-10-08 9:49:40		
%: 1.0000 - 10.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

ISOPHORONE DIAMINE

ID: 2855-13-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-10-08 9:49:40		
%: 1.0000 - 10.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	MAK		Sensitizing Substance Sh - Danger of skin sensitization	
MUL	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters	
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1		H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]	
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1		H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]	
SKI	GHS - New Zealand		Skin corrosion category 1C	
EYE	GHS - New Zealand		Serious eye damage category 1	
EYE	GHS - Japan		H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]	
SKI	GHS - Japan		H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]	
SKI	GHS - Australia		H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]	
AQU	GHS - New Zealand		Hazardous to the aquatic environment - chronic category 3	
SKI	GHS - New Zealand		Skin sensitisation category 1	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List	
			Some Solvents	
SUBSTANCE NOTES:				

BENZYL ALCOHOL

ID: 100-51-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-10-08 9:49:40		
%: 1.0000 - 10.0000	GreenScreen: BM-2	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
EYE	GHS - New Zealand	Eye irritation category 2
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products
SUBSTANCE NOTES:		

TRIETHYLENETETRAMINE

ID: 112-24-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-10-08 9:49:41	
%: 1.0000 - 10.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1
SKI	GHS - New Zealand	Skin corrosion category 1C
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
REP	GHS - New Zealand	Reproductive toxicity category 2
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
MAM	GHS - Japan	H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]
MAM	GHS - New Zealand	Acute dermal toxicity category 3
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

TITANIUM DIOXIDE		ID: 13463-67-7		
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-10-08 9:49:41		
%: 2.0000 - 10.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPH)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL) Colorants - Green Circle (Verified Low Concern)
SUBSTANCE NOTES:		

((2-METHYLPHENOXY)METHYL)OXIRANE				ID: 2210-79-9
HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-10-08 9:49:42		
%: 2.0000 - 10.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
GEN	EU - GHS (H-Statements) Annex 6 Table 3-1	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
SKI	GHS - New Zealand	Skin irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
GEN	GHS - Australia	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
GEN	EU - Annex VI CMRs	Mutagen - Category 2
GEN	GHS - New Zealand	Germ cell mutagenicity category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
SUBSTANCE NOTES:		

ALIPHATIC AMINE

ID: **Unknown**

HAZARD DATA SOURCE: Pharos Chemical and Materials Library				HAZARD SCREENING DATE: Not Screened	
%: 1.0000 - 5.0000	GreenScreen: Not Screened	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
Hazard Screening not performed					

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
Additional Hazard Screening not performed		
SUBSTANCE NOTES: proprietary		

XYLENES

ID: 1330-20-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-10-08 9:49:41		
?: 0.0100 - 4.0000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Solvent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
REP	GHS - New Zealand	Reproductive toxicity category 2
EYE	GHS - Korea	H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]
SKI	GHS - Korea	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Korea	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - Repeated exposure - Category 1]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
SKI	GHS - Malaysia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Australia	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents

AMINOETHYL ETHANOLAMINE

ID: 111-41-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-10-08 9:49:42

%: 0.0100 - 1.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B		
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant		
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]		
DEV	GHS - Australia	H360Df - May damage the unborn child. Suspected of damaging fertility [Reproductive toxicity - Category 1A or 1B]		
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]		
DEV	EU - GHS (H-Statements) Annex 6 Table 3-1	H360Df - May damage the unborn child. Suspected of damaging fertility [Reproductive toxicity - Category 1A or 1B]		
REP	GHS - New Zealand	Reproductive toxicity category 1		
SKI	GHS - New Zealand	Skin corrosion category 1C		
EYE	GHS - New Zealand	Serious eye damage category 1		
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]		
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]		
SKI	GHS - New Zealand	Skin sensitisation category 1		
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1B]		
REP	EU - REACH Annex XVII CMRs	Reproductive toxicants: Category 1B		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List		
		Some Solvents		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Children's Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022		
		Formulated Consumer Products		

SUBSTANCE NOTES:

1,3-BENZENEDIMETHANAMINE

ID: 1477-55-0

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-10-08 9:49:42		
%: 0.0100 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
SKI	MAK		Sensitizing Substance Sh - Danger of skin sensitization		
MUL	German FEA - Substances Hazardous to Waters		Class 3 - Severe Hazard to Waters		
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]		
EYE	GHS - Japan		H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]		
SKI	GHS - Japan		H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]		
MAM	GHS - Japan		H331 - Toxic if inhaled [Acute toxicity (inhalation: dust, mist) - Category 3]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No listings found on Additional Hazard Lists		

SUBSTANCE NOTES:

ETHYLENEDIAMINE

ID: 107-15-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-10-08 9:49:43		
%: 0.0100 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent	

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 3
SKI	GHS - New Zealand	Skin sensitisation category 1
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1B
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
MAM	GHS - Korea	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Japan	H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]
SKI	GHS - Malaysia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
EYE	GHS - Malaysia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
MAM	GHS - New Zealand	Acute dermal toxicity category 3
RES	EU - SVHC List	Equivalent Concern - Candidate List: Respiratory sensitizing
RES	EU - SVHC List	Equivalent Concern - Prioritization List: Respiratory sensitizing
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents

METHYL ISOBUTYL KETONE

ID: 108-10-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-10-08 9:49:41

%: 0.0100 - 1.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
CAN	CA EPA - Prop 65	Carcinogen		
CAN	IARC	Group 2b - Possibly carcinogenic to humans		
DEV	CA EPA - Prop 65	Developmental toxicity		
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1B]		
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
EYE	GHS - New Zealand	Eye irritation category 2		
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]		
MAM	GHS - Japan	H331 - Toxic if inhaled [Acute toxicity (inhalation: vapor) - Category 3]		
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen		
PHY	GHS - New Zealand	Flammable liquids category 2		
PHY	GHS - Japan	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
PHY	GHS - Malaysia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
PHY	GHS - Australia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]		
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]		
EYE	GHS - Malaysia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
SUBSTANCE NOTES:		

CARBON BLACK

ID: 1333-86-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-10-08 9:49:42		
%: 0.0100 - 0.5000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	US CDC - Occupational Carcinogens		Occupational Carcinogen	
CAN	MAK		Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification	
CAN	CA EPA - Prop 65		Carcinogen - specific to chemical form or exposure route	
CAN	IARC		Group 2b - Possibly carcinogenic to humans	
EYE	GHS - New Zealand		Eye irritation category 2	
CAN	GHS - New Zealand		Carcinogenicity category 2	
CAN	GHS - Japan		H351 - Suspected of causing cancer [Carcinogenicity - Category 2]	
MAM	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
PHY	GHS - Japan		H251 - Self-heating;; may catch fire [Self-heating substances and mixtures - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Additional Hazard Lists	
SUBSTANCE NOTES:				

ETHYLBENZENE

ID: 100-41-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-10-08 9:49:43		
%: 0.0100 - 0.5000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Solvent

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
CAN	CA EPA - Prop 65	Carcinogen
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	IARC	Group 2b - Possibly carcinogenic to humans
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
REP	GHS - New Zealand	Reproductive toxicity category 2
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
PHY	GHS - New Zealand	Flammable liquids category 2
PHY	GHS - Japan	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Malaysia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
PHY	GHS - Australia	H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]
MAM	GHS - Australia	H304 - May be fatal if swallowed and enters airways [Aspiration hazard - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
SUBSTANCE NOTES:		

BENZALDEHYDE

ID: 100-52-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-10-08 9:49:43		
%: 0.0100 - 0.5000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Curing agent	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine Disruptors		Potential Endocrine Disruptor		
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
EYE	GHS - New Zealand		Eye irritation category 2		
MAM	GHS - Japan		H371 - May cause damage to organs [Specific target organs/systemic toxicity following single exposure - Category 2]		
AQU	GHS - Japan		H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]		
EYE	GHS - Japan		H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (GSPI)		GSPI - Six Classes Precautionary List		
			Some Solvents		
SUBSTANCE NOTES:					

QUARTZ

ID: 14808-60-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-10-08 9:49:44		
%: 0.0100 - 0.5000	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Filler	

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)**
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man**
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources**
CAN	IARC	Group 1 - Agent is Carcinogenic to humans**
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen**
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]**
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]**
CAN	GHS - New Zealand	Carcinogenicity category 1**
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]**
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]**
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	CDPH Standard Method - Not tested	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2024-09-18 00:00:00	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		
VOC CONTENT	SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2024-09-18 00:00:00	CERTIFIER OR LAB: Dudick
APPLICABLE FACILITIES: All	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES:		
LCA	Environmental Product Declaration (EPD) by NSF	
CERTIFYING PARTY: Third Party	ISSUE DATE: 2023-12-23 00:00:00	CERTIFIER OR LAB: Smart EPD
APPLICABLE FACILITIES: All	EXPIRY DATE: 2028-12-23 00:00:00	
CERTIFICATE URL: https://smartepd.com/epd-library/6553d1b5e2b8d3bdbd7069d6		
CERTIFICATION AND COMPLIANCE NOTES:		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

The product is estimated to have no residuals/impurities over 100 ppm based on raw material supplier information.

MANUFACTURER INFORMATION

MANUFACTURER: **Carboline**
ADDRESS: **Dudick, Inc.**
1818 Miller Parkway
Streetsboro, OH 44241
COUNTRY: **United States**

WEBSITE: **www.dudick.com**
CONTACT NAME: **Jamie Valdez**
TITLE: **Global Product Support Specialist**
PHONE: **3146441000**
EMAIL: **sustainability@carboline.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold	Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold	Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold	Substances listed individually per threshold indicated per product

Nano	Composed of nano scale particles or nanotechnology
Third Party Verified	Verification by independent certifier approved by HPDC
Preparer	Third party preparer, if not self-prepared by manufacturer
Applicable facilities	Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

