

HPD UNIQUE IDENTIFIER: 1103446016

CLASSIFICATION: 06 16 26 Underlayment

PRODUCT DESCRIPTION: Advanced Underlayment for Flooring Systems. MAXTERRA® MgO Fire- And Water-Resistant Underlayment is a high-density, structurally rated Magnesium Oxide product that can be used as a direct replacement for gypsum concrete underlayment (e.g., gypcrete), fiber cement underlayment, or other conventional flooring underlayment products.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities Evaluation, and Explanation(s) provided for Residuals/Impurities? Each column contains radio button options and descriptive text.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

Number of Greenscreen BM-4/BM3 contents ... 2  
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1  
Nanomaterial ... No

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

BINDER 1 [ MAGNESIUM OXIDE BM-3dg | CAN | MAM LIME BM-2 | SKI | MAM | EYE ALUMINUM OXIDE BM-2 | MAM FERRIC OXIDE BM-1 | CAN | MAM ] WATER [ WATER BM-4 ] BINDER 2 [ MAGNESIUM SULFATE ANHYDROUS LT-UNK ] WOOD FIBERS [ WOOD FIBER ] FILLER 1 [ PUMICE LT-UNK ] PROPRIETARY ADDITIVE [ UNDISCLOSED LT-UNK | EYE | SKI ] FIBERGLASS MESH [ FIBERGLASS LT-UNK ] ADDITIVE [ UNDISCLOSED BM-1 | END ] FILLER 2 [ PERLITE LT-UNK | EYE ]

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [BiologicalMaterial]

This Health Product Declaration (HPD) was completed following the HPD Standard version 2.3. This HPD was produced using primary information from the manufacturer, including CAS numbers and SDS when needed. The manufacturer has made every effort to report the substances in this product to the listed threshold. This is a voluntary, self-reported effort. Any errors or omissions shall be considered a human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions. All materials/substances present in the final product were screened at or above 1000 ppm, and all potential hazards associated with the product have been disclosed.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.  
Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

- Yes
No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2025-01-14

PUBLISHED DATE: 2025-01-15

EXPIRY DATE: 2028-01-14

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### BINDER 1

#: 20.0000 - 40.0000

PRODUCT THRESHOLD: 1000 ppm      RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes      MATERIAL TYPE: Other: Inorganic compound

RESIDUALS AND IMPURITIES NOTES: "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Percentage shown as a range is to protect the actual formulation of the product.

### MAGNESIUM OXIDE

ID: 1309-48-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library      HAZARD SCREENING DATE: 2025-01-14 8:00:41

#: 90.0000 - 98.0000      GreenScreen: BM-3dg      RC: None      NANO: No      SUBSTANCE ROLE: Structure component

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|----------------------|----------|
|-------------|----------------------|----------|

|     |     |  |
|-----|-----|--|
| CAN | MAK | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels |
|-----|-----|--|

|     |             |   |
|-----|-------------|---|
| MAM | GHS - Japan | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3] |
|-----|-------------|---|

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|----------------------|--------------|
|---------------------|----------------------|--------------|

|            |  |  |
|------------|--|--|
| None found |  | No listings found on Additional Hazard Lists |
|------------|--|--|

SUBSTANCE NOTES:

### LIME

ID: 1305-78-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library      HAZARD SCREENING DATE: 2025-01-14 8:00:42

#: 2.0000      GreenScreen: BM-2      RC: None      NANO: No      SUBSTANCE ROLE: Impurity/Residual

| HAZARD TYPE         | LIST NAME AND SOURCE                  | WARNINGS  |
|---------------------|---------------------------------------|---|
| SKI                 | GHS - Australia                       | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]  |
| MAM                 | GHS - Japan                           | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM                 | GHS - Japan                           | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]  |
| SKI                 | GHS - New Zealand                     | Skin corrosion category 1C  |
| EYE                 | GHS - New Zealand                     | Serious eye damage category 1   |
| EYE                 | GHS - Japan                           | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]   |
| SKI                 | GHS - Japan                           | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]  |
| EYE                 | GHS - Australia                       | H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]   |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                  | NOTIFICATION  |
| RESTRICTED LIST     | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List<br>Antimicrobials   |

SUBSTANCE NOTES:

## ALUMINUM OXIDE

ID: 1344-28-1

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-01-14 8:00:42**

%: **0.1000 - 0.7000** GreenScreen: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS  |
|-------------|----------------------|---|
| MAM         | GHS - Japan          | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]   |
| MAM         | GHS - Japan          | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION   |
|---------------------|---|--|
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                               |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024<br><br>Children's Toy Products                                      |

SUBSTANCE NOTES:

## FERRIC OXIDE

ID: **1309-37-1**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-01-14 8:00:43**

%: **0.1000 - 0.4000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS  |
|-------------|----------------------|---|
| CAN         | MAK                  | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification  |
| MAM         | GHS - Japan          | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM         | GHS - Japan          | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]  |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                 |
|---------------------|----------------------|--|
| None found          |                      | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES:

## WATER

%: **10.0000 - 30.0000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Other: Water

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are registered for this substance per the Pharos database.

OTHER MATERIAL NOTES:

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2025-01-14 8:00:43**%: **100.0000**GreenScreen: **BM-4**RC: **None**NANO: **No**SUBSTANCE ROLE: **Solvent**

| HAZARD TYPE         | LIST NAME AND SOURCE                         | WARNINGS  |
|---------------------|--|---|
| None found          |  | No warnings found on HPD Priority Hazard Lists  |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                         | NOTIFICATION  |
| EXEMPT              | European Union / European Commission (EU EC) | EU - REACH Exemptions<br><br>Exempted from REACH Annex IV listing due to intrinsic safety |

SUBSTANCE NOTES:

**BINDER 2**%: **15.0000 - 30.0000**

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Other: Inorganic compound

RESIDUALS AND IMPURITIES NOTES: "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Percentage shown as a range is to protect the actual formulation of the product.

**MAGNESIUM SULFATE ANHYDROUS**ID: **7487-88-9**HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2025-01-14 8:00:44**%: **99.9000**GreenScreen: **LT-UNK**RC: **UNK**NANO: **No**SUBSTANCE ROLE: **Binder**

| HAZARD TYPE         | LIST NAME AND SOURCE | WARNINGS                                       |
|---------------------|----------------------|--|
| None found          |                      | No warnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                   |
| None found          |                      | No listings found on Additional Hazard Lists   |

SUBSTANCE NOTES: Per the Pharos database, magnesium sulfate anhydrous contains chloride (16887-00-6) as a potential residual or impurity at an unknown level of concentration and GreenScreen (NoGS).

**WOOD FIBERS**%: **5.0000 - 10.0000**

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

MATERIAL TYPE: Wood Dust, Fiber or Chips

RESIDUALS AND IMPURITIES NOTES: Residuals or impurities are not considered for this material.

OTHER MATERIAL NOTES:

**WOOD FIBER**

ID: **Biological Material**

HAZARD DATA SOURCE: **HPDC Special Conditions Policy**

%: **100.0000** GreenScreen: **Not Required** RC: **UNK** NANO: **No** MATERIAL ROLE: **Biological material**

| HAZARD TYPE  | AGENCY AND LIST TITLES | WARNINGS |
|--|------------------------|----------|
| Hazard Screening is not applicable to this Special Condition |                        |          |

BIOLOGICAL MATERIALS CATEGORY: Tree-based materials

INGREDIENT DESCRIPTION: Wood fiber mainly consists of three types of materials: Cellulose, hemi-cellulose and lignin.

MATERIAL CONTENT NOTES: Composition: Pinewood .

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

**FILLER 1**

%: **1.0000 - 5.0000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Percentage shown as a range is to protect the actual formulation of the product.

**PUMICE**

ID: **1332-09-8**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-01-14 8:00:44**

%: **100.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS                                       |
|-------------|----------------------|--|
| None found  |                      | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION                                 |
|---------------------|----------------------|--|
| None found          |                      | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES:

**PROPRIETARY ADDITIVE**

%: **1.0000 - 5.0000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Percentage shown as a range is to protect the actual formulation of the product.

**UNDISCLOSED**

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-01-14 8:00:45**

%: **100.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Processing regulator**

| HAZARD TYPE         | LIST NAME AND SOURCE                        | WARNINGS   |
|---------------------|---|--|
| EYE                 | EU - GHS (H-Statements) Annex 6 Table 3-1   | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]                         |
| SKI                 | GHS - Australia                             | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]   |
| EYE                 | GHS - Australia                             | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]                         |
| EYE                 | GHS - New Zealand                           | Serious eye damage category 1  |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                        | NOTIFICATION   |
| POSITIVE LIST       | US Environmental Protection Agency (US EPA) | US EPA - DfE Safer Chemicals Ingredients list (SCIL)<br>Chelating Agents - Green Circle (Verified Low Concern) |

SUBSTANCE NOTES: The manufacturer maintains rigorous proprietary control over this additive.

**FIBERGLASS MESH**

%: **1.0000 - 5.0000**

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Other: Inorganic compound

RESIDUALS AND IMPURITIES NOTES: "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Percentage shown as a range is to protect the actual formulation of the product.

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2025-01-14 8:00:45**

%: **100.0000**      GreenScreen: **LT-UNK**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Abrasion resistance**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|----------------------|----------|
|-------------|----------------------|----------|

|            |  |  |
|------------|--|--|
| None found |  | No warnings found on HPD Priority Hazard Lists |
|------------|--|--|

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|----------------------|--------------|
|---------------------|----------------------|--------------|

|        |  |  |
|--------|--|--|
| EXEMPT | European Union / European Commission (EU EC) | EU - REACH Exemptions<br><br>Exempted from REACH Annex V listing due to intrinsic safety |
|--------|--|--|

SUBSTANCE NOTES:

**ADDITIVE**

%: **1.0000 - 2.0000**

|                             |  |  |
|-----------------------------|--|--|
| PRODUCT THRESHOLD: 1000 ppm | RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes | MATERIAL TYPE: Other: Inorganic compound |
|-----------------------------|--|--|

RESIDUALS AND IMPURITIES NOTES: "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES:



HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2025-01-14 8:00:45**

#: **100.0000**      GreenScreen: **BM-1**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Accelerator**

| HAZARD TYPE         | LIST NAME AND SOURCE                                    | WARNINGS   |
|---------------------|---|--|
| END                 | TEDX - Potential Endocrine Disruptors                   | Potential Endocrine Disruptor  |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                    | NOTIFICATION   |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Biological and Environmentally Released Materials |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products                               |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2024<br><br>Children's Toy Products                                      |

SUBSTANCE NOTES: The manufacturer maintains rigorous proprietary control over this additive.

**FILLER 2**

#: **1.0000 - 1.5000**

PRODUCT THRESHOLD: 1000 ppm      RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes      MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: "The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD." This includes average data declared in the common product database or peer-reviewed scientific articles. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES:

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2025-01-14 8:00:44**

%: **100.0000**      GreenScreen: **LT-UNK**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Filler**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|----------------------|----------|
|-------------|----------------------|----------|

|     |                   |                           |
|-----|-------------------|---------------------------|
| EYE | GHS - New Zealand | Eye irritation category 2 |
|-----|-------------------|---------------------------|

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|----------------------|--------------|
|---------------------|----------------------|--------------|

|            |  |  |
|------------|--|--|
| None found | No listings found on Additional Hazard Lists |  |
|------------|--|--|

SUBSTANCE NOTES: The given CAS RN of the substance doesn't appear on any GreenScreen Benchmark list. The data gaps were filled using information from the Pharos database for common building materials and the PubChem database. It's important to note that the compositions and ingredients listed for this material are intended for informational and screening purposes only and are not 100% guaranteed to be present in the actual product.

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

### VOC EMISSIONS

### CDPH Standard Method - Not tested

|   |                                 |                        |
|---|---------------------------------|------------------------|
| CERTIFYING PARTY: Self-declared   | ISSUE DATE: 2024-11-28 00:00:00 | CERTIFIER OR LAB: None |
| APPLICABLE FACILITIES: This is not a facility-based declaration.  | EXPIRY DATE:                    |                        |
| CERTIFICATE URL:  |                                 |                        |
| CERTIFICATION AND COMPLIANCE NOTES: This product currently does not have a CDPH test certificate for VOC emissions. |                                 |                        |

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

## Section 5: General Notes

### Key Advantages:

- Flexibility and Strength: Lightweight yet strong.
- Versatility in Sizes: Multiple sizes and thicknesses.
- Health Conscious: Silica-free, No Carcinogens
- Ease of Installation: User-friendly.

### Physical Specifications

Thicknesses: 1/4" (6mm), 3/8" (9mm), 1/2" (12mm), 5/8" (16mm).

Dimensions: 3' x 5', 4' x 8'.

### Weight:

1/4" - 1.11 lbs/sq ft

3/8" - 1.66 lbs/sq ft

1/2" - 2.22 lbs/ sq ft

5/8" - 2.95 lbs/ sq ft

Edge Treatments: Square Edge.

### Code Compliance

ICC ESR-5192

Mold Resistance: ASTM G21 - 0 growth observed.

AC 386, AC 376 and AC 378.

### Shear Bond Strength:

Dry-Set Portland – greater than 50psi.

Latex Portland – greater than 50psi.

**MANUFACTURER INFORMATION**

MANUFACTURER: **NEXGEN Building Products**  
 ADDRESS: **1904 Manatee Ave West #300 Bradenton, FL 34205**  
**Bradenton, Florida 34205**  
 COUNTRY: **United States**

WEBSITE: **www.nexgenbp.com**  
 CONTACT NAME: **Eric Polzin**  
 TITLE: **Chief Construction Science Officer**  
 PHONE: **+1 (727) 620-3334**  
 EMAIL: **epolzin@nexgenbp.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

|                                       |   |  |
|---------------------------------------|---|--|
| <b>AQU</b> Aquatic toxicity           | <b>LAN</b> Land toxicity                          | <b>PHY</b> Physical hazard (flammable or reactive)   |
| <b>CAN</b> Cancer                     | <b>MAM</b> Mammalian/systemic/organ toxicity      | <b>REP</b> Reproductive                              |
| <b>DEV</b> Developmental toxicity     | <b>MUL</b> Multiple                               | <b>RES</b> Respiratory sensitization                 |
| <b>END</b> Endocrine activity         | <b>NEU</b> Neurotoxicity                          | <b>SKI</b> Skin sensitization/irritation/corrosivity |
| <b>EYE</b> Eye irritation/corrosivity | <b>NF</b> Not found on Priority Hazard Lists      | <b>UNK</b> Unknown                                   |
| <b>GEN</b> Gene mutation              | <b>OZO</b> Ozone depletion                        |  |
| <b>GLO</b> Global warming             | <b>PBT</b> Persistent, bioaccumulative, and toxic |  |

**GreenScreen (GS)**

|   |  |
|---|--|
| <b>BM-4</b> Benchmark 4 (prefer-safer chemical)                     | <b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1) |
| <b>BM-3</b> Benchmark 3 (use but still opportunity for improvement) | <b>LT-1</b> List Translator 1 (Likely Benchmark-1)             |
| <b>BM-2</b> Benchmark 2 (use but search for safer substitutes)      | <b>LT-UNK</b> List Translator Benchmark Unknown                |
| <b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)          | <b>NoGS</b> No GreenScreen.                                    |
| <b>BM-U</b> Benchmark Unspecified (due to insufficient data)        |  |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and*

