

HPD UNIQUE IDENTIFIER: 1058188288

CLASSIFICATION: 04 05 16 Masonry Grouting

PRODUCT DESCRIPTION: LATICRETE® MVIS™ Pointing Mortar is a factory prepared and designed to be mixed with water or LATICRETE MVIS Mortar Enhancer. Formulated from a blend of high strength portland cement, graded aggregates, and color-fast pigments. Provides a joint that is dense, hard and durable.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Other

Residuals/Impurities Evaluation

- Completed
- Partially Completed
- Not Completed

For all contents above the threshold, the manufacturer has:

Characterized

Provided weight and role.

Yes No

Screened

Provided screening results using HPDC-approved methods.

Yes No

Identified

Provided name and CAS RN or other identifier.

Yes No

Threshold Disclosed Per

- Material
- Product

Explanation(s) provided :

Yes No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

LATICRETE® MVIS™ POINTING MORTAR [QUARTZ BM-1 *] CAN | MAM | GEN PORTLAND CEMENT LT-P1] CAN | END | MAM KAOLIN LT-UNK] CAN UNDISCLOSED LT-UNK FERRIC OXIDE BM-1 *] CAN | MAM UNDISCLOSED BM-1 *] CAN | END | MAM UNDISCLOSED LT-P1 UNDISCLOSED LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was Created with Basic Inventory. Materials listed as Undisclosed in Section 2 is done to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards of these components.

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 0.00 Regulatory (g/l): N/A

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested

VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

LCA: Environmental Product Declaration (EPD) by UL

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4 Option 2.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2024-06-20

PUBLISHED DATE: 2024-06-20

EXPIRY DATE: 2027-06-20

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpdc-collaborative.org/hpd-2-3-standard

LATICRETE® MVIS™ POINTING MORTAR

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No

RESIDUALS AND IMPURITIES NOTES: Residuals and impurities are measured by quantitative methods and are only displayed when they are potentially greater than 100 ppm.

OTHER PRODUCT NOTES: See SDS at <https://laticrete.com> for occupational exposure information.

QUARTZ

ID: 14808-60-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-06-20 6:52:05

#: 70.0000 - 80.0000

GreenScreen: BM-1

RC: None

NANO: No

SUBSTANCE ROLE: Filler

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|-----------------------------------|---|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen** |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route** |
| CAN | US NIH - Report on Carcinogens | Known to be Human Carcinogen (respirable size - occupational setting)** |
| CAN | MAK | Carcinogen Group 1 - Substances that cause cancer in man** |
| CAN | IARC | Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources** |
| CAN | IARC | Group 1 - Agent is Carcinogenic to humans** |
| CAN | US NIH - Report on Carcinogens | Known to be a human Carcinogen** |
| CAN | GHS - Japan | H350 - May cause cancer [Carcinogenicity - Category 1A]** |
| CAN | GHS - Australia | H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]** |
| CAN | GHS - New Zealand | Carcinogenicity category 1** |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]** |
| GEN | GHS - Japan | H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]** |
| MAM | GHS - Australia | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]** |
| MAM | GHS - New Zealand | Specific target organ toxicity - repeated exposure category 1** |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. Contains no respirable silica levels that exceed the OSHA action level.

**Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

This substance is part of a powder or aerosol; however, its potential for respiration is limited, as demonstrated by this [report or certification](#)

PORTLAND CEMENT

ID: 65997-15-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-06-20 6:52:05

#: 15.0000 - 20.0000

GreenScreen: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Binder

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|---------------------------------------|---|
| CAN | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification |
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| MAM | GHS - Japan | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: The amount of this component may vary based on plant of manufacture. This product contains no respirable silica levels that exceed the OSHA action level.

KAOLIN ID: 1332-58-7

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2024-06-20 6:52:05 | | |
|--|----------------------------|--|-----------------|---|
| %: 3.0000 - 5.0000 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Viscosity modifier |
| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS | | |
| CAN | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification | | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION | | |
| None found | | No listings found on Additional Hazard Lists | | |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

UNDISCLOSED ID: **Undisclosed**

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2024-06-20 6:52:05 | | |
|--|----------------------------|--|-----------------|--------------------------------|
| %: 0.0000 - 5.0000 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Pigment |
| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS | | |
| None found | | No warnings found on HPD Priority Hazard Lists | | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION | | |
| None found | | No listings found on Additional Hazard Lists | | |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

FERRIC OXIDE ID: 1309-37-1

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | HAZARD SCREENING DATE: 2024-06-20 6:52:05 | | |
|--|--------------------------|---|-----------------|--------------------------------|
| %: 0.0000 - 3.5000 | GreenScreen: BM-1 | RC: None | NANO: No | SUBSTANCE ROLE: Pigment |
| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS | | |
| CAN | MAK | Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification** | | |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]** | | |
| MAM | GHS - Japan | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]** | | |

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture.

**Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

This substance is part of a powder or aerosol; however, its potential for respiration is limited, as demonstrated by this [report or certification](#)

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-06-20 6:52:06**

%: **0.0000 - 3.0000**

GreenScreen: **BM-1**

RC: **None**

NANO: **No**

SUBSTANCE ROLE: **Pigment**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|-------------|---|---|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen** |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route** |
| CAN | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources** |
| CAN | MAK | Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value** |
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor** |
| CAN | MAK | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels** |
| CAN | IARC | Group 2b - Possibly carcinogenic to humans** |
| CAN | EU - GHS (H-Statements) Annex 6 Table 3-1 | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]** |
| CAN | GHS - Japan | H351 - Suspected of causing cancer [Carcinogenicity - Category 2]** |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]** |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---------------------|--|---|
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CP II) | C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products |
| POSITIVE LIST | US Environmental Protection Agency (US EPA) | US EPA - DfE Safer Chemicals Ingredients list (SCIL) Colorants - Green Circle (Verified Low Concern) |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

**Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

This substance is part of a powder or aerosol; however, its potential for respiration is limited, as demonstrated by this [report or certification](#)

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-06-20 6:52:06**

| | | | | |
|---------------------------|---------------------------|--|-----------------|--------------------------------|
| %: 0.0000 - 2.0000 | GreenScreen: LT-P1 | RC: None | NANO: No | SUBSTANCE ROLE: Pigment |
| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS | | |
| None found | | No warnings found on HPD Priority Hazard Lists | | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION | | |
| None found | | No listings found on Additional Hazard Lists | | |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

UNDISCLOSED

ID: **Undisclosed**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-06-20 6:52:07**

| | | | | |
|---------------------------|----------------------------|--|-----------------|---|
| %: 0.0100 - 0.0500 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Viscosity modifier |
| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS | | |
| None found | | No warnings found on HPD Priority Hazard Lists | | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION | | |
| None found | | No listings found on Additional Hazard Lists | | |

SUBSTANCE NOTES: The amount of this component may vary based on the plant of manufacture. This product is shown as undisclosed to preserve integrity of formula and maintain competitive advantage. The component CAS# was used to identify associated hazards.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS CDPH Standard Method - Not tested

CERTIFYING PARTY: Self-declared
APPLICABLE FACILITIES: Applies to All Facilities.
CERTIFICATE URL:
ISSUE DATE: 2024-06-20 00:00:00
EXPIRY DATE:
CERTIFIER OR LAB: None
CERTIFICATION AND COMPLIANCE NOTES: LATICRETE® MVIS™ Pointing Mortar has not been tested for VOC emissions.

VOC CONTENT EPA Method 24 - Volatile Matter Content (EPA 24)

CERTIFYING PARTY: Self-declared
APPLICABLE FACILITIES: Applies to All Facilities.
CERTIFICATE URL: <https://cdn-global.laticrete.com/-/media/project/laticrete-international/shared/files/support-and-downloads/technical-datasheets/tds251.pdf>
ISSUE DATE: 2024-05-09 00:00:00
EXPIRY DATE:
CERTIFIER OR LAB: LATICRETE
CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Low Emitting Materials" VOC Content Requirements per SCAQMD Rule 1168 (Tile Adhesive).

LCA Environmental Product Declaration (EPD) by UL

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Applies to All Facilities.
CERTIFICATE URL: https://cdnmdm.laticrete.com/ProductAssets/Objects%20Assets/117.1_Laticrete%20Grout%20MVIS%20Pointing%20Mortar%20MVIS%20Premium%20Pointing%20Mortar.pdf
ISSUE DATE: 2024-04-01 00:00:00
EXPIRY DATE: 2029-03-31 00:00:00
CERTIFIER OR LAB: UL Solutions
CERTIFICATION AND COMPLIANCE NOTES: Meets LEED v4.1 Credit "Building Product Disclosure and Optimization-Environmental Product Declarations" requirements as a Product Specific (Type III) EPD.

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

WATER

MANUFACTURER (OR GENERIC): Generic
HPD URL: NO HPD Available
ACCESSORY TYPE: Other
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: LATICRETE MVIS Pointing Mortar to be mixed with water only following mix ratio and directions as stated on product data sheet.

Section 5: General Notes

LATICRETE® MVIS™ Pointing Mortar meets the Living Building Challenge v4.0 (2022) requirement that the product does not contain any of the Red Listed Materials or Chemicals. Specifically, LATICRETE MVIS Pointing Mortar does not contain the following: Antimicrobials (marketed with a health claim) •Alkylphenols and related compounds •Asbestos •Bisphenol A (BPA) and structural analogues •California Banned Solvents •Chlorinated Polymers, including Chlorinated polyethylene (CPE), Chlorinated Polyvinyl Chloride (CPVC), Chloroprene (neoprene monomer), Chlorosulfonated polyethylene (CSPE), Polyvinylidene chloride (PVDC), and Polyvinyl Chloride (PVC) •Chlorobenzenes •Chlorofluorocarbons (CFCs) & Hydrochlorofluorocarbons (HCFCs) •Formaldehyde (added) • Monomeric, polymeric and organo-phosphate halogenated flame retardants (HFRs) •Organotin Compounds •Perfluorinated Compounds (PFCs) •Phthalates (orthophthalates) •Polychlorinated Biphenyls (PCBs) •Polycyclic Aromatic Hydrocarbons (PAH) •Short-Chain and Medium-Chain Chlorinated Paraffins •Toxic Heavy Metals - Arsenic, Cadmium, Chromium, Lead (added), and Mercury •Wood treatments containing Creosote, Arsenic or Pentachlorophenol. See Section 1 for Volatile Organic Compounds (VOC) (wet applied products) information.

Contains no respirable silica levels that exceed the OSHA action level.

MANUFACTURER INFORMATION

MANUFACTURER: **LATICRETE International**
 ADDRESS: **1 Laticrete Park North**
Bethany, CT 06524
 COUNTRY: **USA**
 LATITUDE: **41.3973000**
 LONGITUDE: **-73.0027000**

WEBSITE: **wmhawkins@laticrete.com**
 CONTACT NAME: **Mitch Hawkins**
 TITLE: **Director, Customer Experience - Sustainability & Analytics**
 PHONE: **203-393-4619**
 EMAIL: **wmhawkins@laticrete.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

| | | |
|---------------------------------------|---|--|
| AQU Aquatic toxicity | LAN Land toxicity | PHY Physical hazard (flammable or reactive) |
| CAN Cancer | MAM Mammalian/systemic/organ toxicity | REP Reproductive |
| DEV Developmental toxicity | MUL Multiple | RES Respiratory sensitization |
| END Endocrine activity | NEU Neurotoxicity | SKI Skin sensitization/irritation/corrosivity |
| EYE Eye irritation/corrosivity | NF Not found on Priority Hazard Lists | UNK Unknown |
| GEN Gene mutation | OZO Ozone depletion | |
| GLO Global warming | PBT Persistent, bioaccumulative, and toxic | |

GreenScreen (GS)

| | |
|---|--|
| BM-4 Benchmark 4 (prefer-safer chemical) | LT-P1 List Translator Possible 1 (Possible Benchmark-1) |
| BM-3 Benchmark 3 (use but still opportunity for improvement) | LT-1 List Translator 1 (Likely Benchmark-1) |
| BM-2 Benchmark 2 (use but search for safer substitutes) | LT-UNK List Translator Benchmark Unknown |
| BM-1 Benchmark 1 (avoid - chemical of high concern) | NoGS No GreenScreen. |
| BM-U Benchmark Unspecified (due to insufficient data) | |

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.