

HPD UNIQUE IDENTIFIER: 21762

CLASSIFICATION: 09 65 16.23 Vinyl Sheet Flooring

PRODUCT DESCRIPTION: TEKNOFLOR® Forestscapes HPD™ collection of commercial resilient sheet was designed to offer your favorite traditional, knotted wood looks from our most tenured TEKNOFLOR® collection in a modern composition made of 100% virgin vinyl that's also phthalate-free, formaldehyde-free, and free of halogenated flame-retardants. Our hardest working floor is now even tougher and more thoughtfully made to meet your standards and exceed your expectations for a beautiful, clean wood look to last for years to come. With a 2.3 mm gauge and 0.5 mm (20 mil) wear layer, TEKNOFLOR® Forestscapes HPD™ is backed by a 12-year, non-prorated, limited commercial warranty (material and labor).

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

Explanation(s) provided for Residuals/Impurities?
 Yes No

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No
% weight and role provided for all substances.

Screened Yes Ex/SC Yes No
All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No
All substances disclosed by Name (Specific or Generic) and Identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

TEKNOFLOR® FORESTSCAPES HPD™ [POLYVINYL CHLORIDE (PVC) LT-P1 | RES LIMESTONE (CALCIUM CARBONATE) LT-UNK BIS(2-ETHYLHEXYL) TEREPHTHALATE (DOTP) BM-3dg HYDRODESULFURIZED KEROSENE LT-UNK | MAM ACETYLTRIBUTYL CITRATE LT-P1 | MUL FIBERGLASS LT-UNK BARIUM LT-P1 | END UNS Z35523 (ZINC) LT-P1 | AQU | PHY | END | MUL C13-14 ISOPARAFFIN (LIGHT DISTILLATE FUEL OILS) BM-2 | MAM | CAN IRGANOX 1010 (ANOX 20) LT-UNK PULP, CELLULOSE NoGS 2-HYDROXYETHYL ACRYLATE (HEA) LT-P1 | AQU | MAM | SKI | MUL 1,1'-AZOBIS(FORMAMIDE) (ADCA) LT-UNK | RES HYDROXYPROPYL ACRYLATE LT-UNK | MAM | SKI PENTAERYTHRITYL TRIACRYLATE (PETA) LT-P1 | SKI | EYE ZINC OXIDE BM-1 | RES | AQU | END | MUL FIBERGLASS LT-UNK 1,3-BENZENEDICARBOXYLIC ACID, POLYMER WITH (2E)-2-BUTENEDIOIC ACID, 1,2-ETHANEDIOL AND 2,2'-OXYBIS(ETHANOL) NoGS DIPROPYLENE GLYCOL DIACRYLATE LT-UNK BENZOYL ISOPROPANOL LT-P1]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This HPD was created with Basic Inventory.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: RFCI FloorScore

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

Yes

No

PREPARER: **Self-Prepared**

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2020-09-21

PUBLISHED DATE: 2020-09-21

EXPIRY DATE: 2023-09-21



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

TEKNOFLOR® FORESTSCAPES HPD™

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: No

RESIDUALS AND IMPURITIES NOTES: While TEKNOFLOR® Forestscapes HPD™ does not meet the qualifications for "Residuals & Impurities - Considered" per HPDC's Emerging Best Practices , we have 1) disclosed all known, intentionally-added ingredients; 2) tested TEKNOFLOR® Forestscapes HPD™ to ensure it is free of Red List Heavy Metals, Phthalate-Free, Formaldehyde-Free, complies with REACH SVHC, and meets VOC Emissions/Indoor Air Quality requirements per FloorScore / California Section 01350.

OTHER PRODUCT NOTES: All known, intentionally-added ingredients of TEKNOFLOR® Forestscapes HPD™ are disclosed in this HPD.

POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-21

#: 45.1780

GS: LT-P1

RC: None

NANO: No

SUBSTANCE ROLE: Polymer species

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES:

LIMESTONE (CALCIUM CARBONATE)

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-21

#: 28.7210

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

BIS(2-ETHYLHEXYL) TEREPHTHALATE (DOTP)

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2020-09-21

#: 17.9280

GS: BM-3dg

RC: None

NANO: No

SUBSTANCE ROLE: Plasticizer

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES:

HYDRODESULFURIZED KEROSENE

ID: 64742-81-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-09-21
---	--

%: 2.2410	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
------------------	-------------------	-----------------	-----------------	--------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
-----------	-------------------------	---

SUBSTANCE NOTES:

ACETYLTRIBUTYL CITRATE

ID: 77-90-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-09-21
---	--

%: 2.0270	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
------------------	------------------	-----------------	-----------------	--------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
----------	---	----------------------------

SUBSTANCE NOTES:

FIBERGLASS

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-09-21
---	--

%: 0.9770	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Glass component
------------------	-------------------	-----------------	-----------------	--

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

None found		No warnings found on HPD Priority Hazard Lists
------------	--	--

SUBSTANCE NOTES:

BARIUM

ID: 7440-39-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2020-09-21
---	--

%: 0.7920	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Stabilizer
------------------	------------------	-----------------	-----------------	-----------------------------------

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor

SUBSTANCE NOTES:

UNS Z35523 (ZINC)

ID: 7440-66-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-21**

#: **0.6410** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H250 - Catches fire spontaneously if exposed to air
PHYSICAL HAZARD (REACTIVE)	EU - GHS (H-Statements)	H260 - In contact with water releases flammable gases which may ignite spontaneously
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

C13-14 ISOPARAFFIN (LIGHT DISTILLATE FUEL OILS)

ID: 64742-47-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-21**

#: **0.3120** GS: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Solvent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAMMALIAN	EU - GHS (H-Statements)	H304 - May be fatal if swallowed and enters airways
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES:

IRGANOX 1010 (ANOX 20)

ID: 6683-19-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-21**

#: **0.2680** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Antioxidant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

PULP, CELLULOSE

ID: 65996-61-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-21**

#: **0.2600** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

2-HYDROXYETHYL ACRYLATE (HEA)

ID: 818-61-1

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-21**

#: **0.1550** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES:

1,1'-AZOBIS(FORMAMIDE) (ADCA)

ID: 123-77-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-21**

#: **0.1250** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Blowing agent**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
RESPIRATORY	EU - GHS (H-Statements)	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

SUBSTANCE NOTES:

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-09-21**%: **0.0850** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
MAMMALIAN	EU - GHS (H-Statements)	H301 - Toxic if swallowed
MAMMALIAN	EU - GHS (H-Statements)	H311 - Toxic in contact with skin
SKIN IRRITATION	EU - GHS (H-Statements)	H314 - Causes severe skin burns and eye damage
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MAMMALIAN	EU - GHS (H-Statements)	H331 - Toxic if inhaled
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES:

PENTAERYTHRITYL TRIACRYLATE (PETA)

ID: 3524-68-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-09-21**%: **0.0800** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Causes skin irritation
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
EYE IRRITATION	EU - GHS (H-Statements)	H319 - Causes serious eye irritation
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES:

ZINC OXIDE

ID: 1314-13-2

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2020-09-21**%: **0.0620** GS: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters

SUBSTANCE NOTES:

FIBERGLASS

ID: **65997-17-3**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-21**

#: **0.0610** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

1,3-BENZENEDICARBOXYLIC ACID, POLYMER WITH (2E)-2-BUTENEDIOIC ACID, 1,2-ETHANEDIOL AND 2,2'-OXYBIS(ETHANOL)

ID: **28133-55-3**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-21**

#: **0.0280** GS: **NoGS** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

DIPROPYLENE GLYCOL DIACRYLATE

ID: **57472-68-1**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-21**

#: **0.0280** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

BENZOYL ISOPROPANOL

ID: **7473-98-5**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2020-09-21**

#: **0.0280** GS: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

RFCI FloorScore

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

https://www.scs-certified.com/products/cert_pdfs/Teknoflor_2019_SCS-FS-04567_s.pdf

CERTIFICATION AND COMPLIANCE NOTES: **FloorScore Registration #SCS-FS-04567**

ISSUE DATE:

2020-03-01

EXPIRY DATE:

2020-11-30

CERTIFIER OR LAB:

SCS Global Services

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

TUF STIK 9000 ACRYLIC ADHESIVE

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

One of four adhesives recommended for TEKNOFLOR® Forestscapes HPD™. Refer to teknoflor.com for more details.

TUF STIK 150 SPRAY ADHESIVE

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

One of four adhesives recommended for TEKNOFLOR® Forestscapes HPD™. Refer to teknoflor.com for more details.

TUF STIK SPX MULTI-FUNCTION ADHESIVE

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

One of four adhesives recommended for TEKNOFLOR® Forestscapes HPD™. Refer to teknoflor.com for more details.

TEK 4000 TWO-PART EPOXY

HPD URL: **No HPD available**

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

One of four adhesives recommended for TEKNOFLOR® Forestscapes HPD™. Refer to teknoflor.com for more details.

Section 5: General Notes

Please visit teknoflor.com to learn more about TEKNOFLOR® Forestscapes HPD™, including available designs, installation and maintenance procedures, warranty information, etc.



MANUFACTURER INFORMATION

MANUFACTURER: **TEKNOFLOR®**
ADDRESS: **1005 South 60th Street**
Milwaukee WI 53214, USA
WEBSITE: **https://www.teknoflor.com**

CONTACT NAME: **Arthur Clarke**
TITLE: **Director of Sustainability**
PHONE: **(203) 561-9722**
EMAIL: **ac@hmtx.global**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.