# SmartCare Flexidex
# by Asian Paints (Middle East) SPC

**Health Product Declaration v2.3**

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER:** 32054501376
**CLASSIFICATION:** 07 14 00 Fluid-Applied Waterproofing
**PRODUCT DESCRIPTION:** Asian Paints Berger SmartCare Flexidex is a single component liquid applied UV Stable and Flexible elastomeric acrylic water proofing membrane and protective coating. Upon curing, it forms a thick, seamless, durable membrane thus offering ultimate waterproofing.

## Section 1: Summary

**Nested Method / Product Threshold**

### CONTENT INVENTORY

**Inventory Reporting Format**
- (•) Nested Materials Method
- ( ) Basic Method

**Threshold Disclosed Per**
- ( ) Material
- (•) Product

**Threshold Level**
- (•) 100 ppm
- ( ) 1,000 ppm
- ( ) Per GHS SDS
- ( ) Other

**Residuals/Impurities Evaluation**
Completed in 7 of 7 Materials

**Explanation(s) provided for Residuals/Impurities?**
(•) Yes ( ) No

*For all contents above the threshold, the manufacturer has:*

**Characterized** (•) Yes ( ) No
*Provided weight and role.*

**Screened** (•) Yes ( ) No
*Provided screening results using HPDC-approved methods.*

**Identified** (•) Yes ( ) No
*Provided name and CAS RN or other identifier.*

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**NESTED MATERIAL** | **MATERIAL OR SUBSTANCE** | *RESIDUAL OR IMPURITY*
GREENSCREEN SCORE | HAZARD TYPE

**BINDER [ METHYL METHACRYLATE** LT-P1 | END | SKI | PHY | EYE | MAM **BUTYL ACRYLATE** LT-UNK | SKI | EYE | MAM | REP | AQU **2-ETHYLHEXYL ACRYLATE** BM-2 | SKI | CAN | MAM | EYE | AQU **2-ACRYLAMIDO-2-METHYLPROPANESULFONATE** LT-UNK | EYE **]**
**WATER [ WATER** BM-4 **] EXTENDER [ LIMESTONE** BM-3dg *QUARTZ* BM-1 | CAN | MAM | GEN **] PIGMENT [ TITANIUM DIOXIDE** BM-1 | CAN | END | MAM **] THICKENER [ HYDROXYETHYL CELLULOSE** LT-P1 | END **] ADDITIVE [ TEXANOL** LT-UNK | CAN | AQU **] BUFFER [ AMMONIA** LT-P1 | END | MUL | MAM | SKI | AQU | EYE | PHY **]**

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-P1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

This HPD was produced using primary information from the manufacturer, including CAS numbers and SDS when needed. The manufacturer has made every effort to report the substances in this product to the listed threshold. This is a voluntary, self-reported effort. Any errors or omissions shall be considered a human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions. All materials/substances present in the final product were screened at or above 100 ppm, and all potential hazards associated with the product have been disclosed.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): <1 Regulatory (g/l): 100
Does the product contain exempt VOCs: No
Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

### CERTIFICATIONS AND COMPLIANCE *See Section 3 for additional listings.*

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario
VOC content: MAS Certified Green - VOC Content

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

Third Party Verified?
- ( ) Yes
- (•) No

PREPARER: Self-Prepared
VERIFIER:
VERIFICATION #:

SCREENING DATE: 2025-09-25
PUBLISHED DATE: 2025-09-25
EXPIRY DATE: 2028-09-25

## Section 2: Content in Descending Order of Quantity

*This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:*

- *Basic Inventory method with Product-level threshold.*
- *Nested Material Inventory method with Product-level threshold*
- *Nested Material Inventory method with individual Material-level thresholds*

*Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard*

**BINDER** **%: 30.0000 - 50.0000**

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: The actual percenatge of composition has been withheld to protect proprietary formulation details and intellectual property rights.

**METHYL METHACRYLATE** ID: **80-62-6**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-09-25 8:06:29**

%: **40.0000 - 60.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Monomer**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| SKI | MAK | Sensitizing Substance Sh - Danger of skin sensitization |
| SKI | EU - GHS (H-Statements) Annex 6 Table 3-1 | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| PHY | EU - GHS (H-Statements) Annex 6 Table 3-1 | H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2] |
| EYE | GHS - New Zealand | Eye irritation category 2 |
| SKI | GHS - Australia | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM | GHS - Japan | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] |
| SKI | GHS - Japan | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |
| SKI | GHS - New Zealand | Skin sensitisation category 1 |
| SKI | GHS - Malaysia | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| PHY | GHS - New Zealand | Flammable liquids category 2 |
| PHY | GHS - Japan | H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2] |
| PHY | GHS - Malaysia | H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2] |
| PHY | GHS - Australia | H225 - Highly flammable liquid and vapour [Flammable liquids - Category 2] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| RESTRICTED LIST | Perkins+Will (P+W) | P&W - Precautionary List<br><br>Precautionary list of substances recommended for avoidance |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List<br><br>Some Solvents |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Cosmetics & Personal Care Products |

SUBSTANCE NOTES: No GreenScreen score or hazard assessment exists for the given CAS RN per the Pharos database. To disclose all potential hazards associated with the polymer, it was analyzed into its likely constituent components. Data gaps were addressed using information sourced from the Pharos database and publicly available PDS/SDS documentation relevant to the material. It's important to note that the composition and ingredients listed are intended for informational and screening purposes only and are not 100% guaranteed to be present in the actual product.

**BUTYL ACRYLATE** ID: **141-32-2**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-09-25 8:06:29**

%: **20.0000 - 36.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Monomer**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| SKI | MAK | Sensitizing Substance Sh - Danger of skin sensitization |
| SKI | EU - GHS (H-Statements) Annex 6 Table 3-1 | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| EYE | EU - GHS (H-Statements) Annex 6 Table 3-1 | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A] |
| SKI | GHS - New Zealand | Skin irritation category 2 |
| EYE | GHS - New Zealand | Eye irritation category 2 |
| SKI | GHS - Australia | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| EYE | GHS - Australia | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM | GHS - Japan | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] |
| MAM | GHS - Japan | H331 - Toxic if inhaled [Acute toxicity (inhalation: vapor) - Category 3] |
| MAM | GHS - New Zealand | Acute inhalation toxicity category 3 |
| SKI | GHS - Japan | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |
| SKI | GHS - New Zealand | Skin sensitisation category 1 |
| REP | GHS - New Zealand | Reproductive toxicity category 2 |
| AQU | GHS - Japan | H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2] |
| MAM | Québec CSST - WHMIS 1988 | Class D1A - Very toxic material causing immediate and serious toxic effects |
| EYE | GHS - Japan | H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List<br><br>Some Solvents |

SUBSTANCE NOTES: Please refer to the substance notes for methyl methacrylate.

## 2-ETHYLHEXYL ACRYLATE

ID: **103-11-7**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-09-25 8:06:30**

%: **5.0000 - 15.0000** GreenScreen: **BM-2** RC: **None** NANO: **No** SUBSTANCE ROLE: **Monomer**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| SKI | MAK | Sensitizing Substance Sh - Danger of skin sensitization |
| CAN | CA EPA - Prop 65 | Carcinogen |
| CAN | IARC | Group 2b - Possibly carcinogenic to humans |
| SKI | EU - GHS (H-Statements) Annex 6 Table 3-1 | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| MAM | GHS - Japan | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3] |
| SKI | GHS - New Zealand | Skin irritation category 2 |
| EYE | GHS - New Zealand | Eye irritation category 2 |
| SKI | GHS - Australia | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| CAN | GHS - Japan | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |
| MAM | GHS - New Zealand | Specific target organ toxicity - repeated exposure category 1 |
| SKI | GHS - Japan | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |
| AQU | GHS - New Zealand | Hazardous to the aquatic environment - chronic category 3 |
| SKI | GHS - New Zealand | Skin sensitisation category 1 |
| AQU | GHS - Japan | H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2] |
| AQU | GHS - Japan | H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Please refer to the substance notes for methyl methacrylate.

**2-ACRYLAMIDO-2-METHYLPROPANESULFONATE** ID: **15214-89-8**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-09-25 8:06:30**

%: **1.0000 - 5.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Water resistance**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| EYE | GHS - New Zealand | Serious eye damage category 1 |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Please refer to the substance notes for methyl methacrylate.

**WATER** **%: 40.0000 - 50.0000**

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Other: Water

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are registered for this chemical per the Pharos database.

OTHER MATERIAL NOTES:

**WATER** ID: **7732-18-5**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-09-25 8:06:31**

%: **100.0000** GreenScreen: **BM-4** RC: **None** NANO: **No** SUBSTANCE ROLE: **Solvent**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| None found | | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| EXEMPT | European Union / European Commission (EU EC) | EU - REACH Exemptions<br>Exempted from REACH Annex IV listing due to intrinsic safety |

SUBSTANCE NOTES:

**EXTENDER** **%: 20.0000 - 30.0000**

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES: Percentages are shown as a range to protect the actual formulation.

**LIMESTONE** ID: **1317-65-3**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-09-25 8:06:29**

%: **99.0000 - 99.9000** GreenScreen: **BM-3dg** RC: **None** NANO: **No** SUBSTANCE ROLE: **Filler**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| None found | | No warnings found on HPD Priority Hazard Lists |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: "Building materials, such as concrete and dimension stone (sandstone, granite, and limestone are examples) contain crystalline silica in the form of quartz." (USGS Crystalline Silica Primer). Limestone typically contains between 0.1% and 1% quartz. (MSHA MSDS & Specialty MSDS) - Pharos database

**QUARTZ** ID: **14808-60-7**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-09-25 8:06:30**

%: **0.1000 - 1.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CAN | US NIH - Report on Carcinogens | Known to be Human Carcinogen (respirable size - occupational setting) |
| CAN | MAK | Carcinogen Group 1 - Substances that cause cancer in man |
| CAN | IARC | Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources |
| CAN | IARC | Group 1 - Agent is Carcinogenic to humans |
| CAN | US NIH - Report on Carcinogens | Known to be a human Carcinogen |
| CAN | GHS - Japan | H350 - May cause cancer [Carcinogenicity - Category 1A] |
| CAN | GHS - Australia | H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B] |
| CAN | GHS - New Zealand | Carcinogenicity category 1 |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| GEN | GHS - Japan | H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2] |
| MAM | GHS - Australia | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1] |
| MAM | GHS - New Zealand | Specific target organ toxicity - repeated exposure category 1 |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Please refer to the substance notes for limestone.

**PIGMENT** **%: 2.0000 - 6.0000**

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES:

**TITANIUM DIOXIDE** ID: **13463-67-7**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-09-25 8:06:30**

%: **100.0000** GreenScreen: **BM-1** RC: **UNK** NANO: **Unknown** SUBSTANCE ROLE: **Pigment**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| CAN | US CDC - Occupational Carcinogens | Occupational Carcinogen |
| CAN | CA EPA - Prop 65 | Carcinogen - specific to chemical form or exposure route |
| CAN | IARC | Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources |
| CAN | MAK | Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value |
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| CAN | MAK | Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels |
| CAN | IARC | Group 2b - Possibly carcinogenic to humans |
| CAN | EU - GHS (H-Statements) Annex 6 Table 3-1 | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |
| CAN | GHS - Japan | H351 - Suspected of causing cancer [Carcinogenicity - Category 2] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Children's Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Formulated Consumer Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Cosmetics & Personal Care Products |
| POSITIVE LIST | US Environmental Protection Agency (US EPA) | US EPA - DfE Safer Chemicals Ingredients list (SCIL)<br><br>Colorants - Green Circle (Verified Low Concern) |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025<br><br>Cosmetics and Personal Care Products |

SUBSTANCE NOTES: No residuals or impurities are expected to be present at or above 100 ppm.

**THICKENER** **%: 0.4000 - 1.0000**

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES:

**HYDROXYETHYL CELLULOSE** ID: **9004-62-0**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-09-25 8:06:31**

%: **99.9000 - 100.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Viscosity modifier**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: Residuals or impurities are quantitatively measured and listed in this HPD when greater than or equal to 100 ppm.

**ADDITIVE** **%: 0.1000 - 0.6000**

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Other: Organic compound

RESIDUALS AND IMPURITIES NOTES: The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES:

**TEXANOL** ID: **25265-77-4**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-09-25 8:06:32**

%: **100.0000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Coalescent**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| CAN | MAK | Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value |
| AQU | GHS - New Zealand | Hazardous to the aquatic environment - chronic category 3 |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| None found | | No listings found on Additional Hazard Lists |

SUBSTANCE NOTES: No residuals or impurities are expected to be present at or above 100 ppm.

**BUFFER** **%: 0.0100 - 0.0800**

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Other: Inorganic compound

RESIDUALS AND IMPURITIES NOTES: The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material. Pharos and PubChem (formerly TOXNOT) are the main databases for researching potential residuals and impurities. Any R/I above the threshold shall be listed on the HPD; otherwise, if none are listed, then no residuals or impurities are common in that substance above the threshold.

OTHER MATERIAL NOTES:

**AMMONIA** ID: **7664-41-7**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2025-09-25 8:06:32**

%: **99.9000 - 100.0000** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Buffer**

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---|---|---|
| END | TEDX - Potential Endocrine Disruptors | Potential Endocrine Disruptor |
| MUL | German FEA - Substances Hazardous to Waters | Class 2 - Hazard to Waters |
| MAM | US EPA - EPCRA Extremely Hazardous Substances | Extremely Hazardous Substances |
| SKI | EU - GHS (H-Statements) Annex 6 Table 3-1 | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] |
| AQU | EU - GHS (H-Statements) Annex 6 Table 3-1 | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |

| | | |
|---|---|---|
| MAM | EU - GHS (H-Statements) Annex 6 Table 3-1 | H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3] |
| MAM | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| MAM | GHS - Japan | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] |
| EYE | GHS - New Zealand | Serious eye damage category 1 |
| EYE | GHS - Japan | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1] |
| SKI | GHS - Japan | H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1] |
| SKI | GHS - Australia | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] |
| MAM | GHS - New Zealand | Acute inhalation toxicity category 3 |
| AQU | GHS - New Zealand | Hazardous to the aquatic environment - acute category 1 |
| AQU | GHS - Korea | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
| SKI | GHS - Korea | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1] |
| SKI | GHS - New Zealand | Skin corrosion category 1B |
| MAM | Québec CSST - WHMIS 1988 | Class D1A - Very toxic material causing immediate and serious toxic effects |
| MAM | GHS - Malaysia | H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3] |
| SKI | GHS - Malaysia | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] |
| EYE | GHS - Malaysia | H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1] |
| MAM | GHS - Australia | H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3] |
| PHY | GHS - Korea | H220 - Extremely flammable gas [Flammable gases - Category 1] |
| PHY | Québec CSST - WHMIS 1988 | Class B1 - Flammable gases |
| PHY | GHS - Japan | H220 - Extremely flammable gas [Flammable gases - Category 1] |
| AQU | GHS - Malaysia | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
| AQU | GHS - Australia | H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1] |
| MAM | GHS - Korea | H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3] |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
|---|---|---|
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List<br><br>Antimicrobials |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022<br><br>Cosmetics & Personal Care Products |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.1 Product Standard Restricted Substances - Effective July 1, 2025<br><br>Cosmetics and Personal Care Products |

SUBSTANCE NOTES: Residuals or impurities are quantitatively measured and listed in this HPD when greater than or equal to 100 ppm.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

**VOC EMISSIONS** — **CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario**

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Asian Paints Middle East (SPC). P.O.Box 462, PC 133, Al khuwair, Ghala Industrial Area, Muscat-Sultanate of Oman.
CERTIFICATE URL:

ISSUE DATE: 2025-05-08 00:00:00
EXPIRY DATE:

CERTIFIER OR LAB: Wimpey Laboratories LLC

CERTIFICATION AND COMPLIANCE NOTES: Report # WD-R-250410-0772

**VOC CONTENT** — **MAS Certified Green - VOC Content**

CERTIFYING PARTY: Third Party
APPLICABLE FACILITIES: Asian Paints Middle East (SPC). P.O.Box 462, PC 133, Al khuwair, Ghala Industrial Area, Muscat-Sultanate of Oman.
CERTIFICATE URL:

ISSUE DATE: 2023-03-21 00:00:00
EXPIRY DATE:

CERTIFIER OR LAB: Wimpey Laboratories LLC

CERTIFICATION AND COMPLIANCE NOTES: This is not a MAS Certified Green – VOC Content certification; however, it is the only available option to comply with the HPDC requirements. The third-party certifier reported the VOC content, Wimpey Laboratories LLC, under report # WD-R-230307-0757/1

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

## Section 5: General Notes

Uses
Recommended for the protection of all types of roofs-Concrete, Tiles, Plasters, Timbers, Metal profile roofs, Asbestos, etc.
Protective Coating for PU Foam Insulations
Waterproofing Coating for Combo Roofing Systems
Protective Coating for Concrete Bridge decks and Underpasses
Interior and Exterior

Characteristics:
Ready to use material. Easy to apply by Brush, Roller and Spray
Protects exposed concrete structures against Efflorescence and salt migration
Excellent UV resistance
Excellent elongation properties
Elastomeric and crack bridging ability
Good resistance chloride and sulphate ions
Resistant to water diffusion

Packing:
3.5 Ltr & 18 Ltr

Standards:
Confirms to BS 1881, BS 6319 part 3, BS 6319 part 7, ASTM C 579

# Section 6: References

## MANUFACTURER INFORMATION


MANUFACTURER: **Asian Paints (Middle East) SPC**
ADDRESS: **P.O.Box 462, PC 133, Al khuwair, Ghala Industrial Area , Muscat-Sultanate of Oman**
**Way no.5222, Complex no.252, Plot no.1172,Building no.1773 .**
**Muscat, Muscat 462**
COUNTRY: **Oman**

WEBSITE: **https://www.asianpaints.com/**
CONTACT NAME: **Shirouz Sharafuddeen**
TITLE: **Officer - Technology**
PHONE: **00971-43391000**
EMAIL: **shirouz.sharafuddeen@asianpaints.com**


*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

## KEY

### Hazard Types

**AQU** Aquatic toxicity
**CAN** Cancer
**DEV** Developmental toxicity
**END** Endocrine activity
**EYE** Eye irritation/corrosivity
**GEN** Gene mutation
**GLO** Global warming
**LAN** Land toxicity
**MAM** Mammalian/systemic/organ toxicity
**MUL** Multiple
**NEU** Neurotoxicity
**NF** Not found on Priority Hazard Lists
**OZO** Ozone depletion
**PBT** Persistent, bioaccumulative, and toxic
**PHY** Physical hazard (flammable or reactive)
**REP** Reproductive
**RES** Respiratory sensitization
**SKI** Skin sensitization/irritation/corrosivity
**UNK** Unknown

### GreenScreen (GS)

**BM-4** Benchmark 4 (prefer-safer chemical)
**BM-3** Benchmark 3 (use but still opportunity for improvement)
**BM-2** Benchmark 2 (use but search for safer substitutes)
**BM-1** Benchmark 1 (avoid - chemical of high concern)
**BM-U** Benchmark Unspecified (due to insufficient data)
**LT-P1** List Translator Possible 1 (Possible Benchmark-1)
**LT-1** List Translator 1 (Likely Benchmark-1)
**LT-UNK** List Translator Benchmark Unknown
**NoGS** No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

### Recycled Types

**PreC** Pre-consumer recycled content
**PostC** Post-consumer recycled content
**UNK** Inclusion of recycled content is unknown
**None** Does not include recycled content

### Other Terms:

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Inventory Methods:

**Nested Method** / **Material Threshold** Substances listed within each material per threshold indicated per material
**Nested Method** / **Product Threshold** Substances listed within each material per threshold indicated per product
**Basic Method** / **Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology
**Third Party Verified** Verification by independent certifier approved by HPDC
**Preparer** Third party preparer, if not self-prepared by manufacturer
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*