Stego Crete Claw® Tape by Stego Industries, LLC

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 21426

CLASSIFICATION: 07 26 00 Vapor Retarders

PRODUCT DESCRIPTION: Stego Crete Claw Tape is a multi-layered tape/detail strip that will mechanically seal Stego Wrap to concrete that is cast against it once the slab has sufficiently hardened. The innovative design allows wet concrete to cast into the textured surface of Stego Crete Claw. Simply adhere Stego Crete Claw to Stego Wrap prior to concrete placement, then place the concrete directly over the system. There are numerous applications for Stego Crete Claw, but the most common include sealing Stego Wrap to the slab at the perimeter and securing Stego Wrap to the bottom of the slab for expansive/settling soils and carton/void form applications. Stego Crete Claw is available in both six-inch and three-inch wide rolls. Additional CSI MasterFormat designation: 03 30 00

	-	-	
	-	-	
	-	-	

Section 1: Summary

Nested Method / Product Threshold

	1TE			

Inventory Reporting Format

- Nested Materials Method
- C Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- C 100 ppm
- C 1,000 ppm Per GHS SDS
- C Other

Residuals/Impurities

Residuals/Impurities Considered in 0 of 4 Materials

Explanation(s) provided for Residuals/Impurities? Yes O No

All Substances Above the Threshold Indicated Are:

O Yes Ex/SC O Yes O No Characterized

% weight and role provided for all substances.

Screened ○ Yes Ex/SC ○ Yes ○ No

One or more substances not screened using Priority Hazard Lists with results disclosed and/ or one or more Special Condition did not follow guidance.

C Yes Ex/SC C Yes O No Identified

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

POLYOLEFIN TAPE SUBSTRATE [POLYETHYLENE (POLYETHYLENE) LT-UNK ADDITIVE 1 Not Screened ADDITIVE 2 Not Screened] POLYOLEFIN SCRIM [POLYOLEFIN Not Screened] ACRYLIC ADHESIVE [ACRYLIC POLYMER Not Screened ADDITIVE Not Screened] SYNTHETIC RUBBER ADHESIVE [SYNTHETIC RUBBER POLYMER Not Screened ADDITIVE Not Screened 1

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

*** Substances that have not been screened by the Priority Hazards List have been researched by the supplier for potential health hazards. *** We have worked closely with our suppliers to ensure the least toxic ingredients are chosen while maintaining required performance characteristics.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: N/A VOC content: VOC Content

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed

Third Party Verified?

C Yes No

PREPARER: Self-Prepared VFRIFIFR: VERIFICATION #:

PUBLISHED DATE: 2020-08-14 EXPIRY DATE: 2023-08-14

SCREENING DATE: 2020-08-14

Stego Crete Claw Tape hpdrepository.hpd-collaborative.org



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

POLYOLEFIN TAPE SUBSTRATE %: 30.0000 - 50.0000

PRODUCT THRESHOLD: Per GHS SDS

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals have not been quantified. Efforts are made to ensure that no undesired residuals or impurities remain in the final product, but no additional tests are undertaken to measure potential residual content.

OTHER MATERIAL NOTES: Variation in processing necessitates that a range of values be reported for this substance.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-14		
%: 99.0000 - 100.0000	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES	WAI	RNINGS	
None found			No w	arnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Variation in processing necessitates that a range of values be reported for this substance.

ADDITIVE 1

DE Undisclosed

HAZARD SCREENING METHOD: Phase Chemical and Materials Library

HAZARD SCREENING DATE: 2020-08-14

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2020-08-14		
%: 0.0000 - 1.0000	GS: Not Screened	RC: None	nano: No	SUBSTANCE ROLE: Anti-adhesive agent
HAZARD TYPE	AGENCY AND LIST TITLES	,	WARNINGS	
	Hazard Screening not performed			

SUBSTANCE NOTES: The supplier has only identified this substance as a slip agent due to the fact that it is a proprietary component of the product and it represents a Trade Secret. To the best of their knowledge and research, there are no known hazards or warnings associated with this material. Variation in processing necessitates that a range of values be reported for this substance.

ADDITIVE 2 ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2020-08-14			
%: 0.0000 - 1.0000	GS: Not Screened	RC: None	nano: No	SUBSTANCE ROLE: Pigment		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
	Hazard Screening not performed					

SUBSTANCE NOTES: The supplier has only identified this substance as a pigment due to the fact that it is a proprietary component of the product and it represents a Trade Secret. To the best of their knowledge and research, there are no known hazards or warnings associated with this material. Variation in processing necessitates that a range of values be reported for this substance.

POLYOLEFIN SCRIM %: 16.0000 - 26.0000

PRODUCT THRESHOLD: Per GHS SDS

residuals and impurities considered: No

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals have not been quantified. Efforts are made to ensure that no undesired residuals or impurities remain in the final product, but no additional tests are undertaken to measure potential residual content.

OTHER MATERIAL NOTES: Variation in processing necessitates that a range of values be reported for this substance.

POLYOLEFIN				ID: Undisclosed
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-08-14				20-08-14
%: 100.0000 - 100.0000	gs: Not Screened	RC: None	nano: No	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	AGENCY AND LIST TITLES	WA	RNINGS	
	Hazard Screening not performed			

SUBSTANCE NOTES: The supplier has identified this substance as a polyolefin due to the fact that it is a proprietary component of the product and it represents a Trade Secret. To the best of their knowledge and research, there are no known hazards or warnings associated with this material.

ACRYLIC ADHESIVE %: 15.0000 - 25.0000

PRODUCT THRESHOLD: Per GHS SDS

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals have not been quantified. Efforts are made to ensure that no undesired residuals or impurities remain in the final product, but no additional tests are undertaken to measure potential residual content.

OTHER MATERIAL NOTES: Variation in processing necessitates that a range of values be reported for this substance.

ACRYLIC POLYMER				ID: Undisclosed
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-08-14				
%: 95.0000 - 100.0000	gs: Not Screened	RC: None	nano: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	GS	
	Hazard Screening not performed			

SUBSTANCE NOTES: The supplier has identified this substance as an acrylic polymer due to the fact that it is a proprietary component of the product and it represents a Trade Secret. To the best of their knowledge and research, there are no known hazards or warnings associated with this material. Variation in processing necessitates that a range of values be reported for this substance.

ADDITIVE			ID: Undisclosed	
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-08-14				
%: 0.0000 - 5.0000	gs: Not Screened	RC: None NANO: No SUBSTANCE ROLE:	Processing regulator	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	Hazard Screening not performed			

SUBSTANCE NOTES: The supplier has only identified this substance as an adhesive additive (modifier) due to the fact that it is a proprietary component of the product and it represents a Trade Secret. To the best of their knowledge and research, there are no known hazards or warnings associated with this material. Variation in processing necessitates that a range of values be reported for this substance.

%: 15.0000 - 25.0000

PRODUCT THRESHOLD: Per GHS SDS

RESIDUALS AND IMPURITIES CONSIDERED: No

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Residuals have not been quantified. Efforts are made to ensure that no undesired residuals or impurities remain in the final product, but no additional tests are undertaken to measure potential residual content.

OTHER MATERIAL NOTES: Variation in processing necessitates that a range of values be reported for this substance.

SYNTHETIC RUBBER POLY	MER			ID: Undisclosed
HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2020-08-14				0-08-14
%: 95.0000 - 100.0000	GS: Not Screened	RC: None	nano: No	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNING	s	
	Hazard Screening not performed			

SUBSTANCE NOTES: The supplier has identified this substance as a synthetic rubber polymer due to the fact that it is a proprietary component of the product and it represents a Trade Secret. To the best of their knowledge and research, there are no known hazards or warnings associated with this material. Variation in processing necessitates that a range of values be reported for this substance.

ADDITIVE				ID: Undisclosed
HAZARD SCREENING METHOD: P	haros Chemical and Materials Library	HAZARD SCREENING DATE: 2020-08-14		
%: 0.0000 - 5.0000	gs: Not Screened	RC: None NA	ANO: No	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	AGENCY AND LIST TITLES	WARNI	INGS	
	Hazard Screening not performed			

SUBSTANCE NOTES: The supplier has only identified this substance as an adhesive additive (modifier) due to the fact that it is a proprietary component of the product and it represents a Trade Secret. To the best of their knowledge and research, there are no known hazards or warnings associated with this material. Variation in processing necessitates that a range of values be reported for this substance.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

N/A

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-

EXPIRY DATE:

CERTIFIER OR LAB: None

APPLICABLE FACILITIES: All

08-14

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: This is an exterior-applied product.

VOC CONTENT

VOC Content

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2020-

EXPIRY DATE:

CERTIFIER OR LAB: None

APPLICABLE FACILITIES: All

08-14

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES: The VOC content is less than 10 g/L based on the formulation.



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.



Section 5: General Notes

*** Stego Industries ("Stego") officially embarked on its Footprint Project in June of 2014 to eliminate the carbon emissions of its business operations and help brand a culture of sustainability Stego has incorporated into its business model from the beginning. Our Stego Green Team, which includes every corporate department, is using life cycle thinking to review the impacts of our products and our operations. These ongoing efforts' ultimate goal is to create a comprehensive corporate sustainability report to demonstrate our commitment to the environment and improve our performance in key areas. We hope you will hold us accountable for the good of our planet so we can prove yellow is green. - See more at:

http://www.stegoindustries.com/sustainability/stego_carbon_footprint_project.php#sthash.SFvID8k4.dpuf *** Before Stego codified its sustainability efforts under its Footprint project, we already led our industry in green initiatives - both on the projects we supplied our products to and in how we conducted our business operations. Stego proudly converted its corporate headquarters in sunny San Clemente, Calif. to a 100 percent solar powered facility in 2010. Each year, Stego's solar panels: produce approximately 55.7 megawatts of electricity, offset the equivalent of approximately three acres of trees, could power approximately 1,150 homes for one day. We also provide a number of offsets and incentives to our employees: we began offsetting carbon emissions from all business air travel in 2013 and we offer a vehicle purchase incentive for employees to upgrade their work-use vehicles to more fuel-efficient choices. *** Stego served as a Pilot Manufacturer in the Health Product Declaration Collaborative (HPDC), which was a step taken to help lead the charge towards standardized transparency of building products. More recently, Stego has also become a Supporter Level Sponsor and member of the

Manufacturer Advisory Panel (MAP) to further our support and involvement. Stego is also a member of the United States Green Building Council (USGBC) and we have sponsored the ABC Green Home since the project's inception in 2011. - See more at:

http://www.stegoindustries.com/sustainability/footprint_project_achievements.php#sthash.hjwdNMFw.dpuf *** Stego, the stegosaurus design logo[s], Crete Claw, StegoTack, StegoCrawl, Beast, and the Beast design logo are all deemed to be registered and/or protectable trademarks or service marks of Stego Industries, LLC. © 2017 All rights reserved. Please visit http://www.stegoindustries.com/legal/ for more information.

MANUFACTURER INFORMATION

MANUFACTURER: Stego Industries, LLC ADDRESS: 216 Avenida Fabricante

Suite 101

San Clemente California 92672, USA

WERSITE

https://www.stegoindustries.com/products/stego-

crete-claw-3

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

Associate

TITLE: Sustainability Manager

EMAIL: tommarks@stegoindustries.com

PHONE: (877) 464-7834

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or

reactive)

CONTACT NAME: Tom Marks CSI CDT LEED Green

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)

NoGS No GreenScreen.

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
 created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products

through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.