

HPD UNIQUE IDENTIFIER: 30671

CLASSIFICATION: 09 81 29 Sprayed Acoustic Insulation

PRODUCT DESCRIPTION: ThermoCon FC is a high-performance, spray-applied acoustical texture system, which adheres to virtually any substrate and surface configuration of metal, sheet rock, plaster, wood, concrete, etc. ThermoCon FC treated cellulose fibers are manufactured in the USA from 80% recycled materials, and applied utilizing a low-emitting, water-based adhesive. ThermoCon FC, as tested by a NVLAP accredited acoustical laboratory per ASTM C-423, provides an exceptionally high noise reduction coefficient (NRC). This HPD covers all components of the ThermoCon FC Acoustical System, including the treated cellulose fibers and adhesive.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

<p><b>Inventory Reporting Format</b></p> <p><input checked="" type="radio"/> Nested Materials Method</p> <p><input type="radio"/> Basic Method</p> <p><b>Threshold Disclosed Per</b></p> <p><input type="radio"/> Material</p> <p><input checked="" type="radio"/> Product</p>	<p><b>Threshold Level</b></p> <p><input checked="" type="radio"/> 100 ppm</p> <p><input type="radio"/> 1,000 ppm</p> <p><input type="radio"/> Per GHS SDS</p> <p><input type="radio"/> Other</p>	<p><b>Residuals/Impurities Evaluation</b></p> <p>Completed in 2 of 2 Materials</p> <p><b>Explanation(s) provided for Residuals/Impurities?</b></p> <p><input checked="" type="radio"/> Yes <input type="radio"/> No</p>	<p><i>For all contents above the threshold, the manufacturer has:</i></p> <p><b>Characterized</b> <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided weight and role.</i></p> <p><b>Screened</b> <input checked="" type="radio"/> Yes <input type="radio"/> No</p> <p><i>Provided screening results using HPDC-approved methods.</i></p> <p><b>Identified</b> <input type="radio"/> Yes <input checked="" type="radio"/> No</p> <p><i>Provided name and CAS RN or other identifier.</i></p>
--	--	---	---

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY**

**GREENSCREEN SCORE | HAZARD TYPE**

**THERMOCON FC ADHESIVE [ WATER BM-4 UNDISCLOSED LT-UNK**  
**POLYVINYL ALCOHOL LT-UNK ] THERMOCON FC TREATED**  
**CELLULOSE FIBER INSULATION [ BORIC ACID LT-1 ] END | REP |**  
**DEV | MUL | EYE | MAM | SKI BORAX LT-1 ] END | REP | MUL | EYE |**  
**MAM | SKI HYDROTREATED HEAVY PARAFFINIC PETROLEUM**  
**DISTILLATES (MINERAL OIL), CONTAINING LESS THAN 3% DMSO**  
**AS MEASURED BY IP 346 LT-P1 ] CAN | SKI | DEV MIXED RECYCLED**  
**PAPER ]**

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, LT-P1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:**

Special Conditions applied: [MixedRecycledContent]

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.3, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished product, along with the role and percent weight. Substances not "Identified" are those considered proprietary to suppliers.

**VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): <2 g/l Regulatory (g/l): 19.4 g/l

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base paint when tinted: N/A

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

VOC content: ASTM D3960

Multi-attribute: Cradle to Cradle Certified - Bronze (V3.1)

Material content migration: BS EN 71-3:2013+A1:2014 Safety of toys.

Migration of certain elements

**CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1.

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2022-11-22

PUBLISHED DATE: 2022-11-22

EXPIRY DATE: 2025-11-22

## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### THERMOCON FC ADHESIVE %: 73.6000 - 73.6000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier documentation and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Standard diluted adhesive mixture at the point of installation.

### WATER

ID: 7732-18-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-11-22 12:48:24

%: 92.0000 - 93.5000 GreenScreen: BM-4 RC: None NANO: No SUBSTANCE ROLE: Diluent

#### HAZARD TYPE

#### AGENCY AND LIST TITLES

#### WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

#### ADDITIONAL LISTINGS

#### AGENCY

#### NOTIFICATION

#### EXEMPT

European Union / European Commission (EU EC)

EU - REACH Exemptions

Exempted from REACH Annex IV listing due to intrinsic safety

#### POSITIVE LIST

US Environmental Protection Agency (US EPA)

US EPA - DfE SCIL

Green Circle - Verified Low Concern

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-4 was provided by the HPD Builder Tool.

### UNDISCLOSED

ID: Undisclosed

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-11-22 12:48:25

%: 5.0000 - 6.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Adhesive

#### HAZARD TYPE

#### AGENCY AND LIST TITLES

#### WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

#### ADDITIONAL LISTINGS

#### AGENCY

#### NOTIFICATION

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Supplier has shared substance identity under the terms of a non-disclosure agreement; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed.

**POLYVINYL ALCOHOL**

ID: 9002-89-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-11-22 12:48:26**

%: **1.5000 - 2.5000** GreenScreen: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Adhesive**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL Green Circle - Verified Low Concern

SUBSTANCE NOTES:

**THERMOCON FC TREATED CELLULOSE FIBER INSULATION**      %: **26.4000 - 26.4000**

PRODUCT THRESHOLD: 100 ppm      RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes      MATERIAL TYPE: Plant-Based Fiber

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier documentation and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Treated Cellulose Fiber Insulation mixed with diluted adhesive prior to application.

**MIXED RECYCLED PAPER**

ID: **Mixed Recycled Content**

HAZARD DATA SOURCE: **HPDC Special Conditions Policy**

%: **81.5000 - 82.0000** GreenScreen: **Not Required** RC: **PreC** NANO: **No** MATERIAL ROLE: **Insulator**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening is not applicable to this Special Condition		

INGREDIENT DESCRIPTION: Cellulose Fiber Pulp

ANALYTICAL TESTING: EN71-3 Migration of Chromium (VI); Method: DIN EN71-3:2019-08, IC-UV/VIS; Chromium (VI) – Category I & III, Chromium (VI) – Category II. Halogenorganic Compounds; Method: Soxhlet Technique; AOX, EOX. Eurofins-Consumer Product Testing; Report Number 2021-753-43 (Cellulose Fiber Blends Pulp); Report Number 2021-753-42 (Cellulose Fiber Blend Rolls).

BATCH VARIATION: Yes, Natural origin of the raw materials.

COUNTRY OF ORIGIN: USA

MATERIAL CONTENT NOTES: Includes pre-consumer recycled material from various domestic (USA) sources. Please contact manufacturer if more information is required.

This disclosure does not provide information on the potential presence of hazardous substances which may be found in certain mixed recycled materials.

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-11-22 12:48:24**

%: <b>15.0000 - 17.0000</b>	GreenScreen: <b>LT-1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Flame retardant</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
REP	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list		
DEV	MAK	Pregnancy Risk Group B		
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B		
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant		
REP	EU - SVHC Authorisation List	Toxic to reproduction - Prioritized for listing		
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity		
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]		
REP	GHS - Australia	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]		
REP	EU - GHS (H-Statements) Annex 6 Table 3-1	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]		
EYE	GHS - New Zealand	Eye irritation category 2		
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]		
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]		
REP	GHS - New Zealand	Reproductive toxicity category 2		
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION		
RESTRICTED LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL  Yellow Triangle - best available in class but some hazard profile issues		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products		
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Cosmetics & Personal Care Products		

**SUBSTANCE NOTES:** Borate-treated cellulose insulation was tested for purposes of hazard classification under the Occupational Safety and Health Administration's 2012 Hazard Communication Standard. In a study conducted under OECD Guideline 414, there were no developmental effects in rats exposed to up to 270 mg/m3 (the highest exposure tested). In workers chronically exposed to high levels of borates for several years by way of inhalation, food, and drinking water, there was a clear absence of any reproductive effects. For boric acid and substantially similar mixtures (specifically, sodium tetraborate pentahydrate and sodium tetraborate decahydrate), the reproductive toxicity is substantially equivalent; therefore, the same hazard category (i.e., no classification for reproductive toxicity) may be applied.

**BORAX**

ID: 1303-96-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2022-11-22 12:48:25**

%: **2.0000 - 5.0000** GreenScreen: **LT-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Flame retardant**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
REP	EU - SVHC Authorisation List	Toxic to reproduction - Candidate list
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
REP	EU - SVHC Authorisation List	Toxic to reproduction - Prioritized for listing
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
REP	GHS - Australia	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
REP	EU - GHS (H-Statements) Annex 6 Table 3-1	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
EYE	GHS - New Zealand	Eye irritation category 2
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
REP	GHS - New Zealand	Reproductive toxicity category 2

ADDITIONAL LISTINGS	AGENCY	NOTIFICATION
RESTRICTED LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE SCIL  Yellow Triangle - best available in class but some hazard profile issues
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Cosmetics & Personal Care Products

**SUBSTANCE NOTES:** Borate-treated cellulose insulation was tested for purposes of hazard classification under the Occupational Safety and Health Administration's 2012 Hazard Communication Standard. In a study conducted under OECD Guideline 414, there were no developmental effects in rats exposed to up to 270 mg/m<sup>3</sup> (the highest exposure tested). In workers chronically exposed to high levels of borates for several years by way of inhalation, food, and drinking water, there was a clear absence of any reproductive effects. For boric acid and substantially similar mixtures (specifically, sodium tetraborate pentahydrate and sodium tetraborate decahydrate), the reproductive toxicity is substantially equivalent; therefore, the same hazard category (i.e., no classification for reproductive toxicity) may be applied.

**HYDROTREATED HEAVY PARAFFINIC PETROLEUM  
DISTILLATES (MINERAL OIL), CONTAINING LESS THAN 3%  
DMSO AS MEASURED BY IP 346**

ID: 64742-54-7

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2022-11-22 12:48:27</b>		
%: <b>0.1000 - 0.1000</b>	GreenScreen: <b>LT-P1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Dedusting</b>
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]		
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]		
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]		
ADDITIONAL LISTINGS	AGENCY	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

**SUBSTANCE NOTES:** Testing confirms Poly Aromatic Compounds, PACs, DMSO Extraction, IP 346, <0.1% by weight. Certificate of Analysis available upon request.

## Section 3: Certifications and Compliance

*This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.*

<b>VOC EMISSIONS</b>	<b>UL/GreenGuard Gold Certified</b>	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Houston, TX 77045 USA CERTIFICATE URL: <a href="https://tinyurl.com/3a7yd5sx">https://tinyurl.com/3a7yd5sx</a>	ISSUE DATE: 2018-12-11 EXPIRY DATE: 2023-07-05	CERTIFIER OR LAB: UL Environment
CERTIFICATION AND COMPLIANCE NOTES: Certificate Number: 133541-420. UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings. Building products and interior finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using an Office and Classroom Environment. Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818. Section 7.1 and 7.2.		
<b>VOC CONTENT</b>	<b>ASTM D3960</b>	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Houston, TX 77045 USA CERTIFICATE URL:	ISSUE DATE: 2008-07-31 EXPIRY DATE:	CERTIFIER OR LAB: Intertek
CERTIFICATION AND COMPLIANCE NOTES: ASTM D3960: Standard Practice for Determining Volatile Organic Compound (VOC) Content of Paints and Related Coatings. Product tested: Adhesive Concentrate. Final Test Result: 19.43 g/L VOC.		
<b>MULTI-ATTRIBUTE</b>	<b>Cradle to Cradle Certified - Bronze (V3.1)</b>	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Houston, TX 77045 USA CERTIFICATE URL: <a href="https://tinyurl.com/3akphuwb">https://tinyurl.com/3akphuwb</a>	ISSUE DATE: 2021-09-17 EXPIRY DATE: 2023-09-16	CERTIFIER OR LAB: EPEA GmbH - Part of Drees & Sommer
CERTIFICATION AND COMPLIANCE NOTES: Certification Number: 5023. Includes the following products: K-13, SonaSpray "fc", SonaKrete, Ure-K, SonaSpray, SonaSpray K-13, SonaSpray FC, SonaSpray FCX, SonaSpray SP, Thermocon, Thermocon SB, Thermocon FC, Thermocon FCX. Excluded: Color variations obtained from the following pigments: Violet ER02, 1522 Bon Maronn, First yellow PGX-01, brown 772BN, red/orange RA18B, Phtalo blue pck-2000, Milori blue, phtalo green 787, red iron oxide, and Verdacol red 3571. This certification is considered provisional pending completion of the manufacturing facility site visit, which was postponed due to 2020-21 global travel restrictions.		
<b>MATERIAL CONTENT MIGRATION</b>	<b>BS EN 71-3:2013+A1:2014 Safety of toys. Migration of certain elements</b>	
CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Houston, TX 77045 USA CERTIFICATE URL:	ISSUE DATE: 2021-01-28 EXPIRY DATE:	CERTIFIER OR LAB: Eurofins
CERTIFICATION AND COMPLIANCE NOTES: Compliance: EN 71-3:2019 CrVI (not available in HPD Builder). Report Number: 2021-753-42. Sample: Cellulose Fibre Blends Rolls. Method: DIN EN71-3:2019-08, IC-UV/VIS. Results: Chromium (VI) - Category I & III <0.02 mg/kg; Chromium(VI) - Category II (Below indicated quantification level).		
<b>MANAGEMENT</b>	<b>ISO 9001:2015 Quality management systems</b>	
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: Houston, TX 77045 USA CERTIFICATE URL:	ISSUE DATE: 2006-05-11 EXPIRY DATE: 2024-05-10	CERTIFIER OR LAB: World Certification Services Ltd.
CERTIFICATION AND COMPLIANCE NOTES: Certificate Number: 6250. Scope of Activities: International Cellulose Corporation: Developer, manufacturer, and distributor of cellulose thermal insulation and acoustical finishes, industrial absorbents and filter aids.		

## Section 4: Accessories

*This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.*

No accessories are required for this product.

ThermoCon FS is available in three standard colors: White and Arctic White - which provide high light reflectance - and Black, but can also be produced in custom matched, integrated colors. VOC Content reported for the product system was calculated based on the Adhesive Concentrate, which contributes <5% to the diluted adhesive used for the finished product system.



**MANUFACTURER INFORMATION**

**MANUFACTURER:** International Cellulose Corporation  
**ADDRESS:** 12315 Robin Blvd.  
 Houston TX 77045, USA  
**WEBSITE:** [www.spray-on.com](http://www.spray-on.com)

**CONTACT NAME:** Lauren Kempe  
**TITLE:** Architectural Sales Representative  
**PHONE:** (713) 610-4731  
**EMAIL:** [lkempe@spray-on.com](mailto:lkempe@spray-on.com)

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

- PreC** Pre-consumer recycled content
- PostC** Post-consumer recycled content
- UNK** Inclusion of recycled content is unknown
- None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

- Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

- Nano** Composed of nano scale particles or nanotechnology
- Third Party Verified** Verification by independent certifier approved by HPDC
- Preparer** Third party preparer, if not self-prepared by manufacturer
- Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- *a method for the assessment of exposure or risk associated with product handling or use,*
- *a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*